

A11101 565485

NASA
Reference
Publication
1102

NBSIR
82-1672

April 1983

NBS
PUBLICATIONS

NAT'L INST. OF STAND & TECH



A11106 979126

Transport Properties of Oxygen

H. M. Roder



QC
100
U56
82-1672
1983
C.2

SA

25

25th Anniversary
1958-1983



NASA
Reference
Publication
1102

MAY 31 1983
not acc-circ
QC 100
4570
80-1670
1983
C.2

NBSIR
82-1672

1983

Transport Properties of Oxygen

H. M. Roder
*Thermophysical Properties Division
National Engineering Laboratory
National Bureau of Standards
Boulder, Colorado*

Prepared for NASA Lewis Research Center

Contents

	Page
1. Introduction	1
2. Representation of the Viscosity	3
3. Representation of the Thermal Conductivity	4
3.1 Calculations for Region 1	7
3.2 Calculations for Region 2	8
3.3 Boundaries for Regions 1 and 2	9
4. Representation of the Thermal Diffusivity	9
5. Prandtl Number	11
6. Description of the Data Tables	13
7. Error Estimates	14
8. Summary	15
9. References	16
Appendix A. Program Listings for Viscosity	80
Appendix B. Program Listings for Thermal Conductivity	81
Appendix C. Conversion Factors, Oxygen	83

List of Figures

Figure 1. Region of the PVT surface covered by the new thermal conductivity measurements [8]	6
--	---

List of Tables

Table 1. Overview of Previous Publications	2
Table 2. Thermal Conductivities near 162.9805 K	10
Table 3. Thermal Conductivities from Lightscattering, Weber [9] . .	12
Table 4. Transport Properties of Oxygen for saturated Liquid and Vapor, SI Units	17
Table 5. Transport Properties of Oxygen, Isobars, SI Units	18
Table 6. Transport properties of Oxygen for saturated Liquid and Vapor, Engr. Units	50
Table 7. Transport Properties of Oxygen, Isobars, Engr. Units . . .	52

TRANSPORT PROPERTIES OF OXYGEN

H. M. Roder

Thermophysical Properties Division
National Engineering Laboratory
National Bureau of Standards
Boulder, Colorado 80303

1. Introduction

An accurate thermophysical properties base for fluid oxygen has been developed through a series of measurements and analyses. Table 1 presents a chronology of prior publications which contain equations of state, correlations of the transport properties, data tables for the transport properties, or a combination of these items. Table 1 shows that the massive set of tables for oxygen in NASA SP 3071 [2] has gradually been extended and superseded by new measurements and new correlations. Specifically there have been new experimental measurements of viscosity [4], a new correlation of viscosity and thermal conductivity [3], an extension of the PVT measurements from 34 MPa (5000 psia) to 80 MPa (12000 psia) [5], a new equation of state which includes the extension in pressure [6], the development of an interactive package for the equation of state [7], new experimental thermal conductivity measurements [8], and new experimental thermal diffusivity measurements near the critical point [9]. The present tables were computed because previous tables of the transport properties of oxygen extend to only 34 MPa (5000 psia), and because for thermal conductivity the new measurements [8,9] show the previously best correlation [3] to be in error by up to 35 percent for nearly all temperatures at the highest pressures.

Table 1. Overview of Previous Publications

Reference	Year	PVT	Equation	Data Tables	Transport Equations	Properties Data Tables	Notes
[1] NBS Tech. Note 384	1971	polynomial	isobars to 5000 psia	yes	yes		temperature range triple point to 340 K
[2] NASA SP 3071	1972	polynomial	isobars to 340 atm and 5000 psia	ref. 1	yes		
[3] J. Phys. Chem. Ref. Data	1974	mod. BWR	no	new	yes		new correlation of transport properties uses the data of [4]
[4] Physica	1977	ref. 3	no	ref. 3	no		new viscosity measurements
[5] NASA RP 1011	1977	polynomial	isobars to 1000 bar and 15000 psia	no	no		incorporates new PVT data to 800 bar
[6] NBS IR 78-882	1978	mod. BWR	no	ref. 3	no		incorporates revised transport property correlations.
[7] NBS Tech. Note 1025	1980	mod. BWR	no	ref. 3	no		incorporates BWR into "Fluids Pack"
[8] J. Res. NBS (in press)	1982	ref. 7	no	new	no		new thermal conductivity measurements
[9] Int. J. Thermophysics (in-press)	1982	poly. and mod. BWR	no	no	no		new thermal diffusivity measurements
present report	1982	mod. BWR	isobars to 100 MPa and 15000 psia	ref. 3	yes		incorporates new thermal conductivity data and new

J. A. P. M.
P. M.

2. Representation of the Viscosity

Values of the viscosity are calculated from the correlation of Hanley, et al. [3]. For the correlation the authors surveyed the literature and systematically selected data which met particular criteria for accuracy. For oxygen the experimental measurements of Haynes [4] with an accuracy of 2 percent were selected. This set of data was measured with a torsionally oscillating quartz crystal, and it comprises some 200 points at temperatures from 75 to 300 K with pressures to 34 MPa. The correlation expresses viscosity in terms of density and temperature, and it requires an equation of state (EOS) to translate pressures into equivalent densities. The EOS most commonly used is the interactive package by McCarty [7]. The dependence of viscosity on temperature and density is expressed in [3] as

$$\eta(\rho, T) = \eta_0(T) + \eta_1(T)\rho + \Delta\eta(\rho, T) + \Delta\eta_c(\rho, T) , \quad (1)$$

where

$$\begin{aligned} \eta_0 &= g_1 T^{-1} + g_2 T^{-2/3} + g_3 T^{-1/3} + g_4 + g_5 T^{1/3} + g_6 T^{2/3} + g_7 T \\ &\quad + g_8 T^{4/3} + g_9 T^{5/3} , \end{aligned} \quad (2)$$

and

$$\eta_1(T) = A + B [C - \ln(T/F)]^2 , \quad (3)$$

and

$$\begin{aligned} \Delta\eta(\rho, T) &= D \exp[k_1 + k_2/T] \left\{ \exp[\rho^{0.1}(k_3 + k_4/T^{3/2}) \right. \\ &\quad \left. + \theta\rho^{0.5}(k_5 + k_6/T + k_7/T^2)] - 1.0 \right\} , \end{aligned} \quad (4)$$

where θ is a density dependent factor given by $\theta = (\rho - \rho_c)/\rho_c$.

While there is evidence for an enhancement of viscosity near the critical point, term 4 in eq (1), $\Delta\eta_c(\rho, T)$, is not considered in reference [3].* Program listings to calculate the viscosity [7] are given in appendix A. For completeness the values of the coefficients for eqs (2-4) are listed below. For these

* A full description of how to calculate $\Delta\eta_c(\rho, T)$ is given in reference [10].

coefficients the units implied are temperature in K, density in g/cm³, and viscosity in $\mu\text{g}/\text{cm}\cdot\text{s}$.

Equation (2)	Equation (3)	Equation (4)
$g_1 = -9.7076378593E+1$	$A = 4.352652$	$D = 1.0 \mu\text{g}/\text{cm}\cdot\text{s}$
$g_2 = 8.2801254201E+1$	$B = -2.036126$	$k_1 = -12.15239$
$g_3 = -2.4668758803E+1$	$C = 1.4$	$k_2 = 2.434069 \times 10^2$
$g_4 = 2.1324360243$	$F = 100.0$	$k_3 = 18.20116$
$g_5 = 3.7851049522E-1$		$k_4 = -2.749896 \times 10^3$
$g_6 = -1.0487216090E-1$		$k_5 = -0.3142173$
$g_7 = 1.1134441304E-2$		$k_6 = 1.191150 \times 10^2$
$g_8 = -5.3676093757E-4$		$k_7 = 2.739043 \times 10^2$
$g_9 = 1.0279379641E-5$		$\rho_c = 0.435 \text{ g}/\text{cm}^3$

3. Representation of the Thermal Conductivity

Values of the thermal conductivity are calculated from the correlation of Roder [8]. This new correlation is based on new experimental measurements of the thermal conductivity [8] and new experimental measurements of the thermal diffusivity [9]. The new conductivity values [8] comprise 1126 points measured on 13 isotherms from 78 to 310 K with pressures to 70 MPa. The measurements were made with a new transient hot wire apparatus.

The new correlation expresses thermal conductivity as a function of density and temperature rather than temperature and pressure because over a wide range of experimental conditions the behavior of thermal conductivity is dominated by its density dependence. The technique requires an equation of state [7] to translate measured pressures into equivalent densities. The dependence of thermal conductivity on temperature and density is normally expressed as

$$\lambda(\rho, T) = \lambda_0(T) + \lambda_{\text{excess}}(\rho, T) + \Delta\lambda_{\text{critical}}(\rho, T) \quad (5)$$

The first term on the right of eq (1) is the dilute gas term which is independent of density. The second is the excess thermal conductivity. The first two terms taken together are sometimes called the "background" thermal conductivity. The final term is the critical point enhancement. The dilute gas term is expressed as

$$\begin{aligned}\lambda_0(T) = & [A_1 T^{-1} + A_2 T^{-2/3} + A_3 T^{-1/3} + A_4 + A_5 T^{1/3} + A_6 T^{2/3} \\ & + A_7 T + A_8 T^{4/3} + A_9 T^{5/3}] / 1000 .\end{aligned}\quad (6)$$

with λ_0 in W/m•K and T in kelvin.

The expression used for the excess thermal conductivity is as follows:

$$\lambda_{\text{excess}}(\rho, T) = \alpha\rho + \delta[e^{\beta\rho^\gamma} - 1.0] \quad (7)$$

where the parameters α , β , γ , δ are functions of temperature as follows:

$$\begin{aligned}\alpha &= B_1 T & \gamma &= B_5 + B_6 T + B_7 T^2 \\ \beta &= B_2 + B_3 T + B_4 T^2 & \delta &= B_8 + B_9 T + B_{10}/T^2 .\end{aligned}\quad (8)$$

The coefficients for eqs (6) and (7) with T in kelvins and λ in W/m•K are

Equation (6)

$$\begin{aligned}A_1 &= -2.0395052193E+5 \\ A_2 &= 2.4088141709E+5 \\ A_3 &= -1.2014175183E+5 \\ A_4 &= 3.295494919E+4 \\ A_5 &= -5.4244239598E+3 \\ A_6 &= 5.4734865540E+2 \\ A_7 &= -3.2854821539E+1 \\ A_8 &= 1.0753572103 \\ A_9 &= -1.4610986820E-2\end{aligned}$$

Equation (7)

$$\begin{aligned}B_1 &= .298644E-5 \\ B_2 &= .59842E+00 \\ B_3 &= .11362E-01 \\ B_4 &= -.19520E-04 \\ B_5 &= .47624E+00 \\ B_6 &= -.64769E-03 \\ B_7 &= .83223E-06 \\ B_8 &= -.278141E-4 \\ B_9 &= .153705E-6 \\ B_{10} &= .147176E+1\end{aligned}$$

The calculation of the third term in eq (5) is split into two separate regions which are shown in figure 1. The first region is called the critical region proper, and it corresponds roughly to the range of conditions for which Sengers, et al. [10] recommend the use of a scaled equation of state. The second region is called the extended critical region. It is shown as a triangle in figure 1




Figure 1. Region of the PVT surface covered by the new thermal conductivity measurements [8]. Also shown are regions 1 and 2 for the calculation of the critical point enhancement. The new thermal diffusivity measurements [9] are nearly all located in region 1.

and covers those densities and temperatures for which the new measurements [8] reveal an anomalous increase above the background conductivity.

3.1. Calculations for Region 1

We define the reduced variables $T^* = T/T_c$, $\rho^* = \rho/\rho_c$, $P^* = P/P_c$ and

$$\Delta T^* = (T - T_c)/T_c \quad \text{and} \quad \Delta \rho^* = (\rho - \rho_c)/\rho_c \quad (9)$$

The scaling variables are defined by

$$x = \Delta T^*/|\Delta \rho^*|^{1/\beta} \quad \text{and} \quad y = \frac{x + x_0}{x_0} \quad (10)$$

The symmetrized compressibility is defined by

$$x_T^* = |\Delta \rho^*|^{-\gamma/\beta} \left[\frac{[(1+E)/(1+Ey^{2\beta})]^{(\gamma-1)/2\beta}}{D[\delta + (y-1)(\delta - \beta^{-1} + Ey^{2\beta})/(1+Ey^{2\beta})]} \right] \quad (11)$$

for which a special case occurs at the critical isochore where $\Delta \rho^* = 0$

$$x_T^* = \Gamma |\Delta T^*|^{-\gamma} . \quad (12)$$

The coefficient Γ in eq (12) is defined by

$$\Gamma = \frac{x_0^\gamma}{D} \left(\frac{1+E}{E} \right)^{(\gamma-1)/2\beta} . \quad (13)$$

Given the definitions above, Sengers, et al. [10] estimate the critical enhancement from

$$\begin{aligned} \Delta \lambda_{\text{critical}}(\rho, T) &= \frac{\Lambda}{\Xi_0} \frac{k_B P_c}{6 \pi \eta} \left(\frac{T^*}{\rho^*} \right)^2 \left(\frac{\partial P^*}{\partial T^*} \right)_{\rho^*}^2 x_T^*^{(\gamma-\nu)/\gamma} \rho^{*\nu} \exp \left[- \left\{ A_\lambda (\Delta T^*)^2 \right. \right. \\ &\quad \left. \left. + B_\lambda (\Delta \rho^*)^4 \right\} \right] . \end{aligned} \quad (14)$$

This equation relates the thermal conductivity enhancement at a given temperature and density to the pressure coefficient $(\partial P / \partial T)_\rho$, the symmetrized compressibility x_T^* and the (normal) shear viscosity η .

The values to be used with eqs (9-14) for oxygen are

$T_c = 154.581 \text{ K}$	$n = 0$	$\beta = 0.355$
$\rho_c = 13.63 \text{ mol/L}$	$\Lambda = 1.04$	$\gamma = 1.190$
$P_c = 49.77054 \text{ atm}$	$A_\lambda = 39.8$	$\delta = 4.352$
$k_B = 1.38054 * 10^{-23} \text{ J/K}$	$B_\lambda = 5.45$	$D = 2.36$
	$\Xi = 5.9783 * 10^{-10}$	$E = 0.287$
		$X_0 = 0.183$

The prescription given by Sengers, et al. [10] has been modified in two minor ways. First, the value of Λ adopted to be 1.02 for CO_2 in [10] is chosen to be 1.04 for oxygen. This number is established as a best value for Weber's new experimental diffusivity measurements [9], see section 4. The second modification is to extend the calculation using the scaled equation out to a temperature of 162.9805 K or 1.054 T_c rather than 1.03 T_c .

3.2. Calculations for Region 2

The expressions used in this region are as follows [8].

$$\Delta\lambda_{\text{critical}}(\rho, T) = \left\{ C_1/(T + C_2) + C_3 + C_4 T \right\} \cdot e^{-x^2} \quad (15)$$

we define

$$\rho_{\text{center}} = \rho_c + C_5(T - T_c)^{1.5}, \quad (16)$$

then the variable x in eq (15) is

$$x = C_6(\rho - \rho_{\text{center}}) \quad \text{for} \quad \rho > \rho_{\text{center}}, \quad (17)$$

and

$$x = C_6(\rho - \rho_{\text{center}}) + C_7(\rho - \rho_{\text{center}})^5 \quad \text{for} \quad \rho < \rho_{\text{center}}. \quad (18)$$

The coefficients for eqs (15-18) are

$T_c = 154.581 \text{ K}$	$C_4 = - .282950E-04$
$\rho_c = 13.63 \text{ mol/L}$	$C_5 = - .71599E-3$
$C_1 = .219200E+0$	$C_6 = .13804E+0$
$C_2 = -145.55$	$C_7 = .12980E-5$
$C_3 = .734512E-02$	

3.3. Boundaries for Regions 1 and 2

The four boundaries defining the two different regions of computation are the saturated liquid and vapor at the lower temperature, 162.9805 K at the upper temperature, densities between 8.5 and 7.5 mol/L at the lower density, and densities between 18 and 13.6 mol/L at the upper density. The boundaries are shown in ρ -T coordinates in figure 1. For any given temperature between saturation and 162.9805 K the switch between regions 1 and 2 is accomplished without an abrupt change in the value of λ . This is done by switching at those densities where the calculated values of thermal conductivity from [8] and [10] are equal.

The switch in calculation at the upper temperature boundary of 162.9805 K can not, unfortunately, be accomplished without an abrupt change in the value of thermal conductivity. The reason for this is because in reference [10] the centering density is ρ_c by definition, whereas in reference [8] the centering density is less than ρ_c for all temperatures other than T_c . The maximum "glitch" along the 162.9805 K boundary is about 1.6 percent in the value of λ . The local change across this boundary is shown for densities from 0 to 30 mol/L in table 2.

Programs to calculate the thermal conductivity are new. Listings are given in appendix B. The changes required in the program set of reference [7] to implement the new thermal conductivity calculation are indicated in appendix B by arrows.

4. Representation of the Thermal Diffusivity

The thermal diffusivity is defined by

$$\alpha \equiv \lambda/\rho C_p \quad (19)$$

where C_p is the heat capacity at constant pressure. Both ρ and C_p are normally obtained from an equation of state and the thermal diffusivity is then calculated from the thermal conductivity. Occasionally the thermal diffusivity is measured directly, as was done by Weber [9] who used a light scattering apparatus to measure the thermal diffusivity, primarily in the critical region.

The experimental information to be considered are the 76 points presented in three groups in table 3, where the values are taken from reference [9]. Weber converted his experimental measurements of thermal diffusivity to values of

Table 2. Thermal Conductivities near 162.9805 K

Temperatures inside K	Temperatures outside K	Density moi/L	Thermal Conductivities		Deviations	
			inside W/m.K	outside W/m.K	in.-out. W/m.K	percent
162.980	162.981	.5	.015578	.015579	-.000000	-.00
162.980	162.981	1.0	.016030	.016030	-.000000	-.00
162.980	162.981	1.5	.016539	.016539	-.000000	-.00
162.980	162.981	2.0	.017123	.017123	-.000000	-.00
162.980	162.981	2.5	.017795	.017795	-.000000	-.00
162.980	162.981	3.0	.018564	.018564	-.000000	-.00
162.980	162.981	3.5	.019436	.019436	-.000000	-.00
162.980	162.981	4.0	.020412	.020412	-.000000	-.00
162.980	162.981	4.5	.021491	.021491	-.000000	.00
162.980	162.981	5.0	.022668	.022668	-.000000	.00
162.980	162.981	5.5	.023938	.023938	-.000000	.00
162.980	162.981	6.0	.025294	.025294	-.000000	.00
162.980	162.981	6.5	.026728	.026728	-.000000	.00
162.980	162.981	7.0	.028231	.028231	-.000000	.00
162.980	162.981	7.5	.029792	.029792	-.000000	.00
162.980	162.981	8.0	.031402	.031401	-.000000	.00
162.980	162.981	8.5	.033214	.033046	.000168	.50
162.980	162.981	9.0	.035034	.034713	.000321	.92
162.980	162.981	9.5	.036831	.036386	.000445	1.21
162.980	162.981	10.0	.038586	.038051	.000535	1.39
162.980	162.981	10.5	.040280	.039692	.000588	1.46
162.980	162.981	11.0	.041894	.041292	.000602	1.44
162.980	162.981	11.5	.043411	.042836	.000575	1.32
162.980	162.981	12.0	.044813	.044310	.000503	1.12
162.980	162.981	12.5	.046087	.045703	.000384	.83
162.980	162.981	13.0	.047229	.047005	.000224	.47
162.980	162.981	13.5	.048258	.048213	.000045	.09
162.980	162.981	14.0	.049325	.049324	.000001	.00
162.980	162.981	14.5	.050342	.050342	.000001	.00
162.980	162.981	15.0	.051274	.051274	.000001	.00
162.980	162.981	15.5	.052131	.052131	.000001	.00
162.980	162.981	16.0	.052928	.052928	.000001	.00
162.980	162.981	16.5	.053682	.053681	.000001	.00
162.980	162.981	17.0	.054413	.054412	.000000	.00
162.980	162.981	17.5	.055141	.055141	.000000	.00
162.980	162.981	18.0	.055890	.055889	.000000	.00
162.980	162.981	18.5	.056680	.056680	.000000	.00
162.980	162.981	19.0	.057533	.057533	.000000	.00
162.980	162.981	19.5	.058468	.058468	.000000	.00
162.980	162.981	20.0	.059504	.059504	.000000	.00
162.980	162.981	20.5	.060656	.060656	.000000	.00
162.980	162.981	21.0	.061937	.061937	.000000	.00
162.980	162.981	21.5	.063358	.063358	.000000	.00
162.980	162.981	22.0	.064927	.064927	.000000	.00
162.980	162.981	22.5	.066651	.066651	.000000	.00
162.980	162.981	23.0	.068533	.068533	.000000	.00
162.980	162.981	23.5	.070576	.070576	-.000000	-.00
162.980	162.981	24.0	.072780	.072780	-.000000	-.00
162.980	162.981	24.5	.075145	.075145	-.000000	-.00
162.980	162.981	25.0	.077671	.077671	-.000000	-.00
162.980	162.981	25.5	.080354	.080354	-.000000	-.00
162.980	162.981	26.0	.083195	.083195	-.000000	-.00
162.980	162.981	26.5	.086190	.086190	-.000000	-.00
162.980	162.981	27.0	.089339	.089340	-.000000	-.00
162.980	162.981	27.5	.092641	.092641	-.000000	-.00
162.980	162.981	28.0	.096095	.096095	-.000000	-.00
162.980	162.981	28.5	.099700	.099700	-.000000	-.00
162.980	162.981	29.0	.103458	.103458	-.000000	-.00
162.980	162.981	29.5	.107369	.107369	-.000000	-.00
162.980	162.981	30.0	.111436	.111436	-.000000	-.00

thermal conductivity using eq (19). Thus the comparisons to be made are "experimental thermal conductivity" to calculated thermal conductivity, where the method of calculation has been described in the previous section. In table 3 the first group, 14 points, includes all of Weber's measurements with temperatures greater than 158. K, i.e., these points represent an overlap of the experimental measurements of references [8] and [9]. The second group, 33 points, includes those measurements for which the experimental densities lie between 13.1 and 13.7 mol/L, or $|\Delta\rho^*| \leq 0.04$. In essence this group is quite close to critical density. The remaining 29 points, i.e., the last group, are characterized by experimental densities which are considerably different than critical density. Differences between the calculation and Weber's "thermal conductivity" values [9] are given in table 3. The RMS deviation for the first grouping of 14 points is 5.3 percent. Well within the experimental uncertainty estimated by Weber, this average deviation indicates agreement between the diffusivity experiment and the hot wire thermal conductivity measurements. For the second grouping of 33 points we find an RMS deviation of 7.5 percent, again within the expected uncertainty of the experimental measurements. This average deviation indicates agreement between the diffusivity measurements and the most current method of predicting the anomalous thermal conductivity in the critical region for densities close to critical, i.e., for $\Delta\lambda_c(\rho_c, T)$. However, the deviation of the third grouping of 29 points is nearly 27 percent RMS, which exceeds experimental uncertainty by a considerable margin, and indicates a basic disagreement between these measurements and the prediction for densities which are substantially different from critical density. Despite considerable effort, the cause of the disagreement remains unresolved. The calculation values off the critical isochore may, therefore, be uncertain by as much as 30 percent for both thermal diffusivity and thermal conductivity.

5. Prandtl Number

The Prandtl number, Pr , is defined by the relation

$$Pr \equiv C_p \eta / \lambda \quad (20)$$

where C_p is the specific heat at constant pressure, η the viscosity and λ the thermal conductivity. To conserve space the Prandtl number has not been presented in the tables, it is however quite easy to calculate the Prandtl number

Table 3. Thermal Conductivities from Lightscattering, Weber [9].

Temperature K	Density mol/L	Thermal exp. W/m.K	Conductivity calc. W/m.K	Deviations exp.-calc. W/m.K	Group RMS percent	RMS percent
158.519	13.19	.0556	.0562	-.0006	-1.16	
161.847	13.14	.0480	.0490	-.0010	-2.08	
164.426	13.27	.0482	.0468	.0014	2.82	
164.426	13.27	.0470	.0468	.0002	.34	
164.426	13.27	.0444	.0468	-.0024	-5.50	
166.796	13.08	.0415	.0453	-.0038	-9.15	
168.946	13.21	.0440	.0449	-.0009	-1.94	
173.935	13.04	.0414	.0433	-.0019	-4.49	
159.583	13.49	.0541	.0538	.0003	.57	
159.890	13.44	.0525	.0530	-.0005	-.98	
159.883	13.58	.0537	.0533	.0004	.80	
159.878	13.50	.0527	.0531	-.0004	-.84	
158.133	15.30	.0693	.0589	.0104	15.03	
160.493	15.30	.0550	.0542	.0008	1.44	
					5.23	
154.619	13.13	.2507	.2855	-.0348	-13.90	
155.173	13.18	.1043	.0996	.0047	4.51	
155.549	13.19	.0875	.0812	.0063	7.16	
155.651	13.20	.0871	.0812	.0059	6.74	
156.642	13.19	.0715	.0665	.0050	7.03	
157.580	13.18	.0627	.0601	.0026	4.12	
154.717	13.33	.1842	.1835	.0007	.35	
154.746	13.37	.1758	.1697	.0061	3.47	
154.771	13.40	.1674	.1600	.0074	4.40	
154.787	13.38	.1601	.1543	.0058	3.64	
154.795	13.39	.1578	.1520	.0058	3.68	
154.645	13.42	.2610	.2635	-.0025	-.95	
154.690	13.44	.2109	.2063	.0046	2.17	
154.801	13.44	.1627	.1507	.0120	7.36	
154.841	13.46	.1567	.1404	.0163	10.37	
154.872	13.43	.1426	.1337	.0089	6.21	
155.025	13.47	.1212	.1129	.0083	6.88	
155.034	13.53	.1230	.1121	.0109	8.87	
155.271	13.56	.1100	.0956	.0144	13.09	
155.524	13.54	.0990	.0856	.0134	13.52	
155.546	13.57	.0970	.0850	.0120	12.40	
155.769	13.57	.0891	.0793	.0098	10.98	
156.003	13.58	.0855	.0749	.0106	12.35	
156.509	13.58	.0783	.0685	.0098	12.56	
157.000	13.58	.0731	.0643	.0088	12.03	
157.468	13.58	.0643	.0614	.0029	4.49	
154.595	13.63	.5600	.5831	-.0231	-4.12	
154.598	13.63	.5180	.5266	-.0086	-1.66	
154.599	13.63	.5230	.5111	.0119	2.27	
154.603	13.63	.4720	.4605	.0115	2.44	
154.617	13.63	.3550	.3578	-.0028	-.79	
154.628	13.63	.3170	.3129	.0041	1.29	
154.678	13.63	.2250	.2198	.0052	2.30	7.61
154.579	12.98	.7700	.4065	.3635	47.21	
154.560	12.51	.2825	.1839	.0986	34.89	
154.542	12.26	.2152	.1432	.0720	33.47	
154.497	11.87	.1524	.1057	.0467	30.61	
154.449	11.57	.1256	.0893	.0363	28.93	
154.410	11.38	.1206	.0813	.0393	32.62	
154.388	11.29	.1058	.0779	.0279	26.41	
154.361	11.18	.1134	.0744	.0390	34.44	
154.267	10.86	.0906	.0659	.0247	27.31	
154.169	10.59	.0687	.0602	.0085	12.40	
154.131	10.49	.0870	.0585	.0285	32.78	
154.007	10.22	.0723	.0541	.0182	25.22	
154.000	10.21	.0707	.0538	.0169	23.83	
153.792	9.83	.0565	.0489	.0076	13.54	
153.574	9.49	.0517	.0452	.0065	12.56	
152.338	9.18	.0476	.0423	.0053	11.21	
152.860	8.66	.0405	.0380	.0025	6.14	
152.842	8.65	.0457	.0379	.0078	17.11	
154.808	15.28	.1295	.0974	.0321	24.76	
155.046	15.29	.1110	.0861	.0249	22.43	
155.143	15.29	.1213	.0832	.0381	31.44	
155.280	15.30	.1029	.0797	.0232	22.53	
155.514	15.30	.0950	.0754	.0196	20.66	
155.737	15.29	.0844	.0724	.0120	14.21	
155.740	15.30	.0978	.0723	.0255	26.07	
155.752	15.30	.0922	.0721	.0201	21.76	
156.221	15.31	.0851	.0676	.0175	20.55	
154.579	14.29	.6580	.3889	.2691	40.89	
154.409	15.90	.1265	.0828	.0437	34.57	26.88

from the variables tabulated. If we solve eq (19) for C_p and substitute into eq (20) the relation for the Prandtl number becomes

$$Pr = \frac{\eta}{\rho\alpha} . \quad (21)$$

As an example we use eq (21) to determine Pr for the saturated liquid at 100 K

$$Pr = \frac{1542.3 \times 10^{-6}}{1.0907 \times 0.000723} = 1.956$$

Values for η , ρ , and α are taken from table 4. Because the viscosity is tabulated in $\mu\text{g}/\text{cm s}$ rather than Pa s , no unit conversions are required, and Pr is dimensionless as expected.

6. Description of the Data Tables

The following tables of values for the transport properties are presented in this report:

Table 4. Transport properties of oxygen for saturated liquid and vapor, SI units.

Table 5. Transport properties of oxygen, isobars, SI units.

Table 6. Transport properties of oxygen for saturated liquid and vapor, Engr. units.

Table 7. Transport properties of oxygen, isobars, Engr. units.

Table entries of temperature and pressure are chosen to correspond to the values given in NASA RP 1011 [5] so that the present tables can be thought of as an augmentation or extension of the earlier ones. Slight differences in the vapor pressure and density entries may be evident; they occur because the tables of NASA RP 1011 [5] were prepared using a polynomial PVT surface, while the present tables utilize a modified Benedict-Webb-Rubin equation of state [7]. It was not possible to use the polynomial PVT surface because that program specifically excludes a portion of the PVT surface close to the critical point. Conversions to other SI units and to units normally used in applied problems are given in appendix C. The tables were calculated using the programs listed in appendices A and B. The new programs given in appendix B for the thermal conductivity were written to be compatible with the equation of state package of reference [7]. The primary variables internal to the computer programs of reference [7] are pressure in atmospheres, density in moles/liter, and temperature in

kelvins. The changes required in the program set of reference [7] to implement the new thermal conductivity calculation are listed in appendix B. The changes are minimal, and they are indicated in appendix B by arrows. Branching occurs on the value of the molecular weight. We note that the dilute gas value for thermal conductivity, FUNCTION DILV(T), ENTRY DILT of reference [7] remains unchanged. The number of digits given in tables 4-7 should not be construed to be indicative of the accuracy of a quantity. Most of the properties in the tables range in value over several orders of magnitude, making it necessary to print more digits than is needed at one end of the range. If a given property is varying very slowly it may require digits beyond those necessary for accuracy to show the direction of the change. As an extreme case consider the triple point, the first two lines in table 4. The triple point pressure is not known to be better than about two digits, yet the saturated liquid density differs by five orders of magnitude from that of the vapor.

7. Error Estimates

Viscosity: The most recent experimental measurements published for a wide range of the viscosity surface are those by Haynes [4]. These new measurements cover temperatures from 75 to 300 K with pressures to 34 MPa. The correlation [3] represents the 175 experimental points with a RMS deviation of 1 percent (1σ) where the maximum and minimum deviations are + 3 and - 3 percent. Thus the uncertainty in viscosity for the tables presented here is approximately 1 percent for the dilute gas rising to 3 percent at pressures of 34 MPa. The uncertainty is expected to increase to no more than 10 percent for pressures up to 100 MPa.

Thermal Conductivity: The uncertainty of the dilute gas values is approximately 1 percent at room temperature and 1 atmosphere pressure, rising to 5 percent in going down to the triple point. The accuracy of the tables is expected to be 1.5 percent (1σ) over much of the surface, as established by the fit of the correlating surface [8]. This accuracy degrades to around 6 percent at 77 K and zero density and to around 6 percent in the region covering the critical enhancement at 159 K. For temperatures closer to critical the calculated values may be in error by as much as 30 percent. Extrapolation of the thermal conductivity surface of [8] for temperatures higher than about 340 K has not been examined.

Thermal Diffusivity: The uncertainty is estimated to be 5 percent, except for the critical region. At the critical point the thermal diffusivity is

expected to go to zero, even though both thermal conductivity and specific heat at constant pressure diverge strongly. In the near critical region ($T_c \pm 3$ percent; $\rho_c \pm 30$ percent) the uncertainties are as large as 30 percent when compared to experiment.

8. Summary

This report presents tables of viscosity, thermal conductivity, and thermal diffusivity of oxygen, as a function of temperature and pressure from the triple point to 320 K with pressures to 100 MPa. Values of the viscosity are calculated from a previous correlation. Values of the thermal conductivity are calculated from a new correlation which combines new experimental measurements of the thermal conductivity and new experimental measurements of the thermal diffusivity in the critical region.

9. References

1. McCarty, R. D.; and Weber, L. A.: Thermophysical Properties of Oxygen from the Freezing Liquid Line to 600 R for Pressures to 5000 psia. (NBS-TN-384, National Bureau of Standards.) NASA CR-121739, July 1971.
2. Roder, H. M.; and Weber, L. A.: ASRDI Oxygen Technology Survey. Volume I: Thermophysical Properties. NASA SP-3071, 1972.
3. Hanley, H. J. M.; McCarty, R. D.; and Haynes, W. M.: The Viscosity and Thermal Conductivity Coefficients for Dense Gaseous and Liquid Argon, Krypton, Xenon, Nitrogen and Oxygen. *J. Phys. Chem. Ref. Data*, vol. 3, no. 4, 1974, pp. 979-1017.
4. Haynes, W. M.: Measurements of the Viscosity of Compressed Gaseous and Liquid Oxygen. *Physica*, vol. 89A, 1977, pp. 569-582.
5. Weber, L. A.: Thermodynamic and Related Properties of Oxygen from the Triple Point to 300 K at Pressures to 1000 bar. NASA RP-1011, 1977.
6. Weber, L. A.: A Modified Benedict-Webb-Rubin Equation of State for Gaseous and Liquid Oxygen. (NBSIR-78-882, National Bureau of Standards.) NASA CR-157861, April 1978.
7. McCarty, R. D.: Interactive FORTRAN IV Computer Programs for the Thermodynamic and Transport Properties of Selected Cryogens (Fluids Pack). (NBS-TN-1025, National Bureau of Standards.) NASA CR-164016, Oct. 1980.
8. Roder, H. M.: The Thermal Conductivity of Oxygen (Submitted to *J. Res. Nat. Bur. Stands.*)
9. Weber, L. A.: Thermal Conductivity of Oxygen in the Critical Region. (Submitted to *Intern. J. Thermophysics.*)
10. Sengers, J. V.; Basu, R. S.; and Levelt Sengers, J. M. H.: Representative Equations for the Thermodynamic and Transport Properties of Fluids Near the Gas-Liquid Critical Point. NASA CR-3424, May 1981.

Table 4. Transport Properties of Oxygen for saturated Liquid and Vapor, SI Units

Temp. K	Pressure MPa	Density g/cm ³	Thermal Cond. W/m.K	Viscosity micro- g/cm.s	Thermal Diffusivity cm ² /s	Temp. K	Pressure MPa	Density g/cm ³	Thermal Cond. W/m.K	Viscosity micro- g/cm.s	Thermal Diffusivity cm ² /s
54.359	.00015	1.306190	.20356	4852.3	.000937	106.	.4081	1.05815	.12814	1344.8	.000685
54.359	.00015	.000010	.00408	36.3	4.270533	106.	.4081	.01627	.00999	80.4	.005636
56.	.00024	1.299003	.20050	4677.6	.000927	108.	.4722	1.04690	.12528	1285.6	.000671
56.	.00024	.000017	.00436	38.0	2.860294	108.	.4722	.01867	.01025	82.2	.004945
58.	.00043	1.290220	.19693	4462.3	.000915	110.	.5434	1.03543	.12241	1229.4	.000657
58.	.00043	.000028	.00467	39.9	1.797919	110.	.5434	.02134	.01051	84.0	.004352
60.	.00073	1.281405	.19353	4248.2	.000905	112.	.6222	1.02371	.11951	1175.9	.000642
60.	.00073	.000047	.00495	41.8	1.161530	112.	.6222	.02428	.01078	85.8	.003840
62.	.00119	1.272552	.19026	4038.2	.000896	114.	.7090	1.01173	.11659	1124.8	.000626
62.	.00119	.000074	.00520	43.6	.770926	114.	.7090	.02753	.01106	87.7	.003395
64.	.00188	1.263654	.18710	3834.4	.000888	116.	.8043	.99946	.11365	1075.0	.000610
64.	.00188	.000113	.00543	45.4	.525087	116.	.8043	.03111	.01135	89.6	.003006
66.	.00288	1.254707	.18404	3638.3	.000879	118.	.9085	.98687	.11069	1029.4	.000593
66.	.00288	.000168	.00565	47.1	.366477	118.	.9085	.03506	.01165	91.6	.002665
68.	.00429	1.245706	.18105	3450.8	.000871	120.	1.0222	.97392	.10770	984.6	.000575
68.	.00429	.000244	.00586	48.8	.261671	120.	1.0222	.03939	.01196	93.7	.002365
70.	.00625	1.236647	.17813	3272.3	.000863	122.	1.1458	.96059	.10468	941.6	.000557
70.	.00625	.000345	.00607	50.5	.190824	122.	1.1458	.04416	.01230	95.8	.002099
72.	.00889	1.227527	.17526	3103.0	.000855	124.	1.2797	.94683	.10164	900.2	.000538
72.	.00889	.000478	.00627	52.1	.141898	124.	1.2797	.04940	.01264	98.0	.001862
74.	.01240	1.218340	.17243	2943.0	.000847	126.	1.4245	.93260	.09857	860.3	.000518
74.	.01240	.000650	.00647	53.8	.107424	126.	1.4245	.05515	.01302	100.3	.001651
76.	.01695	1.209083	.16964	2791.9	.000839	128.	1.5807	.91782	.09548	821.6	.000497
76.	.01695	.000866	.00667	55.4	.082673	128.	1.5807	.06149	.01342	102.7	.001462
78.	.02276	1.199753	.16687	2649.5	.000831	130.	1.7488	.90245	.09235	784.1	.000475
78.	.02276	.001137	.00687	57.0	.064591	130.	1.7488	.06847	.01385	105.2	.001292
80.	.03009	1.190345	.16411	2515.5	.000823	132.	1.9294	.88640	.08920	747.6	.000453
80.	.03009	.001469	.00708	58.7	.051164	132.	1.9294	.07618	.01433	107.9	.001138
82.	.03919	1.180854	.16137	2389.5	.000814	134.	2.1229	.86957	.08602	712.0	.000429
82.	.03919	.001872	.00728	60.3	.041042	134.	2.1229	.08472	.01487	110.8	.000999
84.	.05035	1.171275	.15864	2271.0	.000806	136.	2.3301	.85185	.08282	677.2	.000404
84.	.05035	.002356	.00749	61.9	.033303	136.	2.3301	.09421	.01549	113.9	.000873
86.	.06387	1.161604	.15590	2159.5	.000797	138.	2.5514	.83309	.07960	642.9	.000378
86.	.06387	.002931	.00770	63.5	.027309	138.	2.5514	.10481	.01621	117.3	.000759
88.	.08007	1.151835	.15317	2054.7	.000787	140.	2.7875	.81308	.07638	608.9	.000350
88.	.08007	.003607	.00791	65.2	.022609	140.	2.7875	.11674	.01706	121.1	.000654
90.	.09931	1.141960	.15043	1956.1	.000778	142.	3.0392	.79155	.07317	575.1	.000320
90.	.09931	.004396	.00812	66.8	.018882	142.	3.0392	.13028	.01811	125.3	.000557
92.	.12194	1.131973	.14769	1863.3	.000768	144.	3.3072	.76811	.07002	541.1	.000289
92.	.12194	.005308	.00834	68.5	.015896	144.	3.3072	.14584	.01945	130.1	.000467
94.	.14833	1.121867	.14494	1775.9	.000757	146.	3.5924	.74215	.06700	506.4	.000254
94.	.14833	.006357	.00856	70.1	.013479	146.	3.5924	.16405	.02121	135.7	.000383
96.	.17887	1.111632	.14217	1693.5	.000746	148.	3.8958	.71262	.06423	470.4	.000216
96.	.17887	.007555	.00879	71.8	.011504	148.	3.8958	.18598	.02365	142.6	.000302
98.	.21395	1.101259	.13940	1615.7	.000735	150.	4.2186	.67747	.06197	431.5	.000171
98.	.21395	.008916	.00902	73.5	.009878	150.	4.2186	.21370	.02726	151.5	.000221
100.	.25399	1.090736	.13661	1542.3	.000723	152.	4.5625	.63157	.06075	386.2	.000115
100.	.25399	.010452	.00926	75.2	.008527	152.	4.5625	.25242	.03324	164.7	.000133
102.	.29940	1.080053	.13380	1472.8	.000711	154.	4.9305	.54944	.06376	317.9	.000034
102.	.29940	.012180	.00949	76.9	.007397	154.	4.9305	.32914	.05480	193.9	.000035
104.	.35061	1.069196	.13098	1407.1	.000698	154.581	5.0430	.54944			
104.	.35061	.014115	.00974	78.6	.006444	154.581	5.0430	.32914			

Table 5. Transport Properties of Oxygen, Isobars, SI Units.

.1 MPa Isobar					.2 MPa Isobar				
Temp.	Density	Thermal Cond.	Viscosity	Thermal Diffusivity	Temp.	Density	Thermal Cond.	Viscosity	Thermal Diffusivity
K	g/cm**3	W/m.K	micro-g/cm.s	cm**2/s	K	g/cm**3	W/m.K	micro-g/cm.s	cm**2/s
* 54.370	1.3063	.20358	4855.4	.000937	* 54.382	1.3063	.20361	4858.5	.000937
56.	1.2991	.20054	4681.7	.000927	56.	1.2992	.20059	4685.8	.000927
58.	1.2903	.19698	4466.2	.000916	58.	1.2905	.19703	4470.0	.000916
60.	1.2815	.19358	4251.8	.000906	60.	1.2817	.19362	4255.4	.000906
62.	1.2727	.19031	4041.6	.000896	62.	1.2728	.19036	4045.0	.000897
64.	1.2638	.18715	3837.6	.000888	64.	1.2639	.18720	3840.9	.000888
66.	1.2548	.18409	3641.3	.000879	66.	1.2550	.18414	3644.5	.000880
68.	1.2458	.18110	3453.6	.000871	68.	1.2460	.18116	3456.6	.000872
70.	1.2368	.17818	3275.0	.000863	70.	1.2369	.17824	3277.8	.000864
72.	1.2277	.17531	3105.5	.000855	72.	1.2278	.17537	3108.2	.000856
74.	1.2185	.17248	2945.2	.000847	74.	1.2186	.17254	2947.8	.000848
76.	1.2092	.16969	2793.9	.000840	76.	1.2094	.16975	2796.4	.000840
78.	1.1999	.16691	2651.4	.000831	78.	1.2001	.16698	2653.8	.000832
80.	1.1905	.16416	2517.1	.000823	80.	1.1906	.16422	2519.5	.000823
82.	1.1810	.16141	2390.8	.000815	82.	1.1812	.16148	2393.1	.000815
84.	1.1714	.15867	2272.0	.000806	84.	1.1716	.15874	2274.2	.000806
86.	1.1617	.15593	2160.3	.000797	86.	1.1619	.15600	2162.3	.000797
88.	1.1519	.15318	2055.1	.000787	88.	1.1521	.15326	2057.1	.000788
90.	1.1420	.15043	1956.1	.000778	90.	1.1422	.15051	1958.1	.000778
* 90.066	1.1416	.15034	1953.0	.000777	92.	1.1322	.14775	1864.8	.000768
* 90.066	.0044	.00813	66.9	.018773	94.	1.1220	.14498	1776.8	.000757
92.	.0043	.00831	68.4	.019778	96.	1.1117	.14219	1693.8	.000747
94.	.0042	.00851	69.9	.020837	* 97.237	1.1052	.14046	1644.8	.000739
96.	.0041	.00870	71.5	.021917	* 97.237	.0084	.00893	72.8	.010463
98.	.0040	.00889	73.0	.023018	98.	.0083	.00901	73.4	.010686
100.	.0039	.00909	74.6	.024141	100.	.0081	.00920	75.0	.011276
102.	.0039	.00929	76.1	.025286	102.	.0079	.00939	76.5	.011876
104.	.0038	.00948	77.7	.026452	104.	.0077	.00959	78.0	.012484
106.	.0037	.00968	79.2	.027640	106.	.0076	.00978	79.6	.013102
108.	.0036	.00988	80.8	.028849	108.	.0074	.00998	81.1	.013730
110.	.0036	.01008	82.3	.030079	110.	.0073	.01018	82.6	.014366
112.	.0035	.01028	83.8	.031331	112.	.0071	.01037	84.1	.015013
114.	.0034	.01048	85.3	.032604	114.	.0070	.01057	85.7	.015668
116.	.0034	.01068	86.9	.033898	116.	.0069	.01077	87.2	.016333
118.	.0033	.01088	88.4	.035212	118.	.0067	.01097	88.7	.017008
120.	.0033	.01108	89.9	.036547	120.	.0066	.01116	90.2	.017692
122.	.0032	.01128	91.4	.037902	122.	.0065	.01136	91.7	.018385
124.	.0031	.01147	92.9	.039278	124.	.0064	.01156	93.2	.019088
126.	.0031	.01167	94.4	.040673	126.	.0063	.01175	94.7	.019800
128.	.0030	.01187	95.9	.042089	128.	.0062	.01195	96.2	.020522
130.	.0030	.01207	97.4	.043523	130.	.0061	.01215	97.7	.021252
132.	.0029	.01226	98.9	.044978	132.	.0060	.01234	99.2	.021992
134.	.0029	.01246	100.4	.046451	134.	.0059	.01254	100.6	.022742
136.	.0029	.01266	101.8	.047944	136.	.0058	.01273	102.1	.023500
138.	.0028	.01285	103.3	.049457	138.	.0057	.01293	103.6	.024267
140.	.0028	.01305	104.8	.050988	140.	.0056	.01312	105.1	.025044
142.	.0027	.01324	106.2	.052539	142.	.0055	.01332	106.5	.025831
144.	.0027	.01343	107.7	.054110	144.	.0054	.01351	108.0	.026626
146.	.0027	.01363	109.2	.055700	146.	.0054	.01370	109.4	.027432
148.	.0026	.01382	110.6	.057312	148.	.0053	.01389	110.9	.028248
150.	.0026	.01401	112.1	.058946	150.	.0052	.01409	112.3	.029075
152.	.0025	.01421	113.5	.060604	152.	.0051	.01428	113.7	.029915
154.	.0025	.01440	114.9	.062292	154.	.0051	.01448	115.2	.030770
156.	.0025	.01459	116.4	.063940	156.	.0050	.01466	116.6	.031601
158.	.0025	.01476	117.8	.065589	158.	.0049	.01484	118.0	.032432
160.	.0024	.01494	119.2	.067264	160.	.0049	.01501	119.4	.033275
165.	.0023	.01539	122.7	.071543	165.	.0047	.01546	122.9	.035431
170.	.0023	.01584	126.2	.075939	170.	.0046	.01590	126.4	.037645
175.	.0022	.01628	129.7	.080442	175.	.0044	.01635	129.9	.039912
180.	.0021	.01672	133.1	.085048	180.	.0043	.01678	133.3	.042229
185.	.0021	.01716	136.5	.089753	185.	.0042	.01722	136.7	.044596
190.	.0020	.01759	139.8	.094556	190.	.0041	.01765	140.0	.047012
195.	.0020	.01802	143.1	.099455	195.	.0040	.01807	143.3	.049475
200.	.0019	.01844	146.4	.104449	200.	.0039	.01850	146.6	.051985
210.	.0018	.01927	152.9	.114718	210.	.0037	.01933	153.1	.057143
220.	.0018	.02009	159.3	.125354	220.	.0035	.02015	159.4	.062485
230.	.0017	.02090	165.5	.136351	230.	.0034	.02096	165.7	.068006
240.	.0016	.02170	171.6	.147703	240.	.0032	.02175	171.8	.073703
250.	.0015	.02248	177.7	.159402	250.	.0031	.02254	177.8	.079573
260.	.0015	.02326	183.6	.171442	260.	.0030	.02332	183.7	.085612
270.	.0014	.02404	189.4	.183814	270.	.0029	.02409	189.5	.091817
280.	.0014	.02480	195.1	.196511	280.	.0028	.02485	195.2	.098184
290.	.0013	.02556	200.7	.209523	290.	.0027	.02561	200.8	.104708
300.	.0013	.02631	206.3	.222843	300.	.0026	.02637	206.4	.111384
310.	.0012	.02706	211.7	.236472	310.	.0025	.02712	211.8	.118215
320.	.0012	.02782	217.1	.250436	320.	.0024	.02787	217.2	.125214

* Two Phase Boundary

Table 5. Transport Properties of Exxon Isobars, SI Units.

.3 MPa Isobar						.4 MPa Isobar					
Temp.	Density	Thermal Cond.	Viscosity	Thermal Diffusivity		Temp.	Density	Thermal Cond.	Viscosity	Thermal Diffusivity	
K	g/cm**3	W/m.K	g/cm.s	cm**2/s		K	g/cm**3	W/m.K	g/cm.s	cm**2/s	
* 54.393	1.3064	.20363	4861.6	.000937		* 54.405	1.3064	.20365	4864.7	.000937	
56.	1.2994	.20064	4689.9	.000927		56.	1.2995	.20068	4694.1	.000927	
58.	1.2905	.19708	4473.9	.000916		58.	1.2907	.19712	4477.8	.000916	
60.	1.2818	.19367	4259.1	.000906		60.	1.2819	.19372	4262.7	.000905	
62.	1.2729	.19041	4048.5	.000897		62.	1.2731	.19045	4051.9	.000897	
64.	1.2640	.18725	3844.7	.000886		64.	1.2642	.18730	3847.5	.000888	
66.	1.2551	.18410	3647.6	.000880		66.	1.2552	.18424	3650.7	.000880	
68.	1.2461	.18121	3459.6	.000872		68.	1.2463	.18126	3462.5	.000872	
70.	1.2371	.17829	3280.6	.000864		70.	1.2372	.17835	3283.4	.000864	
72.	1.2280	.17543	3110.9	.000856		72.	1.2281	.17548	3113.6	.000856	
74.	1.2188	.17260	2950.4	.000848		74.	1.2190	.17266	2953.0	.000848	
76.	1.2095	.16981	2798.9	.000840		76.	1.2097	.16987	2801.4	.000840	
78.	1.2002	.16704	2656.2	.000832		78.	1.2004	.16710	2658.6	.000832	
80.	1.1908	.16428	2521.8	.000824		80.	1.1910	.16435	2524.1	.000824	
82.	1.1813	.16154	2395.3	.000815		82.	1.1815	.16161	2397.5	.000816	
84.	1.1718	.15881	2276.3	.000807		84.	1.1720	.15887	2278.5	.000807	
86.	1.1621	.15607	2164.4	.000798		86.	1.1623	.15614	2165.5	.000798	
88.	1.1523	.15333	2059.2	.000788		88.	1.1525	.15340	2061.2	.000789	
90.	1.1424	.15058	1960.0	.000779		90.	1.1426	.15066	1962.0	.000779	
92.	1.1324	.14783	1866.7	.000769		92.	1.1326	.14791	1868.6	.000769	
94.	1.1222	.14506	1778.7	.000758		94.	1.1225	.14514	1780.6	.000759	
96.	1.1119	.14227	1695.7	.000747		96.	1.1122	.14236	1697.5	.000748	
98.	1.1015	.13947	1617.3	.000736		98.	1.1018	.13956	1619.1	.000736	
100.	1.0909	.13665	1543.1	.000724		100.	1.0912	.13674	1544.9	.000724	
102.	1.0801	.13380	1472.8	.000711		102.	1.0804	.13389	1474.6	.000712	
* 102.025	1.0799	.13377	1472.0	.000711		104.	1.0694	.13103	1408.0	.000699	
* 102.025	.0122	.00950	76.9	.007384		* 105.733	1.0596	.12852	1352.9	.000687	
104.	.0119	.00949	78.4	.007803		* 105.733	.0160	.00996	80.1	.005736	
106.	.0116	.00998	79.9	.008233		106.	.0159	.00998	80.3	.005781	
108.	.0114	.01007	81.5	.008667		108.	.0155	.01017	81.9	.006121	
110.	.0111	.01027	83.0	.009107		110.	.0152	.01036	83.4	.006464	
112.	.0100	.01046	84.5	.009553		112.	.0148	.01056	84.9	.006810	
114.	.0107	.01066	86.0	.010004		114.	.0145	.01075	85.4	.007159	
116.	.0105	.01085	87.5	.010460		116.	.0142	.01094	87.9	.007512	
118.	.0103	.01105	89.0	.010923		118.	.0139	.01114	89.4	.007869	
120.	.0101	.01125	90.5	.011391		120.	.0136	.01133	90.9	.008230	
122.	.0099	.01144	92.0	.011864		122.	.0134	.01153	92.4	.008594	
124.	.0097	.01164	93.5	.012343		124.	.0131	.01172	93.9	.008962	
126.	.0095	.01183	95.0	.012828		126.	.0129	.01191	95.4	.009334	
128.	.0094	.01203	96.5	.013319		128.	.0126	.01211	96.8	.009710	
130.	.0092	.01222	98.0	.013816		130.	.0124	.01230	98.3	.010090	
132.	.0090	.01242	99.5	.014318		132.	.0122	.01250	99.8	.010474	
134.	.0089	.01261	100.9	.014824		134.	.0120	.01269	101.3	.010862	
136.	.0087	.01281	102.4	.015340		136.	.0118	.01288	102.7	.011254	
138.	.0086	.01300	103.9	.015860		138.	.0116	.01308	104.2	.011650	
140.	.0085	.01319	105.3	.016386		140.	.0114	.01327	105.6	.012051	
142.	.0083	.01339	106.8	.016918		142.	.0112	.01346	107.1	.012456	
144.	.0082	.01358	108.2	.017456		144.	.0111	.01365	108.5	.012865	
146.	.0081	.01377	109.7	.018000		146.	.0109	.01384	110.0	.013279	
148.	.0080	.01397	111.1	.018551		148.	.0107	.01404	111.4	.013698	
150.	.0079	.01416	112.6	.019110		150.	.0106	.01423	112.8	.014123	
152.	.0078	.01435	114.0	.019677		152.	.0104	.01443	114.3	.014554	
154.	.0077	.01455	115.4	.020255		154.	.0103	.01462	115.7	.014994	
156.	.0075	.01473	116.8	.020814		156.	.0101	.01480	117.1	.015417	
158.	.0074	.01490	118.3	.021371		158.	.0100	.01497	118.5	.015838	
160.	.0074	.01508	119.7	.021938		160.	.0099	.01515	119.9	.016266	
165.	.0071	.01552	123.2	.023386		165.	.0095	.01559	123.4	.017361	
170.	.0069	.01597	126.6	.024873		170.	.0092	.01603	126.9	.018484	
175.	.0067	.01641	130.1	.026395		175.	.0090	.01647	130.3	.019634	
180.	.0065	.01684	133.5	.027950		180.	.0087	.01690	133.7	.020808	
185.	.0063	.01728	136.9	.029538		185.	.0085	.01733	137.1	.022006	
190.	.0061	.01771	140.2	.031158		190.	.0082	.01776	140.4	.023228	
195.	.0060	.01813	143.5	.032809		195.	.0080	.01819	143.7	.024473	
200.	.0058	.01855	146.8	.034491		200.	.0078	.01861	147.0	.025741	
210.	.0055	.01938	153.2	.037946		210.	.0074	.01944	153.4	.028346	
220.	.0053	.02020	159.6	.041523		220.	.0071	.02025	159.8	.031040	
230.	.0050	.02101	165.8	.045218		230.	.0067	.02106	166.0	.033822	
240.	.0048	.02180	171.9	.049030		240.	.0065	.02186	172.1	.036692	
250.	.0046	.02259	177.9	.052957		250.	.0062	.02264	178.1	.039647	
260.	.0045	.02337	183.8	.056996		260.	.0059	.02342	184.0	.042686	
270.	.0043	.02414	189.6	.061145		270.	.0057	.02419	189.8	.045807	
280.	.0041	.02490	195.3	.065401		280.	.0055	.02495	195.5	.049008	
290.	.0040	.02566	201.0	.069762		290.	.0053	.02571	201.1	.052287	
300.	.0039	.02642	206.5	.074224		300.	.0051	.02646	206.6	.055642	
310.	.0037	.02717	211.9	.078789		310.	.0050	.02721	212.0	.059074	
320.	.0036	.02792	217.3	.083466		320.	.0048	.02796	217.4	.062590	

* Two Phase Boundary

Table 5. Transport Properties of Oxygen, Isobars, SI Units.

•5 MPa Isobar						•6 MPa Isobar					
Temp.	Density	Thermal Cond.	Viscosity	Thermal Diffusivity		Temp.	Density	Thermal Cond.	Viscosity	Thermal Diffusivity	
K	g/cm ³	W/m.K	a/cm.s	cm ² /s		K	g/cm ³	W/m.K	g/cm.s	cm ² /s	
* 54.416	1.3065	.2036	4967.8	.000937		* 54.428	1.3066	.20370	4870.9	.000937	
55.	1.2996	.20073	4698.2	.000928		56.	1.2997	.20078	4702.3	.000928	
58.	1.2908	.19717	4481.7	.000917		58.	1.2909	.19722	4485.5	.000917	
60.	1.2820	.19377	4266.4	.000907		60.	1.2821	.19382	4270.1	.000907	
62.	1.2732	.19050	4055.4	.000897		62.	1.2733	.19055	4058.9	.000898	
64.	1.2643	.18735	3860.7	.000889		64.	1.2644	.18740	3854.0	.000889	
66.	1.2554	.18429	3663.8	.000880		66.	1.2555	.18435	3656.9	.000881	
68.	1.2464	.18132	3465.5	.000872		68.	1.2465	.18137	3468.5	.000873	
70.	1.2374	.17840	3266.3	.000864		70.	1.2375	.17846	3289.1	.000865	
72.	1.2283	.17554	3116.3	.000857		72.	1.2284	.17559	3119.0	.000857	
74.	1.2191	.17272	2955.6	.000849		74.	1.2193	.17277	2958.2	.000849	
76.	1.2099	.16993	2803.9	.000841		76.	1.2100	.16999	2806.4	.000841	
78.	1.2006	.16716	2640.9	.000833		78.	1.2007	.16722	2663.3	.000833	
80.	1.1912	.16441	2526.4	.000825		80.	1.1914	.16448	2528.7	.000825	
82.	1.1817	.16167	2399.7	.000816		82.	1.1819	.16174	2402.0	.000816	
84.	1.1721	.15894	2280.6	.000807		84.	1.1723	.15901	2282.8	.000808	
86.	1.1625	.15621	2168.6	.000798		86.	1.1627	.15628	2170.7	.000799	
88.	1.1527	.15349	2063.2	.000789		88.	1.1529	.15355	2065.2	.000790	
90.	1.1429	.15073	1964.0	.000780		90.	1.1431	.15081	1966.0	.000780	
92.	1.1329	.14798	1870.6	.000770		92.	1.1331	.14806	1872.5	.000770	
94.	1.1227	.14522	1782.5	.000759		94.	1.1230	.14530	1784.4	.000760	
96.	1.1125	.14244	1699.4	.000748		96.	1.1127	.14252	1701.2	.000749	
98.	1.1020	.13964	1620.9	.000737		98.	1.1023	.13973	1622.7	.000737	
100.	1.0914	.13683	1546.7	.000725		100.	1.0917	.13692	1548.4	.000726	
102.	1.0807	.13399	1474.4	.000713		102.	1.0810	.13408	1478.1	.000713	
104.	1.0697	.13112	1409.7	.000699		104.	1.0700	.13122	1411.5	.000700	
106.	1.0585	.12823	1346.4	.000686		106.	1.0588	.12834	1348.1	.000687	
108.	1.0470	.12531	1286.1	.000672		108.	1.0474	.12542	1287.8	.000672	
* 108.806	1.0423	.12413	1262.6	.000666		110.	1.0356	.12247	1230.4	.000657	
* 108.806	.0197	.01035	82.9	.004695		* 111.457	1.0269	.12030	1190.2	.000646	
110.	.0194	.01046	83.8	.00486		* 111.457	.0235	.01071	85.3	.003972	
112.	.0190	.01065	85.3	.005153		112.	.0233	.01076	85.7	.004040	
114.	.0185	.01084	86.8	.005443		114.	.0227	.01094	87.2	.004290	
116.	.0181	.01104	88.3	.005735		116.	.0222	.01113	88.7	.004542	
118.	.0177	.01123	89.8	.006029		118.	.0216	.01132	90.2	.004795	
120.	.0173	.01142	91.3	.006325		120.	.0212	.01151	91.7	.005049	
122.	.0170	.01161	92.7	.006625		122.	.0207	.01170	93.1	.005306	
124.	.0166	.01180	94.2	.006926		124.	.0203	.01189	94.6	.005564	
126.	.0163	.01200	95.7	.007231		126.	.0199	.01208	96.1	.005824	
128.	.0160	.01219	97.2	.007539		128.	.0195	.01227	97.5	.006086	
130.	.0157	.01238	98.7	.007849		130.	.0191	.01246	99.0	.006350	
132.	.0154	.01257	100.1	.008162		132.	.0187	.01266	100.5	.006617	
134.	.0152	.01277	101.6	.008478		134.	.0184	.01285	101.9	.006886	
136.	.0149	.01296	103.0	.008798		136.	.0181	.01304	103.4	.007157	
138.	.0146	.01315	104.5	.009120		138.	.0178	.01323	104.8	.007430	
140.	.0144	.01334	105.9	.009446		140.	.0175	.01342	106.3	.007706	
142.	.0142	.01353	107.4	.009775		142.	.0172	.01361	107.7	.007985	
144.	.0140	.01373	108.8	.010107		144.	.0169	.01380	109.1	.008266	
146.	.0137	.01392	110.3	.010444		146.	.0166	.01399	110.6	.008551	
148.	.0135	.01411	111.7	.010784		148.	.0164	.01419	112.0	.008838	
150.	.0133	.01430	113.1	.011128		150.	.0161	.01438	113.4	.009130	
152.	.0131	.01450	114.5	.011478		152.	.0159	.01457	114.8	.009426	
154.	.0129	.01470	116.0	.011835		154.	.0156	.01478	116.2	.009727	
156.	.0128	.01487	117.4	.012176		156.	.0154	.01495	117.7	.010015	
158.	.0126	.01504	118.8	.012516		158.	.0152	.01512	119.1	.010299	
160.	.0124	.01522	120.2	.012861		160.	.0150	.01529	120.5	.010589	
165.	.0120	.01565	123.7	.013743		165.	.0145	.01572	123.9	.011330	
170.	.0116	.01609	127.1	.014649		170.	.0140	.01615	127.4	.012091	
175.	.0113	.01653	130.5	.015575		175.	.0136	.01659	130.8	.012868	
180.	.0109	.01696	133.9	.016521		180.	.0132	.01702	134.2	.013662	
185.	.0106	.01739	137.3	.017486		185.	.0128	.01745	137.5	.014471	
190.	.0103	.01782	140.6	.018469		190.	.0124	.01788	140.8	.015295	
195.	.0100	.01824	143.9	.019471		195.	.0121	.01830	144.1	.016135	
200.	.0098	.01866	147.2	.020490		200.	.0118	.01872	147.4	.016989	
210.	.0093	.01949	153.6	.022584		210.	.0112	.01954	153.8	.018742	
220.	.0088	.02031	159.9	.024749		220.	.0106	.02036	160.1	.020554	
230.	.0084	.02111	166.1	.026984		230.	.0102	.02116	166.3	.022424	
240.	.0081	.02191	172.2	.029288		240.	.0097	.02196	172.4	.024351	
250.	.0078	.02269	178.2	.031660		250.	.0093	.02274	178.4	.026335	
260.	.0074	.02347	184.1	.034099		260.	.0089	.02352	184.2	.028373	
270.	.0072	.02424	189.9	.036603		270.	.0086	.02429	190.0	.030466	
280.	.0069	.02500	195.6	.039171		280.	.0083	.02505	195.7	.032612	
290.	.0067	.02576	201.2	.041801		290.	.0080	.02581	201.3	.034810	
300.	.0064	.02651	206.7	.044491		300.	.0077	.02656	206.8	.037057	
310.	.0062	.02726	212.1	.047243		310.	.0075	.02731	212.2	.039355	
320.	.0060	.02801	217.5	.050062		320.	.0072	.02806	217.6	.041710	

* Two Phase Boundary

Table 5. Transport Properties of Oxygen, Isobars, SI Units.

.7 MPa Isobar						.8 MPa Isobar					
Temp.	Density	Thermal Cond.	Viscosity	Thermal Diffusivity		Temp.	Density	Thermal Cond.	Viscosity	Thermal Diffusivity	
K	g/cm**3	W/m.K	g/cm.s	cm**2/s		K	g/cm**3	W/m.K	g/cm.s	cm**2/s	
* 54.439	1.3066	.20373	4874.0	.000937		* 54.451	1.3067	.20375	4877.1	.000938	
56.	1.2998	.20082	4706.4	.000928		56.	1.2999	.20087	4710.5	.000928	
58.	1.2911	.19726	4489.4	.000917		58.	1.2912	.19731	4493.3	.000917	
60.	1.2823	.19386	4273.7	.000907		60.	1.2824	.19391	4277.4	.000907	
62.	1.2734	.19060	4062.3	.000898		62.	1.2736	.19065	4065.8	.000898	
64.	1.2646	.18745	3857.3	.000889		64.	1.2647	.18750	3860.6	.000889	
66.	1.2557	.18440	3660.0	.000881		66.	1.2558	.18445	3663.2	.000881	
68.	1.2467	.18142	3471.4	.000873		68.	1.2468	.18147	3474.4	.000873	
70.	1.2377	.17851	3291.9	.000865		70.	1.2378	.17856	3294.8	.000865	
72.	1.2286	.17565	3121.7	.000857		72.	1.2287	.17571	3124.4	.000857	
74.	1.2194	.17283	2960.8	.000849		74.	1.2196	.17289	2963.4	.000850	
76.	1.2102	.17005	2808.9	.000841		76.	1.2104	.17011	2811.4	.000842	
78.	1.2009	.16728	2665.7	.000833		78.	1.2011	.16735	2668.1	.000834	
80.	1.1915	.16454	2531.0	.000825		80.	1.1917	.16460	2533.3	.000826	
82.	1.1821	.16181	2404.2	.000817		82.	1.1823	.16187	2406.4	.000817	
84.	1.1725	.15908	2284.9	.000808		84.	1.1727	.15915	2287.1	.000809	
86.	1.1629	.15635	2172.8	.000799		86.	1.1631	.15642	2174.9	.000800	
88.	1.1531	.15362	2067.2	.000790		88.	1.1534	.15369	2069.3	.000791	
90.	1.1433	.15088	1967.9	.000780		90.	1.1435	.15096	1969.9	.000781	
92.	1.1333	.14814	1874.4	.000771		92.	1.1335	.14822	1876.3	.000771	
94.	1.1232	.14538	1786.2	.000760		94.	1.1235	.14546	1788.1	.000761	
96.	1.1130	.14251	1703.1	.000749		96.	1.1132	.14269	1704.9	.000750	
98.	1.1026	.13982	1624.5	.000738		98.	1.1028	.13990	1626.3	.000739	
100.	1.0920	.13701	1550.2	.000726		100.	1.0923	.13710	1552.0	.000727	
102.	1.0813	.13418	1479.9	.000714		102.	1.0816	.13427	1481.6	.000715	
104.	1.0703	.13132	1413.2	.000701		104.	1.0706	.13142	1414.9	.000702	
106.	1.0591	.12844	1349.8	.000687		106.	1.0595	.12854	1351.6	.000688	
108.	1.0477	.12552	1289.6	.000673		108.	1.0481	.12563	1291.3	.000674	
110.	1.0360	.12258	1232.1	.000658		110.	1.0364	.12269	1233.8	.000659	
112.	1.0240	.11960	1177.2	.000643		112.	1.0244	.11972	1178.9	.000644	
* 113.401	1.0129	.11688	1129.8	.000628		114.	1.0121	.11670	1126.4	.000627	
* 113.401	.0272	.01103	87.5	.003436	*	115.914	1.0000	.11378	1078.1	.000611	
114.	.0271	.01105	87.7	.003458	*	115.914	.0310	.01134	89.6	.003022	
116.	.0264	.01123	89.1	.003682		116.	.0309	.01134	89.6	.003031	
118.	.0258	.01142	90.6	.003907		118.	.0301	.01153	91.1	.003234	
120.	.0252	.01161	92.1	.004132		120.	.0293	.01171	92.5	.003438	
122.	.0245	.01179	93.6	.004358		122.	.0286	.01189	94.0	.003642	
124.	.0241	.01198	95.0	.004586		124.	.0280	.01208	95.4	.003847	
126.	.0235	.01217	96.5	.004814		126.	.0273	.01227	96.9	.004053	
128.	.0231	.01236	97.9	.005045		128.	.0268	.01245	98.3	.004260	
130.	.0226	.01255	99.4	.005276		130.	.0262	.01264	99.8	.004467	
132.	.0222	.01274	100.8	.005510		132.	.0257	.01283	101.2	.004676	
134.	.0217	.01293	102.3	.005745		134.	.0252	.01302	102.7	.004886	
136.	.0213	.01312	103.7	.005982		136.	.0247	.01320	104.1	.005098	
138.	.0210	.01331	105.2	.006220		138.	.0242	.01339	105.5	.005311	
140.	.0205	.01350	106.6	.006461		140.	.0238	.01358	107.0	.005525	
142.	.0202	.01369	108.0	.006704		142.	.0234	.01377	108.4	.005741	
144.	.0199	.01388	109.5	.006949		144.	.0230	.01396	109.8	.005959	
146.	.0196	.01407	110.9	.007197		146.	.0226	.01415	111.2	.006180	
148.	.0193	.01426	112.3	.007447		148.	.0222	.01434	112.7	.006402	
150.	.0190	.01446	113.7	.007701		150.	.0219	.01454	114.1	.006628	
152.	.0187	.01465	115.1	.007958		152.	.0215	.01473	115.5	.006856	
154.	.0184	.01485	116.5	.008221		154.	.0212	.01494	116.9	.007090	
156.	.0181	.01503	117.9	.008469		156.	.0209	.01511	118.3	.007309	
158.	.0179	.01519	119.3	.008715		158.	.0205	.01527	119.7	.007526	
160.	.0176	.01536	120.7	.008965		160.	.0202	.01543	121.0	.007747	
165.	.0170	.01579	124.2	.009606		165.	.0195	.01585	124.5	.008312	
170.	.0164	.01622	127.6	.010263		170.	.0189	.01628	127.9	.008891	
175.	.0159	.01665	131.0	.010934		175.	.0183	.01671	131.3	.009483	
180.	.0154	.01708	134.4	.011619		180.	.0177	.01714	134.7	.010087	
185.	.0150	.01751	137.7	.012317		185.	.0172	.01757	138.0	.010701	
190.	.0145	.01793	141.1	.013028		190.	.0167	.01799	141.3	.011327	
195.	.0141	.01836	144.3	.013752		195.	.0162	.01841	144.6	.011964	
200.	.0138	.01877	147.6	.014488		200.	.0158	.01883	147.8	.012612	
210.	.0131	.01960	154.0	.015998		210.	.0150	.01965	154.2	.013939	
220.	.0124	.02041	160.3	.017558		220.	.0142	.02047	160.5	.015310	
230.	.0119	.02122	166.5	.019167		230.	.0136	.02127	166.7	.016724	
240.	.0114	.02201	172.5	.020825		240.	.0130	.02206	172.7	.018180	
250.	.0109	.02279	178.5	.022531		250.	.0125	.02284	178.7	.019678	
260.	.0104	.02357	184.4	.024284		260.	.0120	.02362	184.5	.021216	
270.	.0100	.02434	190.2	.026083		270.	.0115	.02438	190.3	.022795	
280.	.0097	.02510	195.8	.027927		280.	.0111	.02515	196.0	.024413	
290.	.0093	.02586	201.4	.029815		290.	.0107	.02590	201.6	.026070	
300.	.0090	.02661	206.9	.031746		300.	.0103	.02665	207.1	.027763	
310.	.0087	.02735	212.4	.033771		310.	.0100	.02740	212.5	.029495	
320.	.0084	.02810	217.7	.035744		320.	.0097	.02815	217.8	.031269	

* Two Phase Boundary

Table 5. Transport Properties of Oxygen, Isobars, Sl Units.

0.9 MPa Isobar						1.0 MPa Isobar					
Temp.	Density	Thermal Cond.	Viscosity	Thermal Diffusivity		Temp.	Density	Thermal Cond.	Viscosity	Thermal Diffusivity	
K	g/cm**3	W/m.K	g/cm.s	cm**2/s		K	g/cm**3	W/m.K	g/cm.s	cm**2/s	
* 54.462	1.3068	.20377	4880.2	.000938	*	54.474	1.3068	.20380	4883.4	.000938	
56.	1.3001	.20091	4714.6	.000928	56.	1.3002	.20096	4718.8	.000928		
58.	1.2913	.19736	4497.2	.000917	58.	1.2914	.19740	4501.0	.000918		
60.	1.2825	.19396	4281.0	.000907	60.	1.2826	.19401	4284.7	.000908		
62.	1.2737	.19070	4069.2	.000898	62.	1.2738	.19075	4072.7	.000898		
64.	1.2648	.18755	3863.8	.000890	64.	1.2650	.18760	3867.1	.000890		
66.	1.2559	.18450	3666.3	.000881	66.	1.2561	.18455	3669.4	.000882		
68.	1.2470	.18153	3477.4	.000873	68.	1.2471	.18158	3480.3	.000874		
70.	1.2379	.17862	3297.6	.000866	70.	1.2381	.17867	3300.4	.000866		
72.	1.2289	.17576	3127.1	.000858	72.	1.2290	.17582	3129.8	.000858		
74.	1.2197	.17295	2966.0	.000850	74.	1.2199	.17301	2958.5	.000850		
76.	1.2105	.17017	2813.8	.000842	76.	1.2107	.17023	2816.3	.000842		
78.	1.2012	.16741	2670.5	.000834	78.	1.2014	.16747	2672.9	.000834		
80.	1.1919	.16467	2535.6	.000826	80.	1.1921	.16473	2537.9	.000826		
82.	1.1824	.16194	2408.6	.000818	82.	1.1826	.16200	2410.8	.000818		
84.	1.1729	.15921	2299.2	.000809	84.	1.1731	.15928	2291.4	.000809		
86.	1.1633	.15649	2176.9	.000800	86.	1.1635	.15656	2179.0	.000801		
88.	1.1536	.15377	2071.3	.000791	88.	1.1538	.15384	2073.3	.000791		
90.	1.1437	.15103	1971.9	.000781	90.	1.1440	.15111	1973.8	.000782		
92.	1.1338	.14829	1878.2	.000772	92.	1.1340	.14837	1880.2	.000772		
94.	1.1237	.14554	1790.0	.000761	94.	1.1239	.14562	1791.9	.000762		
96.	1.1135	.14277	1706.7	.000750	96.	1.1137	.14286	1708.6	.000751		
98.	1.1031	.13999	1628.1	.000739	98.	1.1034	.14008	1629.9	.000740		
100.	1.0926	.13719	1553.8	.000727	100.	1.0929	.13728	1555.6	.000728		
102.	1.0819	.13436	1483.4	.000715	102.	1.0822	.13446	1485.2	.000716		
104.	1.0709	.13151	1416.7	.000702	104.	1.0713	.13161	1418.4	.000703		
106.	1.0598	.12864	1353.3	.000689	106.	1.0601	.12874	1355.0	.000690		
108.	1.0484	.12574	1293.0	.000675	108.	1.0488	.12584	1294.7	.000676		
110.	1.0368	.12280	1235.6	.000660	110.	1.0372	.12291	1237.3	.000661		
112.	1.0248	.11983	1180.7	.000645	112.	1.0253	.11995	1182.4	.000645		
114.	1.0126	.11682	1128.1	.000628	114.	1.0130	.11694	1129.9	.000629		
116.	.9999	.11377	1077.7	.000611	116.	1.0004	.11390	1079.5	.000612		
* 117.843	.9879	.11092	1033.0	.000594	118.	.9873	.11081	1031.0	.000594		
* 117.843	.0347	.01163	91.5	.002690	* 119.623	.9764	.10826	992.9	.000579		
118.	.0347	.01164	91.6	.002705	* 119.623	.0385	.01190	93.3	.002419		
120.	.0337	.01182	93.0	.002893	120.	.0383	.01194	93.6	.002452		
122.	.0329	.01200	94.5	.003081	122.	.0373	.01211	95.0	.002627		
124.	.0320	.01218	95.9	.003269	124.	.0363	.01229	96.4	.002802		
126.	.0313	.01237	97.3	.003457	126.	.0354	.01247	97.8	.002976		
128.	.0306	.01255	98.8	.003646	128.	.0345	.01265	99.2	.003151		
130.	.0299	.01273	100.2	.003835	130.	.0338	.01283	100.7	.003326		
132.	.0293	.01292	101.7	.004025	132.	.0330	.01302	102.1	.003501		
134.	.0287	.01311	103.1	.004215	134.	.0323	.01320	103.5	.003577		
136.	.0281	.01329	104.5	.004408	136.	.0316	.01338	104.9	.003954		
138.	.0276	.01348	105.9	.004601	138.	.0310	.01357	106.3	.004031		
140.	.0271	.01367	107.4	.004795	140.	.0304	.01376	107.8	.004209		
142.	.0266	.01385	108.8	.004991	142.	.0298	.01394	109.2	.004389		
144.	.0261	.01404	110.2	.005118	144.	.0293	.01413	110.6	.004570		
146.	.0256	.01423	111.6	.005387	146.	.0288	.01432	112.0	.004752		
148.	.0252	.01443	113.0	.005588	148.	.0283	.01451	113.4	.004936		
150.	.0248	.01462	114.4	.005792	150.	.0278	.01471	114.8	.005122		
152.	.0244	.01482	115.8	.005999	152.	.0273	.01491	116.2	.005311		
154.	.0240	.01502	117.2	.006210	154.	.0269	.01511	117.5	.005505		
156.	.0236	.01519	118.6	.006407	156.	.0265	.01527	118.9	.005684		
158.	.0233	.01534	120.0	.006601	158.	.0261	.01543	120.3	.005860		
160.	.0229	.01551	121.4	.006798	160.	.0257	.01559	121.7	.006039		
165.	.0221	.01593	124.8	.007305	165.	.0247	.01600	125.1	.006498		
170.	.0214	.01635	128.2	.007824	170.	.0239	.01642	128.5	.006969		
175.	.0207	.01678	131.6	.008354	175.	.0231	.01684	131.9	.007450		
180.	.0200	.01721	134.9	.008894	180.	.0223	.01727	135.2	.007940		
185.	.0194	.01763	138.2	.009444	185.	.0217	.01769	138.5	.008438		
190.	.0188	.01805	141.5	.010004	190.	.0210	.01811	141.8	.008945		
195.	.0183	.01847	144.8	.010573	195.	.0204	.01853	145.0	.009440		
200.	.0178	.01889	148.0	.011152	200.	.0198	.01894	148.3	.009984		
210.	.0169	.01971	154.4	.012338	210.	.0188	.01976	154.6	.011057		
220.	.0161	.02052	160.7	.013562	220.	.0179	.02057	160.9	.012153		
230.	.0153	.02132	166.8	.014824	230.	.0171	.02137	167.0	.013303		
240.	.0146	.02211	172.9	.016123	240.	.0163	.02216	173.1	.014477		
250.	.0140	.02289	178.8	.017458	250.	.0156	.02294	179.0	.015683		
260.	.0135	.02367	184.7	.018830	260.	.0150	.02372	184.9	.016922		
270.	.0129	.02443	190.5	.020238	270.	.0144	.02448	190.6	.018192		
280.	.0125	.02519	196.1	.021680	280.	.0139	.02524	195.3	.019493		
290.	.0120	.02595	201.7	.023156	290.	.0134	.02600	201.8	.020825		
300.	.0116	.02670	207.2	.024665	300.	.0129	.02675	207.3	.022186		
310.	.0112	.02745	212.6	.026207	310.	.0125	.02749	212.7	.023578		
320.	.0109	.02820	217.9	.027788	320.	.0121	.02824	218.1	.025003		

* Two Phase Boundary

Table 5. Transport Properties of Oxygen, Isobars, SI Units.

1.5 MPa Isobar								2.0 MPa Isobar							
Temp.	Density	Thermal Cond.	Viscosity	Thermal Diffusivity	Temp.	Density	Thermal Cond.	Viscosity	Thermal Diffusivity						
K	g/cm ³	W/m.K	g/cm.s	cm ² /s	K	g/cm ³	W/m.K	g/cm.s	cm ² /s						
* 54.531	1.3072	.20392	4898.9	.000938	* 54.589	1.3075	.20404	4914.3	.000939						
56.	1.3008	.20119	4739.4	.000929	56.	1.3013	.20142	4760.1	.000930						
58.	1.2920	.19764	4520.5	.000919	58.	1.2926	.19787	4539.9	.000920						
60.	1.2832	.19425	4303.0	.000909	60.	1.2839	.19449	4321.3	.000910						
62.	1.2744	.19099	4090.0	.000900	62.	1.2751	.19124	4107.4	.000901						
64.	1.2656	.18785	3883.6	.000891	64.	1.2663	.18810	3900.0	.000892						
66.	1.2567	.18481	3685.0	.000883	66.	1.2574	.18506	3700.6	.000884						
68.	1.2478	.18184	3495.2	.000875	68.	1.2485	.18211	3510.0	.000876						
70.	1.2388	.17894	3314.6	.000867	70.	1.2395	.17922	3328.8	.000869						
72.	1.2298	.17610	3143.4	.000859	72.	1.2305	.17638	3156.9	.000861						
74.	1.2207	.17329	2981.5	.000852	74.	1.2215	.17358	2994.5	.000853						
76.	1.2115	.17052	2828.8	.000844	76.	1.2123	.17082	2841.2	.000846						
78.	1.2023	.16778	2684.8	.000836	78.	1.2031	.16808	2696.8	.000838						
80.	1.1929	.16505	2549.4	.000828	80.	1.1938	.16536	2560.9	.000830						
82.	1.1836	.16233	2421.9	.000820	82.	1.1845	.16266	2433.0	.000822						
84.	1.1741	.15962	2302.1	.000811	84.	1.1750	.15996	2312.8	.000813						
86.	1.1645	.15691	2189.4	.000803	86.	1.1655	.15726	2199.8	.000805						
88.	1.1548	.15420	2083.4	.000794	88.	1.1559	.15456	2093.5	.000796						
90.	1.1450	.15148	1983.7	.000784	90.	1.1461	.15185	1993.5	.000786						
92.	1.1352	.14876	1889.7	.000774	92.	1.1363	.14914	1899.3	.000777						
94.	1.1251	.14602	1801.2	.000764	94.	1.1263	.14642	1810.5	.000767						
96.	1.1150	.14327	1717.7	.000754	96.	1.1163	.14368	1726.9	.000756						
98.	1.1047	.14051	1638.9	.000743	98.	1.1060	.14093	1647.9	.000746						
100.	1.0943	.13772	1564.4	.000731	100.	1.0956	.13816	1573.2	.000734						
102.	1.0836	.13492	1493.9	.000719	102.	1.0851	.13538	1502.6	.000722						
104.	1.0728	.13209	1427.1	.000707	104.	1.0744	.13257	1435.7	.000710						
106.	1.0618	.12924	1363.6	.000693	106.	1.0634	.12974	1372.2	.000697						
108.	1.0506	.12636	1303.3	.000680	108.	1.0523	.12688	1311.8	.000684						
110.	1.0390	.12346	1245.8	.000665	110.	1.0409	.12400	1254.3	.000670						
112.	1.0273	.12052	1191.0	.000650	112.	1.0292	.12108	1199.4	.000655						
114.	1.0152	.11754	1138.5	.000634	114.	1.0173	.11814	1147.0	.000639						
116.	1.0027	.11453	1088.2	.000618	116.	1.0050	.11515	1096.8	.000623						
118.	.9898	.11148	1039.8	.000600	118.	.9923	.11213	1048.5	.000606						
120.	.9765	.10837	993.2	.000582	120.	.9792	.10907	1002.1	.000588						
122.	.9627	.10521	948.1	.000562	122.	.9656	.10595	957.2	.000569						
124.	.9483	.10200	904.4	.000541	124.	.9515	.10278	913.7	.000549						
126.	.9331	.09870	861.7	.000519	126.	.9367	.09955	871.4	.000528						
* 126.985	.9254	.09705	841.1	.000508	128.	.9211	.09624	830.1	.000505						
* 126.985	.0582	.01321	101.5	.001555	130.	.9047	.09284	789.4	.000481						
128.	.0572	.01329	102.1	.001626	132.	.8871	.08935	749.2	.000454						
130.	.0555	.01344	103.4	.001763	* 132.746	.8802	.08802	734.3	.000444						
132.	.0539	.01360	104.7	.001898	* 132.746	.0793	.01453	109.0	.001085						
134.	.0524	.01377	106.1	.002033	134.	.0773	.01460	109.7	.001162						
136.	.0510	.01393	107.4	.002167	136.	.0746	.01472	110.8	.001282						
138.	.0498	.01411	108.7	.002300	138.	.0722	.01486	112.0	.001399						
140.	.0486	.01428	110.0	.002433	140.	.0700	.01500	113.2	.001514						
142.	.0475	.01446	111.4	.002566	142.	.0680	.01516	114.4	.001628						
144.	.0465	.01464	112.8	.002699	144.	.0662	.01532	115.6	.001742						
146.	.0455	.01482	114.1	.002833	146.	.0645	.01549	116.8	.001855						
148.	.0446	.01501	115.5	.002968	148.	.0629	.01567	118.1	.001968						
150.	.0437	.01521	116.8	.003104	150.	.0615	.01587	119.3	.002082						
152.	.0429	.01541	118.1	.003242	152.	.0601	.01608	120.6	.002198						
154.	.0421	.01563	119.5	.003385	154.	.0588	.01631	121.9	.002318						
156.	.0413	.01577	120.8	.003510	156.	.0576	.01641	123.2	.002417						
158.	.0406	.01589	122.2	.003631	158.	.0565	.01648	124.4	.002511						
160.	.0399	.01603	123.5	.003755	160.	.0554	.01657	125.7	.002607						
165.	.0383	.01640	126.8	.004075	165.	.0529	.01687	128.9	.002858						
170.	.0369	.01679	130.1	.004402	170.	.0507	.01723	132.1	.003114						
175.	.0355	.01720	133.4	.004735	175.	.0487	.01760	135.3	.003374						
180.	.0343	.01761	136.7	.005074	180.	.0469	.01798	138.5	.003638						
185.	.0332	.01802	139.9	.005418	185.	.0452	.01837	141.6	.003905						
190.	.0321	.01842	143.2	.005766	190.	.0437	.01877	144.8	.004176						
195.	.0312	.01883	146.4	.006120	195.	.0423	.01916	147.9	.004449						
200.	.0303	.01924	149.5	.006479	200.	.0410	.01956	151.0	.004726						
210.	.0286	.02005	155.8	.007213	210.	.0387	.02035	157.2	.005291						
220.	.0271	.02085	162.0	.007967	220.	.0366	.02114	163.2	.005869						
230.	.0258	.02164	168.1	.008743	230.	.0348	.02192	169.2	.006463						
240.	.0246	.02242	174.0	.009539	240.	.0331	.02269	175.1	.007071						
250.	.0236	.02320	179.9	.010357	250.	.0316	.02346	180.9	.007694						
260.	.0226	.02397	185.7	.011195	260.	.0303	.02422	186.7	.008333						
270.	.0217	.02473	191.4	.012054	270.	.0291	.02498	192.3	.008986						
280.	.0209	.02549	197.0	.012934	280.	.0280	.02573	197.9	.009654						
290.	.0201	.02624	202.6	.013832	290.	.0269	.02648	203.4	.010336						
300.	.0194	.02698	208.0	.014750	300.	.0260	.02722	208.8	.011033						
310.	.0188	.02772	213.4	.015688	310.	.0251	.02796	214.1	.011743						
320.	.0181	.02847	218.7	.016649	320.	.0242	.02870	219.4	.012472						

* Two Phase Boundary

Table 5. Transport Properties of Oxygen, Isobars, SI Units.

2.5 MPa Isobar						3.0 MPa Isobar					
Temp., K	Density, g/cm ³	Thermal Cond., W/m.K	Viscosity, micro-g/cm.s	Thermal Diffusivity, cm ² /s	Temp., K	Density, g/cm ³	Thermal Cond., W/m.K	Viscosity, micro-g/cm.s	Thermal Diffusivity, cm ² /s		
* 54.646	1.3078	.20416	4929.8	.000939	* 54.703	1.3081	.20428	4945.2	.000940		
56.	1.3019	.20165	4780.8	.000931	56.	1.3025	.20188	4801.6	.000932		
58.	1.2932	.19811	4559.4	.000921	58.	1.2938	.19834	4578.9	.000922		
60.	1.2945	.19472	4339.7	.000911	60.	1.2851	.19496	4358.1	.000912		
62.	1.2757	.19148	4124.7	.000902	62.	1.2763	.19172	4142.1	.000903		
64.	1.2669	.18835	3916.4	.000893	64.	1.2676	.18860	3932.9	.000895		
66.	1.2581	.18532	3716.2	.000885	66.	1.2587	.18558	3731.9	.000887		
68.	1.2492	.18237	3524.9	.000878	68.	1.2499	.18263	3539.8	.000879		
70.	1.2403	.17949	3342.9	.000870	70.	1.2410	.17976	3357.1	.000871		
72.	1.2313	.17666	3170.4	.000862	72.	1.2320	.17693	3184.0	.000864		
74.	1.2222	.17387	3007.4	.000855	74.	1.2230	.17415	3020.4	.000856		
76.	1.2131	.17111	2853.6	.000847	76.	1.2139	.17141	2866.0	.000849		
78.	1.2039	.16839	2708.7	.000839	78.	1.2048	.16869	2720.7	.000841		
80.	1.1947	.16568	2572.4	.000832	80.	1.1956	.16599	2583.8	.000833		
82.	1.1854	.16298	2444.1	.000824	82.	1.1863	.16330	2455.2	.000825		
84.	1.1760	.16029	2323.5	.000815	84.	1.1769	.16062	2334.2	.000817		
86.	1.1665	.15760	2210.2	.000807	86.	1.1675	.15795	2220.5	.000809		
88.	1.1569	.15492	2103.5	.000798	88.	1.1579	.15527	2113.6	.000800		
90.	1.1472	.15222	2003.2	.000789	90.	1.1483	.15259	2013.0	.000791		
92.	1.1374	.14952	1908.8	.000779	92.	1.1385	.14990	1918.3	.000782		
94.	1.1275	.14681	1819.9	.000769	94.	1.1287	.14721	1829.1	.000772		
96.	1.1175	.14409	1734.0	.000759	96.	1.1187	.14450	1745.1	.000762		
98.	1.1073	.14136	1656.8	.000748	98.	1.1086	.14178	1665.7	.000751		
100.	1.0970	.13860	1582.0	.000737	100.	1.0984	.13904	1590.8	.000740		
102.	1.0865	.13583	1511.3	.000726	102.	1.0880	.13628	1519.9	.000729		
104.	1.0759	.13304	1444.2	.000714	104.	1.0774	.13351	1452.7	.000717		
106.	1.0651	.13023	1380.6	.000701	106.	1.0667	.13072	1389.1	.000704		
108.	1.0540	.12739	1320.2	.000688	108.	1.0557	.12790	1328.6	.000691		
110.	1.0427	.12453	1262.7	.000674	110.	1.0445	.12506	1271.0	.000678		
112.	1.0312	.12164	1207.9	.000659	112.	1.0331	.12219	1216.2	.000664		
114.	1.0194	.11872	1155.5	.000644	114.	1.0214	.11930	1163.8	.000649		
116.	1.0072	.11577	1105.3	.000628	116.	1.0094	.11637	1113.7	.000633		
118.	.9947	.11278	1057.1	.000612	118.	.9971	.11341	1065.6	.000617		
120.	.9818	.10975	1010.8	.000594	120.	.9843	.11042	1019.4	.000600		
122.	.9684	.10667	966.1	.000576	122.	.9712	.10738	974.9	.000582		
124.	.9546	.10355	922.9	.000556	124.	.9576	.10430	931.9	.000563		
126.	.9401	.10036	880.9	.000536	126.	.9434	.10116	890.2	.000544		
128.	.9249	.09712	839.9	.000514	128.	.9286	.09797	849.5	.000523		
130.	.9080	.09390	799.8	.000491	130.	.9130	.09472	809.8	.000500		
132.	.8919	.09039	760.2	.000466	132.	.8965	.09138	770.8	.000477		
134.	.8738	.08688	720.9	.000439	134.	.8790	.08797	732.2	.000451		
136.	.8540	.08324	681.5	.000409	136.	.8602	.08445	693.7	.000423		
* 137.547	.8374	.08033	650.4	.000384	138.	.8396	.08081	654.9	.000393		
* 137.547	.1023	.01603	116.5	.000784	140.	.8168	.07702	615.3	.000359		
138.	.1012	.01604	116.7	.000811	* 141.697	.7949	.07365	580.2	.000325		
140.	.0968	.01609	117.5	.000925	* 141.697	.1281	.01794	124.6	.000571		
142.	.0930	.01618	118.4	.001035	142.	.1269	.01792	124.6	.000590		
144.	.0897	.01430	119.4	.001142	144.	.1201	.01786	124.9	.000705		
146.	.0868	.01643	120.4	.001247	146.	.1146	.01788	125.4	.000814		
148.	.0842	.01659	121.5	.001351	148.	.1099	.01796	126.0	.000918		
150.	.0818	.01677	122.6	.001456	150.	.1059	.01810	126.8	.001021		
152.	.0795	.01699	123.7	.001562	152.	.1023	.01830	127.7	.001125		
154.	.0776	.01725	124.8	.001671	154.	.0992	.01858	128.6	.001231		
156.	.0757	.01727	126.0	.001756	156.	.0963	.01846	129.6	.001308		
158.	.0740	.01724	127.2	.001833	158.	.0937	.01828	130.6	.001376		
160.	.0724	.01727	128.4	.001914	160.	.0912	.01819	131.6	.001447		
165.	.0687	.01746	131.4	.002124	165.	.0860	.01820	134.3	.001631		
170.	.0655	.01774	134.4	.002338	170.	.0815	.01837	137.1	.001819		
175.	.0627	.01807	137.4	.002556	175.	.0776	.01862	139.9	.002009		
180.	.0602	.01842	140.5	.002776	180.	.0742	.01891	142.8	.002200		
185.	.0579	.01878	143.5	.002997	185.	.0711	.01924	145.7	.002392		
190.	.0558	.01915	146.6	.003221	190.	.0684	.01958	148.6	.002584		
195.	.0539	.01953	149.5	.003447	195.	.0659	.01993	151.6	.002779		
200.	.0521	.01991	152.6	.003675	200.	.0637	.02029	154.5	.002974		
210.	.0490	.02068	158.7	.004138	210.	.0596	.02103	160.3	.003370		
220.	.0463	.02144	164.6	.004611	220.	.0562	.02177	166.1	.003774		
230.	.0439	.02221	170.5	.005096	230.	.0532	.02252	171.9	.004185		
240.	.0417	.02297	176.3	.005591	240.	.0505	.02327	177.6	.004606		
250.	.0398	.02373	182.0	.006098	250.	.0481	.02402	183.3	.005035		
260.	.0381	.02449	187.7	.006617	260.	.0460	.02476	188.8	.005473		
270.	.0365	.02524	193.3	.007146	270.	.0440	.02550	194.4	.005921		
280.	.0351	.02598	198.8	.007688	280.	.0423	.02624	199.8	.006377		
290.	.0338	.02672	204.2	.008240	290.	.0406	.02697	205.2	.006843		
300.	.0325	.02746	209.6	.008803	300.	.0392	.02770	210.5	.007317		
310.	.0314	.02819	214.9	.009377	310.	.0378	.02843	215.7	.007801		
320.	.0304	.02893	220.1	.009966	320.	.0365	.02917	220.9	.008297		

* Two Phase Boundary

Table 5. Transport Properties of Oxygen, Isobars, SI Units.

3.5 MPa Isobar						4.0 MPa Isobar					
Temp.	Density	Thermal Cond.	Viscosity	Thermal Diffusivity		Temp.	Density	Thermal Cond.	Viscosity	Thermal Diffusivity	
K	g/cm**3	W/m.K	g/cm.s	cm**2/s		K	g/cm**3	W/m.K	g/cm.s	cm**2/s	
* 54.760	1.3084	.20440	4960.6	.000941		* 54.817	1.3088	.20452	4975.9	.000941	
56.	1.3031	.20211	4822.4	.000933		56.	1.3036	.20234	4843.3	.000934	
58.	1.2944	.19857	4598.5	.000923		58.	1.2950	.19880	4618.1	.000923	
60.	1.2857	.19520	4376.5	.000913		60.	1.2863	.19544	4395.0	.000914	
62.	1.2769	.19196	4159.5	.000904		62.	1.2776	.19221	4176.9	.000905	
64.	1.2682	.18885	3949.4	.000896		64.	1.2688	.18910	3965.9	.000897	
66.	1.2594	.18583	3747.5	.000888		66.	1.2601	.18608	3763.2	.000889	
68.	1.2506	.18289	3554.7	.000880		68.	1.2512	.18315	3569.5	.000881	
70.	1.2417	.18002	3371.3	.000873		70.	1.2424	.18029	3385.5	.000874	
72.	1.2327	.17721	3197.5	.000865		72.	1.2335	.17749	3211.1	.000867	
74.	1.2238	.17444	3033.3	.000858		74.	1.2245	.17472	3046.3	.000859	
76.	1.2147	.17170	2878.4	.000850		76.	1.2155	.17199	2890.9	.000852	
78.	1.2056	.16899	2732.6	.000843		78.	1.2064	.16929	2744.5	.000844	
80.	1.1964	.16630	2595.3	.000835		80.	1.1973	.16661	2606.8	.000837	
82.	1.1872	.16362	2466.3	.000827		82.	1.1881	.16395	2477.3	.000829	
84.	1.1778	.16096	2344.9	.000819		84.	1.1788	.16129	2355.6	.000821	
86.	1.1684	.15829	2230.9	.000811		86.	1.1694	.15863	2241.2	.000813	
88.	1.1589	.15562	2123.6	.000802		88.	1.1600	.15598	2133.6	.000804	
90.	1.1494	.15296	2022.7	.000793		90.	1.1504	.15332	2032.5	.000795	
92.	1.1397	.15028	1927.8	.000784		92.	1.1408	.15066	1937.3	.000786	
94.	1.1299	.14760	1838.4	.000774		94.	1.1310	.14798	1847.6	.000777	
96.	1.1199	.14490	1754.1	.000764		96.	1.1212	.14530	1763.1	.000767	
98.	1.1099	.14219	1674.6	.000754		98.	1.1112	.14261	1683.4	.000757	
100.	1.0997	.13947	1599.5	.000743		100.	1.1011	.13990	1608.2	.000746	
102.	1.0894	.13673	1528.5	.000732		102.	1.0908	.13718	1537.0	.000735	
104.	1.0799	.13398	1461.2	.000720		104.	1.0804	.13444	1469.6	.000723	
106.	1.0682	.13120	1397.5	.000708		106.	1.0698	.13168	1405.8	.000711	
108.	1.0574	.12840	1336.9	.000695		108.	1.0590	.12890	1345.2	.000699	
110.	1.0463	.12558	1279.3	.000682		110.	1.0480	.12610	1287.5	.000686	
112.	1.0350	.12274	1224.5	.000668		112.	1.0368	.12328	1232.7	.000672	
114.	1.0234	.11987	1172.1	.000653		114.	1.0254	.12043	1180.3	.000658	
116.	1.0115	.11697	1122.0	.000638		116.	1.0137	.11756	1130.3	.000643	
118.	.9994	.11404	1074.0	.000622		118.	1.0016	.11465	1082.3	.000628	
120.	.9868	.11107	1027.9	.000606		120.	.9893	.11172	1036.3	.000611	
122.	.9739	.10807	983.6	.000588		122.	.9765	.10875	992.1	.000595	
124.	.9605	.10503	940.7	.000570		124.	.9633	.10575	949.4	.000577	
126.	.9466	.10194	899.2	.000551		126.	.9497	.10270	908.1	.000558	
128.	.9321	.09880	858.9	.000531		128.	.9355	.09961	868.1	.000539	
130.	.9169	.09561	819.6	.000509		130.	.9207	.09647	829.1	.000518	
132.	.9009	.09234	781.0	.000487		132.	.9051	.09327	791.0	.000497	
134.	.8840	.08901	743.0	.000463		134.	.8887	.09001	753.5	.000474	
136.	.8659	.08559	705.4	.000437		136.	.8712	.08668	716.5	.000449	
138.	.8443	.08298	667.7	.000408		138.	.8525	.08327	679.7	.000423	
140.	.8249	.07845	629.5	.000377		140.	.8322	.07978	642.7	.000394	
142.	.8009	.07468	590.1	.000342		142.	.8099	.07618	605.0	.000362	
144.	.7731	.07075	548.5	.000300		144.	.7846	.07248	566.0	.000326	
* 145.365	.7507	.06794	517.5	.000266		146.	.7550	.06866	524.1	.000283	
* 145.365	.1579	.02059	133.8	.000409		148.	.7174	.06473	476.4	.000226	
146.	.1540	.02045	133.4	.000451	* 148.659	.7018	.06341	458.0	.000202		
148.	.1440	.02022	132.9	.000572	* 148.659	.1943	.02467	145.3	.000275		
150.	.1363	.02017	132.8	.000684		150.	.1810	.02398	143.0	.000376	
152.	.1301	.02028	133.1	.000793		152.	.1674	.02358	141.4	.000507	
154.	.1248	.02055	133.6	.000903		154.	.1575	.02364	140.6	.000630	
156.	.1203	.02017	134.2	.000978		156.	.1496	.02271	140.4	.000712	
158.	.1162	.01971	134.9	.001041		158.	.1431	.02175	140.5	.000778	
160.	.1126	.01943	135.6	.001107		160.	.1376	.02114	140.8	.000843	
165.	.1050	.01913	137.8	.001276		165.	.1264	.02035	142.2	.001005	
170.	.0988	.01913	140.3	.001447		170.	.1178	.02009	144.0	.001165	
175.	.0936	.01927	142.8	.001618		175.	.1108	.02006	146.2	.001323	
180.	.0891	.01949	145.5	.001788		180.	.1049	.02017	148.5	.001480	
185.	.0851	.01976	148.2	.001959		185.	.0999	.02036	151.0	.001636	
190.	.0816	.02006	150.9	.002130		190.	.0954	.02060	153.5	.001791	
195.	.0785	.02038	153.7	.002302		195.	.0915	.02088	156.2	.001946	
200.	.0756	.02071	156.5	.002475		200.	.0880	.02117	158.8	.002102	
210.	.0706	.02140	162.2	.002823		210.	.0819	.02181	164.2	.002414	
220.	.0663	.02212	167.8	.003177		220.	.0767	.02249	169.7	.002731	
230.	.0626	.02285	173.4	.003537		230.	.0723	.02319	175.1	.003051	
240.	.0594	.02358	179.0	.003903		240.	.0684	.02390	180.6	.003378	
250.	.0565	.02431	184.6	.004277		250.	.0650	.02461	186.0	.003710	
260.	.0539	.02504	190.1	.004658		260.	.0620	.02533	191.4	.004048	
270.	.0516	.02577	195.5	.005047		270.	.0593	.02605	196.7	.004392	
280.	.0495	.02650	200.9	.005443		280.	.0568	.02677	202.0	.004743	
290.	.0476	.02723	206.2	.005846		290.	.0546	.02749	207.3	.005099	
300.	.0458	.02795	211.4	.006257		300.	.0525	.02820	212.5	.005462	
310.	.0442	.02867	216.6	.006675		310.	.0506	.02891	217.6	.005832	
320.	.0427	.02941	221.8	.007105		320.	.0488	.02965	222.7	.006211	

* Two Phase Boundary

Table 5. Transport Properties of Oxygen, Isobars, SI Units.

4.5 MPa Isobar					5.0 MPa Isobar				
Temp.	Density	Thermal Cond.	Viscosity	Thermal Diffusivity	Temp.	Density	Thermal Cond.	Viscosity	Thermal Diffusivity
K	g/cm³	W/m.K	g/cm.s	cm²/s	K	g/cm³	W/m.K	g/cm.s	cm²/s
* 54.875	1.3091	.20464	4991.2	.000942	* 54.932	1.3094	.20476	5006.5	.000942
56.	1.3042	.20257	4864.2	.000935	56.	1.3048	.20280	4885.1	.000936
58.	1.2956	.19904	4637.7	.000924	58.	1.2961	.19927	4657.3	.000925
60.	1.2869	.19567	4413.5	.000915	60.	1.2875	.19591	4432.0	.000916
62.	1.2782	.19245	4194.4	.000906	52.	1.2788	.19269	4211.9	.000907
64.	1.2695	.18934	3982.4	.000898	54.	1.2701	.18959	3998.9	.000899
66.	1.2607	.18634	3778.8	.000890	56.	1.2614	.18659	3794.5	.000891
68.	1.2519	.18341	3584.4	.000883	58.	1.2526	.18367	3599.3	.000884
70.	1.2431	.18056	3399.7	.000875	70.	1.2438	.18083	3413.9	.000877
72.	1.2342	.17776	3224.6	.000868	72.	1.2349	.17803	3238.2	.000869
74.	1.2253	.17501	3059.2	.000861	74.	1.2260	.17529	3072.2	.000862
76.	1.2163	.17229	2903.3	.000853	76.	1.2171	.17258	2915.7	.000855
78.	1.2072	.16959	2756.4	.000846	78.	1.2081	.16989	2768.3	.000848
80.	1.1981	.16692	2618.3	.000838	80.	1.1990	.16723	2629.7	.000840
82.	1.1890	.16426	2488.3	.000831	82.	1.1898	.16458	2499.4	.000833
84.	1.1797	.16162	2366.3	.000823	84.	1.1806	.16194	2376.9	.000825
86.	1.1704	.15897	2251.5	.000815	86.	1.1713	.15931	2261.8	.000817
88.	1.1610	.15633	2143.6	.000806	88.	1.1620	.15668	2153.6	.000808
90.	1.1515	.15368	2042.2	.000798	90.	1.1525	.15404	2051.9	.000800
92.	1.1419	.15103	1946.7	.000789	92.	1.1430	.15140	1956.1	.000791
94.	1.1322	.14837	1856.8	.000779	94.	1.1333	.14875	1866.0	.000782
96.	1.1224	.14570	1772.1	.000770	96.	1.1235	.14610	1781.1	.000772
98.	1.1124	.14302	1692.2	.000759	98.	1.1137	.14343	1701.0	.000762
100.	1.1024	.14033	1618.8	.000749	100.	1.1037	.14075	1625.4	.000752
102.	1.0922	.13762	1545.5	.000738	102.	1.0936	.13806	1554.0	.000741
104.	1.0818	.13489	1478.0	.000727	104.	1.0833	.13535	1486.4	.000730
106.	1.0713	.13215	1414.1	.000715	106.	1.0729	.13262	1422.3	.000718
108.	1.0606	.12939	1353.4	.000703	108.	1.0622	.12988	1361.6	.000706
110.	1.0498	.12561	1295.7	.000690	110.	1.0515	.12712	1303.8	.000594
112.	1.0387	.12381	1240.8	.000676	112.	1.0405	.12434	1248.9	.000680
114.	1.0273	.12099	1188.4	.000662	114.	1.0292	.12153	1196.5	.000667
116.	1.0157	.11814	1138.4	.000648	116.	1.0178	.11871	1146.5	.000553
118.	1.0038	.11526	1090.5	.000633	118.	1.0060	.11586	1098.7	.000638
120.	.9916	.11236	1044.5	.000617	120.	.9940	.11298	1052.8	.000622
122.	.9791	.10942	1000.5	.000600	122.	.9816	.11008	1008.8	.000606
124.	.9661	.10645	958.0	.000583	124.	.9688	.10714	966.4	.000589
126.	.9527	.10345	916.9	.000565	126.	.9556	.10418	925.4	.000572
128.	.9398	.10040	877.1	.000546	128.	.9420	.10117	885.8	.000554
130.	.9243	.09731	838.4	.000527	130.	.9278	.09813	847.4	.000535
132.	.9091	.09417	800.6	.000506	132.	.9130	.09505	810.0	.000515
134.	.8932	.09098	763.6	.000484	134.	.8975	.09191	773.4	.000494
136.	.8753	.08773	727.2	.000461	136.	.8811	.08873	737.5	.000471
138.	.8583	.08441	691.1	.000436	138.	.8638	.08550	702.1	.000448
140.	.8390	.08103	655.1	.000409	140.	.8453	.08221	666.9	.000423
142.	.8180	.07757	618.8	.000380	142.	.8254	.07887	631.7	.000396
144.	.7946	.07405	581.7	.000348	144.	.8035	.07549	596.0	.000367
146.	.7681	.07046	542.9	.000311	146.	.7792	.07208	559.4	.000335
148.	.7365	.06687	500.8	.000267	148.	.7513	.06871	520.8	.000298
150.	.6952	.06340	451.6	.000208	150.	.7176	.06551	478.6	.000254
* 151.646	.6410	.06085	395.0	.000126	152.	.6724	.06286	428.1	.000194
* 151.646	.2443	.03191	161.9	.000149	154.	.5822	.06213	344.1	.000075
152.	.2350	.03109	159.4	.000189	* 154.361	.5151	.07770	293.5	.000017
154.	.2055	.02923	152.7	.000363	* 154.361	.3666	.08153	210.1	.000014
156.	.1889	.02683	149.9	.000473	156.	.2561	.03528	169.4	.000213
158.	.1771	.02484	148.5	.000552	158.	.2256	.03004	161.7	.000336
160.	.1679	.02358	147.8	.000624	160.	.2075	.02732	158.2	.000427
165.	.1110	.02195	147.6	.000789	165.	.1799	.02411	154.7	.000608
170.	.1389	.02128	148.5	.000944	170.	.1626	.02278	154.2	.000764
175.	.1295	.02102	150.1	.001093	175.	.1500	.02218	154.8	.000909
180.	.1219	.02097	152.0	.001240	180.	.1402	.02192	156.1	.001048
185.	.1155	.02106	154.2	.001384	185.	.1321	.02186	157.8	.001184
190.	.1100	.02122	156.5	.001527	190.	.1252	.02192	159.7	.001318
195.	.1051	.02143	158.9	.001670	195.	.1193	.02206	161.9	.001450
200.	.1008	.02169	161.3	.001812	200.	.1142	.02225	164.1	.001582
210.	.0935	.02226	166.4	.002097	210.	.1054	.02274	168.8	.001845
220.	.0873	.02289	171.6	.002385	220.	.0982	.02331	173.8	.002110
230.	.0821	.02355	176.9	.002675	230.	.0921	.02394	178.8	.002376
240.	.0776	.02424	182.2	.002970	240.	.0869	.02456	184.0	.002645
250.	.0737	.02493	187.5	.003270	250.	.0824	.02526	189.1	.002919
260.	.0701	.02563	192.8	.003574	260.	.0784	.02594	194.3	.003197
270.	.0670	.02634	198.0	.003884	270.	.0748	.02663	199.4	.003479
280.	.0641	.02704	203.2	.004190	280.	.0715	.02732	204.5	.003765
290.	.0616	.02775	208.4	.004519	290.	.0686	.02802	209.6	.004056
300.	.0592	.02845	213.5	.004845	300.	.0659	.02871	214.7	.004352
310.	.0570	.02916	218.6	.005177	310.	.0635	.02941	219.7	.004653
320.	.0550	.02989	223.6	.005517	320.	.0612	.03013	224.6	.004963

* Two Phase Boundary

Table 5. Transport Properties of Oxygen, Isobars, SI Units.

5.5 MPa Isobar								6.0 MPa Isobar							
Temp.	Density	Thermal Cond.	Viscosity	Thermal Diffusivity	Temp.	Density	Thermal Cond.	Viscosity	Thermal Diffusivity						
K	g/cm**3	W/m.K	g/cm.s	cm**2/s	K	g/cm**3	W/m.K	g/cm.s	cm**2/s						
* 54.999	1.3097	.20488	5021.7	.000943	* 55.046	1.3100	.20500	5037.0	.000943						
56.	1.3054	.20303	4906.1	.000937	56.	1.3059	.20325	4927.1	.000938						
58.	1.2967	.19950	4677.0	.000926	58.	1.2973	.19973	4696.7	.000927						
60.	1.2881	.19614	4450.5	.000917	60.	1.2887	.19638	4469.1	.000918						
62.	1.2794	.19293	4229.4	.000908	62.	1.2800	.19317	4246.9	.000909						
64.	1.2707	.18983	4015.5	.000900	64.	1.2714	.19008	4032.1	.000901						
66.	1.2620	.18684	3810.2	.000893	66.	1.2627	.18709	3825.9	.000894						
68.	1.2533	.18393	3614.3	.000885	68.	1.2540	.18419	3629.2	.000886						
70.	1.2445	.18109	3428.1	.000878	70.	1.2452	.18136	3442.3	.000879						
72.	1.2357	.17831	3251.7	.000871	72.	1.2364	.17858	3265.3	.000872						
74.	1.2268	.17557	3085.1	.000864	74.	1.2275	.17585	3098.1	.000865						
76.	1.2179	.17287	2928.1	.000856	76.	1.2186	.17315	2940.5	.000858						
78.	1.2090	.17019	2780.2	.000849	78.	1.2097	.17049	2792.1	.000851						
80.	1.1998	.16754	2641.2	.000842	80.	1.2007	.16784	2652.6	.000843						
82.	1.1907	.16490	2510.4	.000834	82.	1.1916	.16521	2521.4	.000836						
84.	1.1815	.16227	2387.5	.000827	84.	1.1824	.16259	2398.2	.000828						
86.	1.1723	.15965	2272.1	.000819	86.	1.1732	.15998	2282.4	.000821						
88.	1.1629	.15702	2163.6	.000810	88.	1.1639	.15737	2173.5	.000812						
90.	1.1535	.15440	2061.5	.000802	90.	1.1546	.15476	2071.2	.000804						
92.	1.1440	.15177	1965.5	.000793	92.	1.1451	.15214	1974.9	.000795						
94.	1.1344	.14914	1875.2	.000784	94.	1.1356	.14951	1884.3	.000786						
96.	1.1247	.14649	1790.1	.000775	96.	1.1259	.14688	1799.0	.000777						
98.	1.1149	.14384	1709.8	.000765	98.	1.1161	.14424	1718.5	.000767						
100.	1.1050	.14117	1634.0	.000755	100.	1.1063	.14159	1642.6	.000757						
102.	1.0949	.13849	1562.4	.000744	102.	1.0963	.13892	1570.8	.000747						
104.	1.0847	.13580	1494.7	.000733	104.	1.0861	.13625	1503.0	.000736						
106.	1.0744	.13309	1430.5	.000722	106.	1.0758	.13355	1438.7	.000725						
108.	1.0638	.13036	1369.7	.000710	108.	1.0654	.13084	1377.8	.000713						
110.	1.0531	.12752	1311.9	.000697	110.	1.0548	.12812	1319.9	.000701						
112.	1.0422	.12486	1256.9	.000684	112.	1.0440	.12537	1264.9	.000688						
114.	1.0311	.12208	1204.5	.000671	114.	1.0330	.12261	1212.4	.000675						
116.	1.0198	.11927	1154.5	.000657	116.	1.0217	.11983	1162.4	.000661						
118.	1.0081	.11645	1106.7	.000643	118.	1.0102	.11703	1114.6	.000647						
120.	.9962	.11360	1060.9	.000627	120.	.9985	.11421	1068.9	.000633						
122.	.9840	.11072	1016.9	.000612	122.	.9864	.11136	1025.0	.000617						
124.	.9714	.10782	974.7	.000595	124.	.9740	.10849	982.8	.000601						
126.	.9585	.10489	933.9	.000578	126.	.9613	.10559	942.2	.000585						
128.	.9451	.10193	894.5	.000561	128.	.9481	.10266	903.0	.000568						
130.	.9312	.09893	856.3	.000542	130.	.9344	.09971	865.0	.000550						
132.	.9167	.09589	819.2	.000523	132.	.9203	.09672	828.1	.000531						
134.	.9016	.09282	783.0	.000503	134.	.9055	.09370	792.2	.000512						
136.	.8857	.08970	747.5	.000482	136.	.8901	.09064	757.2	.000491						
138.	.8690	.08654	712.6	.000459	138.	.8739	.08755	722.8	.000470						
140.	.8512	.08334	678.1	.000436	140.	.8567	.08442	688.9	.000448						
142.	.8322	.08010	643.8	.000411	142.	.8385	.08127	655.3	.000424						
144.	.8116	.07693	609.3	.000384	144.	.8189	.07810	621.8	.000399						
146.	.7890	.07356	574.3	.000355	146.	.7977	.07493	588.1	.000373						
148.	.7637	.07034	538.2	.000323	148.	.7743	.07184	553.7	.000344						
150.	.7344	.06731	500.0	.000287	150.	.7481	.06891	518.2	.000314						
152.	.6987	.06476	457.7	.000244	152.	.7175	.06642	480.4	.000279						
154.	.6499	.06354	406.5	.000187	154.	.6800	.06494	438.4	.000240						
156.	.5532	.06103	323.0	.000081	156.	.6285	.06221	387.7	.000181						
158.	.3267	.04513	196.7	.000117	158.	.5380	.05811	313.7	.000102						
160.	.2681	.03421	176.8	.000239	160.	.3930	.05000	228.0	.000107						
162.	.2156	.02712	164.5	.000451	165.	.2625	.03152	179.2	.000312						
170.	.1898	.02471	161.2	.000613	170.	.2217	.02721	170.3	.000483						
175.	.1727	.02359	160.4	.000756	175.	.1979	.02532	167.2	.000628						
180.	.1599	.02304	160.8	.000891	180.	.1813	.02435	166.4	.000760						
185.	.1497	.02278	161.9	.001021	185.	.1686	.02385	166.6	.000885						
190.	.1413	.02271	163.4	.001147	190.	.1583	.02361	167.5	.001006						
195.	.1342	.02276	165.2	.001272	195.	.1497	.02353	168.9	.001124						
200.	.1280	.02288	167.1	.001395	200.	.1424	.02356	170.5	.001241						
210.	.1177	.02326	171.5	.001641	210.	.1303	.02383	174.3	.001471						
220.	.1093	.02377	176.1	.001886	220.	.1207	.02425	178.6	.001701						
230.	.1023	.02434	180.9	.002132	230.	.1127	.02477	183.1	.001930						
240.	.0964	.02496	185.8	.002381	240.	.1060	.02535	187.8	.002162						
250.	.0912	.02560	190.8	.002633	250.	.1001	.02596	192.6	.002396						
260.	.0867	.02626	195.8	.002889	260.	.0950	.02660	197.5	.002633						
270.	.0826	.02693	200.8	.003148	270.	.0905	.02725	202.4	.002873						
280.	.0790	.02751	205.9	.003411	280.	.0865	.02791	207.3	.003117						
290.	.0757	.02829	210.9	.003678	290.	.0828	.02857	212.2	.003364						
300.	.0727	.02897	215.8	.003949	300.	.0795	.02924	217.1	.003615						
310.	.0700	.02966	220.8	.004226	310.	.0765	.02992	221.9	.003870						
320.	.0675	.03038	225.7	.004510	320.	.0737	.03063	226.8	.004133						

* Two Phase Boundary

Table 5. Transport Properties of Oxygen, Isobars, SI Units.

6.5 MPa Isobar						7.0 MPa Isobar					
Temp.	Density	Thermal Cond.	Viscosity	Thermal Diffusivity		Temp.	Density	Thermal Cond.	Viscosity	Thermal Diffusivity	
K	g/cm**3	W/m.K	g/cm.s	cm**2/s		K	g/cm**3	W/m.K	g/cm.s	cm**2/s	
* 55.103	1.3104	.20512	5052.1	.000944	*	55.159	1.3107	.20525	5067.3	.000944	
56.	1.3065	.20348	4948.2	.000939		56.	1.3071	.20371	4969.3	.000939	
58.	1.2979	.19996	4716.5	.000928		58.	1.2985	.20019	4736.3	.000929	
60.	1.2893	.19661	4487.7	.000919		60.	1.2899	.19684	4506.3	.000920	
62.	1.2806	.19341	4264.4	.000910		62.	1.2812	.19364	4282.0	.000911	
64.	1.2720	.19032	4048.6	.000902		64.	1.2726	.19057	4065.2	.000904	
66.	1.2633	.18734	3841.6	.000895		66.	1.2640	.18759	3857.4	.000896	
68.	1.2546	.18445	3644.1	.000888		68.	1.2553	.18470	3659.1	.000889	
70.	1.2459	.18162	3456.5	.000880		70.	1.2466	.18188	3470.7	.000882	
72.	1.2371	.17885	3278.8	.000873		72.	1.2378	.17912	3292.4	.000875	
74.	1.2283	.17613	3111.1	.000866		74.	1.2290	.17641	3124.0	.000868	
76.	1.2194	.17344	2952.9	.000859		76.	1.2202	.17373	2965.3	.000861	
78.	1.2105	.17079	2804.0	.000852		78.	1.2113	.17108	2815.9	.000854	
80.	1.2015	.16815	2664.0	.000845		80.	1.2023	.16845	2675.4	.000847	
82.	1.1925	.16553	2532.4	.000838		82.	1.1933	.16584	2543.4	.000839	
84.	1.1833	.16292	2408.8	.000830		84.	1.1842	.16324	2419.4	.000832	
86.	1.1742	.16031	2292.6	.000822		86.	1.1751	.16065	2302.9	.000824	
88.	1.1649	.15771	2183.4	.000814		88.	1.1659	.15806	2193.4	.000816	
90.	1.1556	.15511	2080.8	.000806		90.	1.1566	.15546	2090.4	.000808	
92.	1.1462	.15250	1984.3	.000798		92.	1.1472	.15287	1993.6	.000800	
94.	1.1367	.14989	1893.4	.000789		94.	1.1378	.15027	1902.5	.000791	
96.	1.1271	.14727	1807.9	.000780		96.	1.1282	.14766	1816.7	.000782	
98.	1.1174	.14464	1727.2	.000770		98.	1.1186	.14504	1735.9	.000773	
100.	1.1075	.14200	1651.1	.000760		100.	1.1088	.14242	1659.6	.000763	
102.	1.0976	.13935	1579.2	.000750		102.	1.0989	.13978	1587.5	.000753	
104.	1.0875	.13669	1511.2	.000739		104.	1.0889	.13713	1519.4	.000742	
106.	1.0773	.13401	1446.8	.000728		106.	1.0788	.13447	1454.9	.000731	
108.	1.0670	.13132	1385.8	.000717		108.	1.0685	.13179	1393.8	.000720	
110.	1.0564	.12861	1327.9	.000705		110.	1.0580	.12910	1335.8	.000708	
112.	1.0457	.12589	1272.8	.000692		112.	1.0474	.12639	1280.6	.000696	
114.	1.0348	.12314	1220.3	.000679		114.	1.0366	.12367	1228.1	.000683	
116.	1.0237	.12038	1170.3	.000666		116.	1.0256	.12093	1178.1	.000670	
118.	1.0123	.11761	1122.5	.000652		118.	1.0143	.11817	1130.3	.000656	
120.	1.0007	.11481	1076.8	.000638		120.	1.0028	.11540	1084.6	.000642	
122.	.9988	.11199	1033.0	.000623		122.	.9911	.11260	1040.9	.000628	
124.	.9765	.10914	990.9	.000607		124.	.9790	.10979	998.8	.000613	
126.	.9640	.10628	950.4	.000591		126.	.9666	.10695	958.4	.000597	
128.	.9510	.10339	911.3	.000574		128.	.9539	.10410	919.5	.000581	
130.	.9376	.10047	873.5	.000557		130.	.9407	.10122	881.9	.000564	
132.	.9237	.09752	836.9	.000539		132.	.9271	.09831	845.4	.000546	
134.	.9093	.09455	801.3	.000520		134.	.9130	.09538	810.1	.000528	
136.	.8943	.09155	766.5	.000501		136.	.8983	.09243	775.7	.000509	
138.	.8785	.08851	732.6	.000480		138.	.8830	.08945	742.1	.000490	
140.	.8619	.08546	699.2	.000459		140.	.8669	.08645	709.2	.000470	
142.	.8444	.08238	666.3	.000437		142.	.8500	.08344	676.8	.000449	
144.	.8257	.07929	633.6	.000414		144.	.8321	.08043	644.7	.000427	
146.	.8056	.07622	600.9	.000389		146.	.8129	.07744	612.9	.000404	
148.	.7838	.07322	567.9	.000363		148.	.7924	.07452	581.1	.000380	
150.	.7597	.07039	534.3	.000336		150.	.7700	.07176	548.9	.000355	
152.	.7326	.06792	499.4	.000307		152.	.7452	.06932	516.1	.000330	
154.	.7009	.06429	462.2	.000277		154.	.7173	.06758	481.9	.000305	
156.	.6619	.06357	421.0	.000234		156.	.6847	.06489	445.6	.000270	
158.	.6095	.05997	372.1	.000178		158.	.6450	.06153	405.8	.000228	
160.	.5297	.05568	309.8	.000126		160.	.5935	.05809	360.1	.000183	
165.	.3295	.03806	203.8	.000205		165.	.4127	.04563	242.8	.000163	
170.	.2601	.03048	182.5	.000374		170.	.3069	.03470	199.5	.000288	
175.	.2265	.02743	175.6	.000519		175.	.2589	.03002	186.1	.000428	
180.	.2047	.02591	172.9	.000650		180.	.2303	.02773	180.6	.000556	
185.	.1887	.02508	172.0	.000771		185.	.2103	.02648	178.2	.000675	
190.	.1762	.02462	172.2	.000888		190.	.1951	.02576	177.4	.000788	
195.	.1659	.02440	173.0	.001001		195.	.1829	.02536	177.5	.000896	
200.	.1573	.02432	174.2	.001112		200.	.1728	.02515	178.2	.001002	
210.	.1423	.02444	177.4	.001330		210.	.1566	.02510	180.7	.001209	
220.	.1323	.02477	181.2	.001545		220.	.1441	.02532	184.1	.001414	
230.	.1233	.02523	185.5	.001761		230.	.1340	.02570	187.9	.001617	
240.	.1157	.02575	189.9	.001978		240.	.1255	.02618	192.1	.001821	
250.	.1092	.02633	194.5	.002197		250.	.1183	.02672	196.5	.002027	
260.	.1035	.02694	199.2	.002418		260.	.1120	.02729	201.1	.002235	
270.	.995	.02757	204.0	.002642		270.	.1065	.02789	205.7	.002445	
280.	.940	.02821	208.8	.002869		280.	.1016	.02851	210.3	.002657	
290.	.900	.02886	213.6	.003099		290.	.0972	.02915	215.0	.002873	
300.	.8843	.02951	218.4	.003332		300.	.0932	.02979	219.7	.003091	
310.	.8630	.03018	223.2	.003570		310.	.0895	.03044	224.4	.003313	
320.	.8080	.03088	227.9	.003815		320.	.0862	.03114	229.1	.003542	

* Two Phase Boundary

Table 5. Transport Properties of Oxygen, Isobars, SI Units.

7.5 MPa Isobar							8.0 MPa Isobar						
Temp.	Density	Thermal Cond.	Viscosity	Thermal Diffusivity		Temp.	Density	Thermal Cond.	Viscosity	Thermal Diffusivity			
K	g/cm ³	W/m.K	micro-g/cm.s	cm ² /s		K	g/cm ³	W/m.K	micro-g/cm.s	cm ² /s			
* 55.216	1.3110	.20537	5082.4	.000945	*	55.273	1.3113	.20549	5097.4	.000945			
56.	1.3076	.20393	4950.4	.000940		56.	1.3082	.20416	5011.6	.000941			
58.	1.2990	.20042	4756.1	.000930		58.	1.2996	.20065	4776.0	.000931			
60.	1.2904	.19708	4524.9	.000921		60.	1.2910	.19731	4543.6	.000922			
62.	1.2819	.19388	4299.5	.000912		62.	1.2825	.19412	4317.1	.000914			
64.	1.2733	.19081	4081.9	.000905		64.	1.2739	.19105	4098.5	.000906			
66.	1.2646	.18784	3873.1	.000897		66.	1.2653	.18809	3888.9	.000898			
68.	1.2560	.18496	3674.0	.000890		68.	1.2566	.18521	3589.0	.000891			
70.	1.2473	.18215	3484.9	.000883		70.	1.2480	.18241	3499.2	.000884			
72.	1.2385	.17939	3306.0	.000876		72.	1.2393	.17966	3319.5	.000877			
74.	1.2298	.17668	3137.0	.000869		74.	1.2305	.17696	3149.9	.000871			
76.	1.2210	.17401	2977.7	.000862		76.	1.2217	.17430	2990.1	.000864			
78.	1.2121	.17137	2827.8	.000855		78.	1.2129	.17167	2839.7	.000857			
80.	1.2032	.16876	2686.9	.000848		80.	1.2040	.16906	2698.3	.000850			
82.	1.1942	.16615	2554.4	.000841		82.	1.1950	.16646	2565.4	.000843			
84.	1.1851	.16356	2430.0	.000834		84.	1.1860	.16388	2440.6	.000836			
86.	1.1760	.16098	2313.1	.000826		86.	1.1770	.16131	2323.3	.000828			
88.	1.1669	.15840	2203.3	.000818		88.	1.1678	.15874	2213.2	.000820			
90.	1.1576	.15581	2100.0	.000810		90.	1.1586	.15616	2109.6	.000812			
92.	1.1483	.15323	2003.0	.000802		92.	1.1493	.15359	2012.3	.000804			
94.	1.1389	.15064	1911.6	.000793		94.	1.1399	.15101	1920.7	.000796			
96.	1.1294	.14804	1825.6	.000784		96.	1.1305	.14843	1834.4	.000778			
98.	1.1198	.14544	1744.5	.000775		98.	1.1209	.14584	1753.2	.000778			
100.	1.1100	.14283	1668.1	.000765		100.	1.1113	.14323	1676.5	.000768			
102.	1.1002	.14020	1595.8	.000755		102.	1.1015	.14062	1604.1	.000758			
104.	1.0903	.13757	1527.6	.000745		104.	1.0916	.13800	1535.7	.000748			
106.	1.0802	.13492	1463.0	.000734		106.	1.0816	.13537	1471.0	.000737			
108.	1.0700	.13226	1401.7	.000723		108.	1.0715	.13272	1409.6	.000726			
110.	1.0596	.12958	1343.6	.000712		110.	1.0612	.13006	1351.4	.000715			
112.	1.0491	.12689	1288.4	.000700		112.	1.0508	.12739	1296.2	.000703			
114.	1.0384	.12419	1235.9	.000687		114.	1.0401	.12470	1243.6	.000691			
116.	1.0275	.12147	1185.8	.000674		116.	1.0293	.12200	1193.5	.000678			
118.	1.0163	.11873	1138.1	.000661		118.	1.0183	.11929	1145.7	.000665			
120.	1.0050	.11598	1092.4	.000647		120.	1.0070	.11656	1100.1	.000652			
122.	.9933	.11321	1048.7	.000633		122.	.9955	.11381	1056.4	.000638			
124.	.9814	.11042	1006.7	.000618		124.	.9838	.11105	1014.5	.000623			
126.	.9692	.10762	966.4	.000603		126.	.9717	.10827	974.2	.000608			
128.	.9566	.10479	927.6	.000587		128.	.9593	.10547	935.5	.000593			
130.	.9437	.10195	890.1	.000570		130.	.9466	.10266	898.2	.000577			
132.	.9303	.09908	853.9	.000553		132.	.9335	.09983	862.1	.000560			
134.	.9165	.09619	818.7	.000536		134.	.9199	.09698	827.2	.000543			
136.	.9022	.09328	784.6	.000518		136.	.9059	.09412	793.3	.000526			
138.	.8872	.09036	751.3	.000499		138.	.8913	.09124	760.3	.000508			
140.	.8716	.08741	718.8	.000480		140.	.8761	.08835	728.1	.000489			
142.	.8552	.08447	686.9	.000460		142.	.8603	.08545	696.6	.000470			
144.	.8380	.08152	655.4	.000439		144.	.8436	.08257	665.7	.000450			
146.	.8197	.07860	624.3	.000417		146.	.8260	.07971	635.2	.000430			
148.	.8002	.07575	593.4	.000395		148.	.8074	.07692	605.0	.000409			
150.	.7791	.07305	562.4	.000373		150.	.7875	.07427	574.9	.000388			
152.	.7562	.07063	531.1	.000350		152.	.7660	.07187	544.8	.000367			
154.	.7309	.06881	499.0	.000328		154.	.7427	.07000	514.3	.000348			
156.	.7024	.06616	465.8	.000299		156.	.7169	.06738	483.3	.000322			
158.	.6693	.06296	430.7	.000264		158.	.6880	.06431	451.2	.000293			
160.	.6296	.05979	392.7	.000228		160.	.6548	.06129	417.5	.000262			
165.	.4891	.05072	287.2	.000170		165.	.5444	.05358	325.7	.000196			
170.	.3618	.03963	222.6	.000236		170.	.4190	.04428	250.8	.000217			
175.	.2958	.03311	199.4	.000356		175.	.3367	.03660	215.9	.000305			
180.	.2584	.02986	189.9	.000478		180.	.2890	.03229	200.9	.000416			
185.	.2335	.02808	185.4	.000593		185.	.2582	.02988	193.6	.000525			
190.	.2151	.02704	183.3	.000702		190.	.2361	.02845	190.0	.000630			
195.	.2006	.02642	182.6	.000807		195.	.2192	.02758	188.2	.000731			
200.	.1888	.02606	182.7	.000909		200.	.2055	.02704	187.5	.000828			
210.	.1703	.02580	184.3	.001107		210.	.1844	.02656	188.2	.001018			
220.	.1562	.02591	187.1	.001301		220.	.1685	.02653	190.4	.001203			
230.	.1449	.02620	190.6	.001494		230.	.1559	.02673	193.4	.001387			
240.	.1355	.02662	194.5	.001687		240.	.1455	.02708	197.0	.001570			
250.	.1275	.02711	198.6	.001881		250.	.1368	.02753	200.9	.001754			
260.	.1206	.02766	203.0	.002077		260.	.1292	.02803	205.0	.001939			
270.	.1145	.02823	207.4	.002274		270.	.1226	.02858	209.2	.002126			
280.	.1092	.02883	211.9	.002475		280.	.1168	.02915	213.6	.002316			
290.	.1044	.02944	216.5	.002677		290.	.1116	.02974	218.1	.002507			
300.	.1000	.03006	221.1	.002882		300.	.1069	.03035	222.6	.002701			
310.	.0961	.03071	225.7	.003091		310.	.1027	.03098	227.1	.002898			
320.	.0925	.03140	230.3	.003307		320.	.0988	.03166	231.6	.003102			

* Two Phase Boundary

Table 5. Transport Properties of Oxygen, Isobars, SI Units.

8.5 MPa Isobar						9.0 MPa Isobar					
Temp.	Density	Thermal Cond.	Viscosity	Thermal Diffusivity		Temp.	Density	Thermal Cond.	Viscosity	Thermal Diffusivity	
K	g/cm**3	W/m.K	g/cm.s	cm**2/s		K	g/cm**3	W/m.K	g/cm.s	cm**2/s	
* 55.330	1.3116	.20561	5112.5	.000946	*	55.386	1.3119	.20573	5127.5	.000946	
56.	1.3087	.20439	5032.9	.000942		56.	1.3093	.20461	5054.1	.000943	
58.	1.3002	.20088	4795.8	.000932		58.	1.3008	.20111	4815.8	.000933	
60.	1.2916	.19754	4562.3	.000923		60.	1.2922	.19778	4581.0	.000924	
62.	1.2831	.19436	4334.7	.000915		62.	1.2837	.19459	4252.4	.000916	
64.	1.2745	.19130	4115.1	.000907		64.	1.2751	.19154	4131.8	.000908	
66.	1.2659	.18834	3904.6	.000899		66.	1.2665	.18859	3920.4	.000901	
68.	1.2573	.18547	3703.9	.000892		68.	1.2579	.18572	3718.9	.000894	
70.	1.2486	.18267	3513.4	.000886		70.	1.2493	.18293	3527.6	.000887	
72.	1.2400	.17993	3333.1	.000879		72.	1.2407	.18020	3346.7	.000880	
74.	1.2312	.17724	3162.9	.000872		74.	1.2320	.17751	3175.8	.000873	
76.	1.2225	.17458	3002.5	.000865		76.	1.2232	.17487	3014.9	.000867	
78.	1.2137	.17196	2851.6	.000858		78.	1.2144	.17225	2863.5	.000860	
80.	1.2048	.16936	2709.7	.000852		80.	1.2056	.16966	2721.1	.000853	
82.	1.1959	.16677	2576.4	.000844		82.	1.1967	.16708	2587.3	.000846	
84.	1.1869	.16420	2451.1	.000837		84.	1.1878	.16452	2461.7	.000839	
86.	1.1779	.16164	2333.5	.000830		86.	1.1788	.16196	2343.7	.000832	
88.	1.1688	.15907	2223.0	.000822		88.	1.1697	.15941	2232.9	.000824	
90.	1.1596	.15651	2119.2	.000814		90.	1.1606	.15686	2128.7	.000816	
92.	1.1504	.15395	2021.6	.000806		92.	1.1514	.15431	2030.8	.000808	
94.	1.1410	.15138	1929.7	.000798		94.	1.1421	.15175	1938.7	.000800	
96.	1.1316	.14881	1843.2	.000789		96.	1.1327	.14919	1852.0	.000791	
98.	1.1221	.14623	1761.8	.000780		98.	1.1233	.14662	1770.3	.000783	
100.	1.1125	.14364	1684.9	.000771		100.	1.1137	.14404	1693.3	.000773	
102.	1.1028	.14104	1612.4	.000761		102.	1.1041	.14146	1520.5	.000764	
104.	1.0930	.13843	1543.8	.000751		104.	1.0943	.13886	1551.9	.000754	
106.	1.0830	.13581	1478.9	.000740		106.	1.0844	.13625	1486.9	.000743	
108.	1.0730	.13318	1417.5	.000730		108.	1.0744	.13364	1425.3	.000733	
110.	1.0628	.13054	1359.2	.000718		110.	1.0643	.13101	1367.0	.000722	
112.	1.0524	.12788	1303.9	.000707		112.	1.0540	.12837	1311.5	.000710	
114.	1.0418	.12521	1251.3	.000695		114.	1.0436	.12572	1258.9	.000699	
116.	1.0311	.12253	1201.1	.000682		116.	1.0329	.12305	1208.7	.000686	
118.	1.0202	.11984	1153.3	.000670		118.	1.0221	.12038	1160.9	.000674	
120.	1.0091	.11713	1107.7	.000656		120.	1.0111	.11769	1115.2	.000661	
122.	.9977	.11440	1064.0	.000643		122.	.9999	.11499	1071.6	.000647	
124.	.9861	.11167	1022.1	.000628		124.	.9884	.11227	1029.7	.000633	
126.	.9742	.10991	982.0	.000614		126.	.9766	.10955	989.5	.000619	
128.	.9620	.10615	943.3	.000599		128.	.9646	.10681	951.1	.000604	
130.	.9495	.10336	906.1	.000583		130.	.9522	.10405	914.0	.000589	
132.	.9366	.10057	870.2	.000567		132.	.9396	.10129	878.2	.000574	
134.	.9233	.09775	835.5	.000551		134.	.9265	.09851	843.6	.000558	
136.	.9095	.09493	801.8	.000534		136.	.9130	.09572	810.1	.000541	
138.	.8953	.09209	760.0	.000516		138.	.8991	.09292	777.5	.000524	
140.	.8805	.08925	737.2	.000498		140.	.8846	.09012	746.0	.000507	
142.	.8650	.08640	706.0	.000480		142.	.8696	.08733	715.2	.000489	
144.	.8489	.08357	675.5	.000461		144.	.8539	.08454	685.1	.000471	
146.	.8319	.08077	645.6	.000442		146.	.8375	.08179	555.6	.000453	
148.	.8141	.07804	616.0	.000422		148.	.8203	.07911	626.5	.000434	
150.	.7951	.07543	586.7	.000402		150.	.8022	.07654	597.9	.000416	
152.	.7749	.07305	557.5	.000383		152.	.7830	.07418	559.5	.000397	
154.	.7531	.07114	528.3	.000365		154.	.7525	.07224	541.2	.000381	
156.	.7294	.06856	498.8	.000342		156.	.7404	.06970	513.0	.000360	
158.	.7034	.06559	468.8	.000316		158.	.7165	.06682	484.5	.000336	
160.	.6743	.06269	438.0	.000289		160.	.6904	.06401	455.6	.000312	
165.	.5931	.05557	354.3	.000227		165.	.6118	.05723	381.0	.000255	
170.	.4707	.04795	280.4	.000218		170.	.5138	.05045	308.5	.000231	
175.	.3797	.04017	235.4	.000276		175.	.4218	.04342	256.8	.000264	
180.	.3219	.03496	213.8	.000368		180.	.3561	.03773	228.6	.000335	
185.	.2846	.03187	203.1	.000469		185.	.3122	.03402	213.8	.000424	
190.	.2583	.03001	197.4	.000568		190.	.2814	.03170	205.7	.000517	
195.	.2384	.02885	194.3	.000665		195.	.2584	.03022	201.1	.000610	
200.	.2227	.02811	192.8	.000759		200.	.2404	.02926	198.6	.000700	
210.	.1988	.02737	192.3	.000941		210.	.2135	.02823	196.8	.000874	
220.	.1810	.02718	193.8	.001118		220.	.1938	.02787	197.5	.001044	
230.	.1671	.02728	196.4	.001293		230.	.1784	.02786	199.5	.001212	
240.	.1557	.02756	199.5	.001468		240.	.1660	.02806	202.3	.001378	
250.	.1461	.02795	203.2	.001643		250.	.1555	.02840	205.6	.001545	
260.	.1379	.02842	207.1	.001819		260.	.1467	.02882	209.2	.001713	
270.	.1308	.02893	211.2	.001997		270.	.1389	.02929	213.1	.001882	
280.	.1245	.02948	215.4	.002176		280.	.1322	.02981	217.2	.002053	
290.	.1189	.03005	219.7	.002357		290.	.1261	.03036	221.4	.002225	
300.	.1138	.03064	224.1	.002541		300.	.1207	.03093	225.6	.002399	
310.	.1092	.03125	228.5	.002727		310.	.1158	.03153	229.9	.002577	
320.	.1051	.03192	232.9	.002921		320.	.1114	.03219	234.3	.002761	

* Two Phase Boundary

Table 5. Transport Properties of Oxygen, Isobars, SI Units.

9.5 MPa Isobar							10.0 MPa Isobar						
Temp., K	Density, g/cm ³	Thermal Cond., W/m.K	Viscosity, micro-g/cm.s	Thermal Diffusivity, cm ² /s	Temp., K	Density, g/cm ³	Thermal Cond., W/m.K	Viscosity, micro-g/cm.s	Thermal Diffusivity, cm ² /s				
* 55.443	1.3122	.20485	5142.4	.000947	* 55.500	1.3126	.20597	5157.4	.000947				
56.	1.3099	.20494	5075.5	.000944	56.	1.3104	.20506	5096.8	.000945				
58.	1.3013	.20133	4835.7	.000934	58.	1.3019	.20156	4855.7	.000935				
60.	1.2928	.19201	4509.7	.000925	60.	1.2934	.19824	4618.5	.000926				
62.	1.2843	.19483	4370.0	.000917	62.	1.2849	.19507	4387.7	.000918				
64.	1.2757	.19178	4148.5	.000909	64.	1.2763	.19202	4165.2	.000910				
66.	1.2672	.18883	3936.2	.000902	66.	1.2678	.18908	3952.0	.000903				
68.	1.2586	.18597	3733.9	.000895	68.	1.2593	.18623	3748.9	.000896				
70.	1.2500	.18319	3541.9	.000888	70.	1.2507	.18345	3556.1	.000889				
72.	1.2414	.18046	3360.2	.000881	72.	1.2421	.18073	3373.8	.000883				
74.	1.2327	.17779	3188.8	.000875	74.	1.2334	.17806	3201.8	.000876				
76.	1.2240	.17515	3027.3	.000868	76.	1.2247	.17543	3039.7	.000870				
78.	1.2152	.17254	2875.3	.000861	78.	1.2160	.17283	2887.2	.000863				
80.	1.2064	.16996	2732.5	.000855	80.	1.2072	.17025	2743.9	.000856				
82.	1.1976	.16739	2598.3	.000848	82.	1.1984	.16770	2609.3	.000849				
84.	1.1887	.16483	2472.3	.000841	84.	1.1895	.16515	2482.8	.000842				
86.	1.1797	.16229	2353.9	.000834	86.	1.1806	.16261	2364.1	.000835				
88.	1.1707	.15975	2242.7	.000826	88.	1.1716	.16008	2252.6	.000828				
90.	1.1616	.15720	2138.3	.000818	90.	1.1625	.15755	2147.8	.000820				
92.	1.1524	.15466	2040.1	.000810	92.	1.1534	.15501	2049.3	.000813				
94.	1.1432	.15212	1947.7	.000802	94.	1.1442	.15248	1956.7	.000804				
96.	1.1338	.14956	1860.8	.000794	96.	1.1349	.14994	1869.5	.000796				
98.	1.1244	.14701	1778.9	.000785	98.	1.1256	.14739	1787.4	.000787				
100.	1.1149	.14444	1701.7	.000776	100.	1.1161	.14484	1710.0	.000778				
102.	1.1053	.14187	1628.8	.000766	102.	1.1066	.14228	1636.9	.000769				
104.	1.0956	.13929	1559.9	.000757	104.	1.0970	.13971	1567.9	.000759				
106.	1.0858	.13669	1494.8	.000746	106.	1.0872	.13713	1502.7	.000749				
108.	1.0759	.13409	1433.1	.000736	108.	1.0773	.13454	1440.9	.000739				
110.	1.0658	.13148	1374.6	.000725	110.	1.0673	.13194	1382.3	.000728				
112.	1.0556	.12885	1319.2	.000714	112.	1.0572	.12933	1326.7	.000717				
114.	1.0452	.12622	1266.4	.000702	114.	1.0469	.12671	1273.9	.000706				
116.	1.0347	.12357	1216.2	.000690	116.	1.0365	.12408	1223.7	.000694				
118.	1.0240	.12091	1168.4	.000678	118.	1.0258	.12144	1175.8	.000682				
120.	1.0131	.11825	1122.7	.000665	120.	1.0150	.11879	1130.1	.000669				
122.	1.0020	.11557	1079.0	.000652	122.	1.0040	.11614	1086.4	.000656				
124.	.9906	.11287	1037.2	.000638	124.	.9928	.11347	1044.7	.000643				
126.	.9790	.11017	997.2	.000624	126.	.9813	.11079	1004.6	.000629				
128.	.9671	.10746	958.7	.000610	128.	.9696	.10810	966.2	.000615				
130.	.9550	.10473	921.7	.000595	130.	.9576	.10540	929.3	.000601				
132.	.9425	.10199	886.0	.000580	132.	.9453	.10269	893.7	.000586				
134.	.9296	.09925	851.6	.000564	134.	.9327	.09997	859.4	.000571				
136.	.9164	.09650	818.2	.000548	136.	.9197	.09725	826.2	.000555				
138.	.9027	.09374	785.9	.000532	138.	.9063	.09453	794.1	.000539				
140.	.8886	.09098	754.6	.000515	140.	.8924	.09181	763.0	.000523				
142.	.8739	.08822	724.1	.000498	142.	.8781	.08909	732.7	.000507				
144.	.8587	.08548	694.3	.000481	144.	.8633	.08640	703.2	.000490				
146.	.8428	.08278	665.2	.000463	146.	.8479	.08373	674.5	.000473				
148.	.8262	.08014	636.6	.000445	148.	.8318	.08113	646.3	.000456				
150.	.8088	.07760	608.5	.000428	150.	.8150	.07863	618.7	.000439				
152.	.7905	.07527	580.8	.000411	152.	.7974	.07631	591.5	.000423				
154.	.7710	.07330	553.3	.000395	154.	.7789	.07433	564.7	.000408				
156.	.7503	.07079	526.0	.000376	156.	.7592	.07185	538.2	.000390				
158.	.7281	.06799	498.7	.000354	158.	.7384	.06912	511.8	.000370				
160.	.7041	.06526	471.3	.000332	160.	.7161	.06645	485.6	.000350				
165.	.6342	.05871	401.9	.000280	165.	.6527	.06009	420.0	.000302				
170.	.5486	.05246	333.6	.000248	170.	.5766	.05414	355.6	.000267				
175.	.4606	.04615	278.8	.000263	175.	.4948	.04837	300.3	.000269				
180.	.3904	.04044	244.9	.000316	180.	.4234	.04291	262.0	.000306				
185.	.3406	.03626	225.7	.000391	185.	.3693	.03849	238.7	.000368				
190.	.3053	.03349	214.9	.000476	190.	.3297	.03535	224.9	.000443				
195.	.2791	.03168	208.6	.000563	195.	.3002	.03322	216.6	.000524				
200.	.2587	.03048	204.8	.000648	200.	.2773	.03176	211.5	.000605				
210.	.2285	.02914	201.5	.000816	210.	.2437	.03010	206.6	.000765				
220.	.2067	.02859	201.3	.000979	220.	.2198	.02935	205.4	.000922				
230.	.1899	.02846	202.7	.001140	230.	.2014	.02909	206.2	.001076				
240.	.1763	.02858	205.1	.001299	240.	.1868	.02912	208.1	.001229				
250.	.1650	.02885	208.1	.001459	250.	.1746	.02932	210.7	.001382				
260.	.1555	.02923	211.5	.001619	260.	.1643	.02964	213.8	.001535				
270.	.1472	.02967	215.2	.001781	270.	.1554	.03005	217.3	.001690				
280.	.1399	.03016	219.1	.001943	280.	.1476	.03050	221.0	.001845				
290.	.1334	.03068	223.1	.002108	290.	.1407	.03100	224.9	.002002				
300.	.1276	.03122	227.2	.002273	300.	.1345	.03152	228.9	.002161				
310.	.1224	.03181	231.4	.002443	310.	.1290	.03209	233.0	.002322				
320.	.1177	.03246	235.7	.002618	320.	.1239	.03273	237.1	.002490				

* Two Phase Boundary

Table 5. Transport Properties of Oxygen, Isobars, SI Units.

11.0 MPa Isobar						12.0 MPa Isobar					
Temp., K	Density g/cm ⁻³	Thermal Cond. W/m.K	Viscosity micro-g/cm.s	Thermal Diffusivity cm ⁻² /s	Temp., K	Density g/cm ⁻³	Thermal Cond. W/m.K	Viscosity micro-g/cm.s	Thermal Diffusivity cm ⁻² /s		
* 55.613	1.3132	.20621	5187.1	.000948	* 55.726	1.3138	.20645	5216.7	.000949		
56.	1.3115	.20551	5139.7	.000946	56.	1.3126	.20596	5182.7	.000948		
58.	1.3030	.20201	4895.8	.000936	58.	1.3041	.20247	4936.0	.000938		
60.	1.2945	.19870	4656.1	.000927	60.	1.2957	.19916	4693.8	.000929		
62.	1.2861	.19553	4423.1	.000919	62.	1.2872	.19600	4458.6	.000921		
64.	1.2776	.19250	4198.6	.000912	64.	1.2788	.19298	4232.1	.000914		
66.	1.2691	.18957	3983.6	.000905	66.	1.2703	.19006	4015.3	.000907		
68.	1.2606	.18673	3778.9	.000898	68.	1.2619	.18723	3808.9	.000901		
70.	1.2520	.18396	3584.7	.000892	70.	1.2534	.18448	3613.2	.000894		
72.	1.2435	.18126	3401.0	.000885	72.	1.2448	.18179	3428.1	.000888		
74.	1.2349	.17851	3227.7	.000879	74.	1.2363	.17915	3253.6	.000881		
76.	1.2262	.17599	3064.4	.000872	76.	1.2277	.17655	3089.2	.000875		
78.	1.2176	.17341	2910.9	.000866	78.	1.2191	.17398	2934.6	.000869		
80.	1.2088	.17085	2766.6	.000859	80.	1.2104	.17143	2789.4	.000862		
82.	1.2001	.16830	2631.1	.000853	82.	1.2017	.16891	2653.0	.000856		
84.	1.1913	.16578	2503.9	.000846	84.	1.1930	.16640	2524.9	.000849		
86.	1.1824	.16326	2384.4	.000839	86.	1.1842	.16390	2404.7	.000842		
88.	1.1735	.16074	2272.2	.000832	88.	1.1753	.16140	2291.8	.000835		
90.	1.1645	.15823	2166.8	.000824	90.	1.1664	.15891	2185.8	.000828		
92.	1.1554	.15572	2067.7	.000817	92.	1.1574	.15641	2086.1	.000821		
94.	1.1463	.15320	1974.6	.000809	94.	1.1484	.15392	1992.4	.000813		
96.	1.1371	.15058	1886.9	.000801	96.	1.1393	.15142	1904.3	.000805		
98.	1.1279	.14816	1804.4	.000792	98.	1.1301	.14892	1821.3	.000797		
100.	1.1185	.14563	1726.6	.000783	100.	1.1208	.14641	1743.1	.000788		
102.	1.1091	.14309	1653.2	.000774	102.	1.1115	.14389	1669.3	.000779		
104.	1.0995	.14054	1583.8	.000765	104.	1.1021	.14137	1599.6	.000770		
106.	1.0899	.13799	1518.3	.000755	106.	1.0925	.13884	1533.8	.000761		
108.	1.0801	.13543	1456.3	.000745	108.	1.0829	.13530	1471.5	.000751		
110.	1.0703	.13286	1397.5	.000735	110.	1.0732	.13376	1412.5	.000741		
112.	1.0602	.13028	1341.7	.000724	112.	1.0633	.13121	1356.6	.000731		
114.	1.0502	.12769	1288.8	.000713	114.	1.0533	.12865	1303.5	.000720		
116.	1.0399	.12509	1238.4	.000702	116.	1.0432	.12608	1253.0	.000709		
118.	1.0294	.12249	1190.5	.000690	118.	1.0330	.12351	1204.9	.000697		
120.	1.0188	.11988	1144.7	.000678	120.	1.0225	.12093	1159.1	.000686		
122.	1.0080	.11725	1101.1	.000665	122.	1.0120	.11835	1115.4	.000674		
124.	.9971	.11463	1059.3	.000652	124.	1.0012	.11576	1073.7	.000661		
126.	.9859	.11199	1019.3	.000639	126.	.9902	.11316	1033.7	.000649		
128.	.9744	.10935	981.0	.000626	128.	.9790	.11056	995.5	.000636		
130.	.9627	.10670	944.2	.000612	130.	.9677	.10796	958.7	.000623		
132.	.9508	.10404	908.8	.000598	132.	.9560	.10535	923.5	.000609		
134.	.9385	.10138	874.7	.000583	134.	.9441	.10274	889.5	.000595		
136.	.9260	.99872	841.8	.000569	136.	.9319	.10014	856.8	.000581		
138.	.9131	.99407	810.0	.000554	138.	.9195	.09754	825.3	.000567		
140.	.8998	.99341	779.2	.000538	140.	.9066	.09494	794.8	.000552		
142.	.8861	.99077	749.4	.000523	142.	.8935	.09236	765.3	.000538		
144.	.8719	.88814	720.4	.000507	144.	.8800	.08980	736.7	.000523		
146.	.8573	.88555	692.2	.000491	146.	.8660	.08728	709.0	.000508		
148.	.8422	.88302	664.7	.000476	148.	.8516	.08480	682.0	.000494		
150.	.8264	.88058	637.8	.000460	150.	.8367	.08242	655.7	.000479		
152.	.8101	.87830	611.6	.000445	152.	.8214	.08016	630.1	.000465		
154.	.7930	.87629	585.8	.000432	154.	.8054	.07815	605.1	.000453		
156.	.7751	.87488	560.5	.000416	156.	.7888	.07579	580.7	.000438		
158.	.7563	.87126	535.5	.000398	158.	.7716	.07326	556.7	.000422		
160.	.7368	.86871	510.9	.000381	160.	.7536	.07081	533.3	.000407		
162.	.6820	.86263	450.6	.000339	162.	.7050	.06494	476.4	.000369		
170.	.6192	.85701	392.3	.000305	170.	.6507	.05953	422.2	.000337		
175.	.5500	.85184	339.1	.000291	175.	.5912	.05462	372.0	.000318		
180.	.4822	.84700	296.6	.000306	180.	.5301	.05016	328.8	.000319		
185.	.4244	.84263	266.7	.000345	185.	.4734	.04609	295.2	.000342		
190.	.3786	.83908	247.2	.000401	190.	.4250	.04251	271.1	.000382		
195.	.3431	.83541	234.6	.000467	195.	.3855	.03957	254.4	.000433		
200.	.3154	.83449	226.5	.000537	200.	.3536	.03729	243.1	.000492		
210.	.2749	.83214	217.7	.000582	210.	.3065	.03430	229.9	.000620		
220.	.2464	.83096	214.2	.000827	220.	.2734	.03267	223.9	.000752		
230.	.2249	.83041	213.5	.000969	230.	.2486	.03182	221.5	.000884		
240.	.2078	.83024	214.4	.001111	240.	.2291	.03143	221.2	.001015		
250.	.1938	.83030	216.3	.001252	250.	.2132	.03133	222.2	.001146		
260.	.1820	.83052	218.8	.001393	260.	.1999	.03143	224.0	.001277		
270.	.1719	.83083	221.8	.001535	270.	.1885	.03165	226.5	.001409		
280.	.1631	.83122	225.1	.001678	280.	.1786	.03196	229.4	.001541		
290.	.1553	.83166	228.6	.001822	290.	.1700	.03234	232.5	.001674		
300.	.1484	.83214	232.3	.001968	300.	.1623	.03276	235.9	.001809		
310.	.1422	.83266	236.2	.002116	310.	.1553	.03325	239.5	.001946		
320.	.1365	.83329	240.1	.002271	320.	.1491	.03385	243.2	.002090		

* Two Phase Boundary

Table 5. Transport Properties of Oxygen, Isobars, SI Units.

13.0 MPa Isobar								14.0 MPa Isobar							
Temp.	Density	Thermal Cond.	Viscosity	Thermal Diffusivity	Temp.	Density	Thermal Cond.	Viscosity	Thermal Diffusivity						
K	g/cm ³	W/m.K	a/cm.s	cm ² /s	K	g/cm ³	W/m.K	a/cm.s	cm ² /s						
* 55.838	1.3144	.20669	5246.1	.000950	* 55.951	1.3150	.20694	5275.4	.000951						
56.	1.3137	.20640	5225.8	.000949	56.	1.3148	.20685	5269.1	.000951						
58.	1.3053	.20292	4976.3	.000940	58.	1.3064	.20337	5015.7	.000941						
60.	1.2968	.19961	4731.6	.000931	60.	1.2980	.20007	4769.5	.000933						
62.	1.2884	.19647	4494.2	.000923	62.	1.2996	.19693	4529.8	.000925						
64.	1.2800	.19345	4265.6	.000915	64.	1.2912	.19392	4299.3	.000918						
66.	1.2716	.19054	4047.0	.000909	66.	1.2728	.19103	4079.8	.000911						
68.	1.2631	.18773	3839.0	.000903	68.	1.2644	.18822	3859.1	.000905						
70.	1.2547	.18499	3641.8	.000896	70.	1.2560	.18550	3670.3	.000899						
72.	1.2462	.18231	3455.3	.000890	72.	1.2476	.18283	3482.5	.000893						
74.	1.2377	.17968	3279.5	.000884	74.	1.2391	.18022	3305.4	.000887						
76.	1.2292	.17710	3114.0	.000878	76.	1.2306	.17765	3138.7	.000881						
78.	1.2206	.17455	2958.3	.000872	78.	1.2221	.17511	2982.0	.000875						
80.	1.2120	.17202	2812.1	.000865	80.	1.2135	.17260	2834.8	.000868						
82.	1.2033	.16951	2674.8	.000859	82.	1.2049	.17011	2695.6	.000862						
84.	1.1946	.16702	2545.9	.000853	84.	1.1963	.16763	2566.9	.000856						
86.	1.1859	.16453	2424.9	.000846	86.	1.1876	.16516	2445.1	.000849						
88.	1.1771	.16205	2311.3	.000839	88.	1.1789	.16270	2330.8	.000842						
90.	1.1683	.15958	2204.6	.000832	90.	1.1701	.16024	2223.5	.000836						
92.	1.1594	.15710	2104.4	.000825	92.	1.1613	.15779	2122.7	.000828						
94.	1.1504	.15463	2010.2	.000817	94.	1.1524	.15533	2027.9	.000821						
96.	1.1414	.15215	1921.6	.000809	96.	1.1435	.15287	1938.7	.000813						
98.	1.1323	.14957	1838.1	.000801	98.	1.1345	.15041	1854.8	.000806						
100.	1.1231	.14718	1759.5	.000793	100.	1.1254	.14794	1775.8	.000798						
102.	1.1139	.14469	1685.3	.000784	102.	1.1162	.14547	1701.3	.000789						
104.	1.1046	.14219	1615.4	.000775	104.	1.1070	.14299	1631.0	.000780						
106.	1.0951	.13968	1549.2	.000766	106.	1.0977	.14051	1554.5	.000772						
108.	1.0856	.13717	1486.7	.000757	108.	1.0883	.13802	1501.7	.000762						
110.	1.0760	.13465	1427.4	.000747	110.	1.0788	.13553	1442.2	.000753						
112.	1.0663	.13213	1371.3	.000737	112.	1.0692	.13303	1385.8	.000743						
114.	1.0564	.12959	1318.0	.000726	114.	1.0595	.13052	1332.4	.000733						
116.	1.0465	.12706	1267.4	.000716	116.	1.0497	.12802	1281.6	.000723						
118.	1.0364	.12452	1219.2	.000705	118.	1.0397	.12550	1233.3	.000712						
120.	1.0261	.12197	1173.3	.000693	120.	1.0296	.12299	1187.3	.000701						
122.	1.0157	.11942	1129.6	.000682	122.	1.0194	.12047	1143.5	.000690						
124.	1.0052	.11686	1087.8	.000670	124.	1.0090	.11794	1101.7	.000679						
126.	.9944	.11430	1047.8	.000658	126.	.9985	.11542	1061.7	.000666						
128.	.9835	.11174	1009.6	.000645	128.	.9878	.11290	1023.5	.000654						
130.	.9724	.10918	972.9	.000633	130.	.9769	.11037	986.8	.000642						
132.	.9610	.10662	937.8	.000620	132.	.9658	.10785	951.7	.000630						
134.	.9494	.10406	903.9	.000606	134.	.9545	.10534	918.0	.000617						
136.	.9376	.10150	871.4	.000593	136.	.9430	.10282	885.6	.000604						
138.	.9255	.9995	840.1	.000579	138.	.9313	.10032	854.4	.000591						
140.	.9131	.9941	809.8	.000566	140.	.9193	.09783	824.3	.000578						
142.	.9004	.95389	780.6	.000552	142.	.9070	.09535	795.3	.000565						
144.	.8874	.90139	752.3	.000538	144.	.8944	.09290	767.3	.000552						
146.	.8741	.88892	724.9	.000524	146.	.8816	.09048	740.2	.000538						
148.	.8603	.86650	698.4	.000510	148.	.8684	.08811	713.9	.000525						
150.	.8462	.84815	672.6	.000497	150.	.8549	.08581	688.5	.000513						
152.	.8316	.8193	647.5	.000484	152.	.8410	.08362	663.9	.000500						
154.	.8166	.7992	623.1	.000472	154.	.8267	.08160	639.9	.000489						
156.	.8010	.7761	599.3	.000458	156.	.8121	.07934	616.6	.000476						
158.	.7850	.7516	576.1	.000443	158.	.7970	.07696	594.0	.000463						
160.	.7684	.7278	553.4	.000429	160.	.7814	.07464	571.9	.000449						
165.	.7241	.06709	499.0	.000395	165.	.7404	.06911	519.3	.000418						
170.	.6756	.06184	447.7	.000366	170.	.6962	.06398	470.1	.000390						
175.	.6231	.05707	400.1	.000345	175.	.6490	.05930	424.5	.000369						
180.	.5685	.05279	357.7	.000338	180.	.5996	.05512	383.3	.000359						
185.	.5152	.04894	322.5	.000350	185.	.5503	.05139	347.7	.000362						
190.	.4669	.04549	295.3	.000377	190.	.5037	.04807	318.8	.000380						
195.	.4254	.04250	275.3	.000416	195.	.4620	.04512	296.2	.000410						
200.	.3908	.04003	260.9	.000464	200.	.4258	.04258	279.3	.000448						
210.	.3380	.03653	243.2	.000575	210.	.3688	.03874	257.3	.000543						
220.	.3004	.03446	234.3	.000695	220.	.3273	.03630	245.5	.000650						
230.	.2724	.03330	230.1	.000816	230.	.2961	.03482	239.2	.000762						
240.	.2504	.03268	228.5	.000938	240.	.2717	.03397	236.2	.000875						
250.	.2326	.03241	228.5	.001060	250.	.2519	.03353	235.2	.000989						
260.	.2177	.03238	229.6	.001182	260.	.2356	.03336	235.5	.001103						
270.	.2051	.03250	231.5	.001305	270.	.2216	.03337	236.7	.001217						
280.	.1942	.03273	233.9	.001428	280.	.2096	.03352	238.6	.001332						
290.	.1846	.03304	236.7	.001552	290.	.1991	.03376	241.0	.001448						
300.	.1761	.03341	239.8	.001676	300.	.1899	.03407	243.7	.001565						
310.	.1685	.03385	243.0	.001804	310.	.1816	.03446	246.7	.001684						
320.	.1616	.03442	246.5	.001938	320.	.1741	.03501	249.9	.001809						

* Two Phase Boundary

Table 5. Transport Properties of Oxygen, Isobars, SI Units.

15.0 MPa Isobar						16.0 MPa Isobar					
Temp.	Density	Thermal Cond.	Viscosity	Thermal		Temp.	Density	Thermal Cond.	Viscosity	Thermal	
K	g/cm ⁻³	W/m·K	micro-g/cm·s	cm ⁻² /s		K	g/cm ⁻³	W/m·K	micro-g/cm·s	cm ⁻² /s	
* 56.063	1.3157	.20718	5304.5	.000952		* 56.176	1.3163	.20742	5333.4	.000953	
58.	1.3075	.20381	5057.3	.000943		58.	1.3086	.20426	5098.0	.000944	
60.	1.2991	.20052	4807.5	.000935		60.	1.3002	.20098	4845.7	.000936	
62.	1.2907	.19739	4565.6	.000927		62.	1.2919	.19785	4601.4	.000929	
64.	1.2824	.19440	4332.9	.000920		64.	1.2836	.19486	4365.7	.000922	
66.	1.2740	.19151	4110.6	.000914		66.	1.2752	.19199	4142.5	.000916	
68.	1.2657	.18872	3899.2	.000907		68.	1.2669	.18921	3929.4	.000909	
70.	1.2573	.18600	3699.0	.000901		70.	1.2586	.18650	3727.6	.000903	
72.	1.2489	.18335	3509.7	.000895		72.	1.2502	.18387	3537.9	.000898	
74.	1.2405	.18075	3313.3	.000889		74.	1.2419	.18128	3357.3	.000892	
76.	1.2321	.17819	3163.5	.000882		76.	1.2335	.17874	3188.2	.000886	
78.	1.2236	.17567	3005.7	.000877		78.	1.2251	.17623	3029.3	.000880	
80.	1.2151	.17317	2857.5	.000871		80.	1.2166	.17375	2880.1	.000874	
82.	1.2065	.17070	2718.3	.000865		82.	1.2081	.17129	2740.1	.000863	
84.	1.1980	.16824	2597.8	.000859		84.	1.1994	.17184	2608.7	.000862	
86.	1.1893	.16579	2465.3	.000853		86.	1.1910	.16641	2485.4	.000856	
88.	1.1807	.16334	2350.2	.000846		88.	1.1824	.16398	2369.6	.000849	
90.	1.1720	.16090	2242.3	.000839		90.	1.1738	.16156	2261.0	.000843	
92.	1.1632	.15846	2140.8	.000832		92.	1.1651	.15914	2156.0	.000843	
94.	1.1544	.15603	2045.5	.000825		94.	1.1564	.15672	2063.1	.000829	
96.	1.1455	.15359	1955.9	.000818		96.	1.1476	.15429	1972.9	.000822	
98.	1.1366	.15114	1871.5	.000810		98.	1.1387	.15187	1888.1	.000814	
100.	1.1276	.14870	1792.0	.000802		100.	1.1294	.14944	1808.2	.000807	
102.	1.1185	.14624	1717.1	.000794		102.	1.1208	.14701	1732.9	.000799	
104.	1.1094	.14379	1646.5	.000785		104.	1.1118	.14458	1661.9	.000793	
106.	1.1002	.14133	1579.7	.000777		106.	1.1027	.14214	1594.8	.000782	
108.	1.0909	.13884	1516.6	.000768		108.	1.0935	.13969	1531.4	.000773	
110.	1.0815	.13639	1456.0	.000759		110.	1.0842	.13725	1471.4	.000764	
112.	1.0720	.13392	1400.3	.000749		112.	1.0748	.13479	1414.5	.000755	
114.	1.0625	.13144	1346.6	.000739		114.	1.0554	.13234	1360.7	.000745	
116.	1.0528	.12896	1295.6	.000729		116.	1.0558	.12988	1309.5	.000736	
118.	1.0430	.12647	1247.2	.000719		118.	1.0462	.12742	1261.0	.000725	
120.	1.0331	.12398	1201.1	.000708		120.	1.0364	.12496	1214.7	.000715	
122.	1.0230	.12149	1157.2	.000697		122.	1.0265	.12250	1170.7	.000705	
124.	1.0128	.11900	1115.3	.000686		124.	1.0165	.12004	1128.7	.000694	
126.	1.0025	.11651	1075.3	.000675		126.	1.0063	.11758	1088.7	.000683	
128.	.9920	.11402	1037.1	.000663		128.	.9960	.11512	1050.4	.000672	
130.	.9813	.11154	1000.5	.000651		130.	.9856	.11267	1013.8	.000660	
132.	.9705	.10905	956.4	.000639		132.	.9749	.11022	978.7	.000649	
134.	.9594	.10657	931.7	.000627		134.	.9642	.10778	945.1	.000637	
136.	.9482	.10410	899.4	.000615		136.	.9532	.10535	912.9	.000625	
138.	.9368	.10164	868.3	.000602		138.	.9421	.10293	881.9	.000613	
140.	.9251	.09990	833.4	.000590		140.	.9307	.10052	852.0	.000601	
142.	.9132	.09677	800.5	.000577		142.	.9191	.09813	823.3	.000589	
144.	.9011	.09436	781.7	.000565		144.	.9074	.09576	795.7	.000577	
146.	.8887	.09196	754.8	.000552		146.	.8953	.09343	769.0	.000565	
148.	.8740	.08956	728.9	.000540		148.	.8831	.09114	743.2	.000553	
150.	.8630	.08739	703.7	.000527		150.	.8706	.08891	718.3	.000541	
152.	.8547	.08522	679.4	.000516		152.	.8578	.08677	694.3	.000530	
154.	.8361	.08322	655.8	.000505		154.	.8447	.08477	671.0	.000520	
156.	.8221	.08099	632.9	.000493		156.	.8314	.08258	648.4	.000508	
158.	.8078	.07868	610.7	.000480		158.	.8178	.08032	626.5	.000496	
160.	.7931	.07642	589.2	.000468		160.	.8038	.07811	605.3	.000485	
165.	.7548	.07101	537.9	.000438		165.	.7676	.07282	555.1	.000457	
170.	.7130	.06598	490.2	.000413		170.	.7293	.06789	508.6	.000433	
175.	.6705	.06139	446.1	.000392		175.	.6891	.06335	465.7	.000413	
180.	.6254	.05726	406.1	.000380		180.	.6474	.05927	426.6	.000399	
185.	.5798	.05359	370.8	.000378		185.	.6050	.05563	391.8	.000394	
190.	.5357	.05034	340.9	.000368		190.	.5634	.05241	361.6	.000400	
195.	.4948	.04745	316.7	.000360		195.	.5239	.04955	335.3	.000415	
200.	.4582	.04491	297.7	.000441		200.	.4876	.04703	315.8	.000440	
210.	.3993	.04088	272.0	.000522		210.	.4264	.04291	286.8	.000508	
220.	.3536	.03814	257.2	.000617		220.	.3791	.03995	269.2	.000592	
230.	.3195	.03639	249.8	.000719		230.	.3425	.03795	258.8	.000685	
240.	.2928	.03531	244.3	.000824		240.	.3136	.03666	252.7	.000783	
250.	.2712	.03468	242.2	.000930		250.	.2903	.03586	249.5	.000882	
260.	.2533	.03437	241.7	.001037		260.	.2709	.03541	248.1	.000981	
270.	.2381	.03427	242.2	.001144		270.	.2545	.03520	247.9	.001082	
280.	.2251	.03433	243.6	.001252		280.	.2404	.03516	248.7	.001183	
290.	.2136	.03449	245.5	.001360		290.	.2280	.03524	250.2	.001285	
300.	.2036	.03474	247.9	.001469		300.	.2172	.03542	252.1	.001388	
310.	.1946	.03509	250.5	.001581		310.	.2075	.03572	254.5	.001493	
320.	.1865	.03560	253.5	.001700		320.	.1988	.03620	257.1	.001605	

* Two Phase Boundary

Table 5. Transport Properties of Oxygen, Isobars, SI Units.

17.0 MPa Isobar								18.0 MPa Isobar							
Temp.	Density	Thermal Cond.	Viscosity	Thermal	Temp.	Density	Thermal Cond.	Viscosity	Thermal						
K	g/cm ⁻³	W/m·K	μ/cm·s	Diffusivity	K	g/cm ⁻³	W/m·K	μ/cm·s	Diffusivity						
* 56.298	1.3169	.20766	5362.2	.000954	* 56.399	1.3175	.20790	5390.9	.000955						
58.	1.3097	.20470	5138.9	.000946	58.	1.3108	.20515	5179.8	.000948						
60.	1.3012	.20143	4883.9	.000938	60.	1.3025	.20187	4922.2	.000940						
62.	1.2930	.19931	4637.3	.000931	62.	1.2942	.19877	4673.2	.000932						
64.	1.2847	.19533	4400.5	.000924	64.	1.2959	.19580	4434.3	.000926						
66.	1.2765	.19247	4174.4	.000918	66.	1.2777	.19294	4206.4	.000920						
68.	1.2682	.18970	3959.5	.000912	68.	1.2694	.19018	3989.8	.000914						
70.	1.2599	.18700	3756.2	.000906	70.	1.2611	.18750	3784.9	.000908						
72.	1.2516	.18438	3564.2	.000900	72.	1.2529	.18489	3591.4	.000902						
74.	1.2432	.18181	3383.2	.000894	74.	1.2446	.18233	3409.1	.000897						
76.	1.2349	.17928	3212.9	.000889	76.	1.2363	.17981	3237.7	.000891						
78.	1.2265	.17678	3053.0	.000883	78.	1.2280	.17733	3076.6	.000886						
80.	1.2181	.17432	2902.8	.000877	80.	1.2196	.17488	2925.4	.000880						
82.	1.2097	.17187	2761.8	.000871	82.	1.2112	.17245	2783.5	.000874						
84.	1.2012	.16944	2629.5	.000865	84.	1.2028	.17004	2650.4	.000868						
86.	1.1927	.16702	2505.4	.000859	86.	1.1944	.16763	2525.5	.000862						
88.	1.1842	.16461	2389.0	.000853	88.	1.1859	.16524	2408.3	.000856						
90.	1.1756	.16220	2279.7	.000846	90.	1.1774	.16285	2298.3	.000850						
92.	1.1670	.15980	2177.0	.000840	92.	1.1688	.16046	2195.1	.000843						
94.	1.1583	.15740	2080.6	.000833	94.	1.1602	.15808	2098.1	.000837						
96.	1.1494	.15500	1989.9	.000826	96.	1.1515	.15569	2006.9	.000830						
98.	1.1408	.15259	1904.6	.000819	98.	1.1428	.15330	1921.1	.000823						
100.	1.1320	.15018	1824.3	.000811	100.	1.1341	.15091	1840.3	.000815						
102.	1.1231	.14777	1748.6	.000803	102.	1.1253	.14852	1764.2	.000808						
104.	1.1141	.14535	1577.2	.000795	104.	1.1164	.14613	1692.4	.000800						
106.	1.1051	.14294	1609.8	.000787	106.	1.1075	.14373	1624.6	.000792						
108.	1.0960	.14051	1546.1	.000778	108.	1.0985	.14132	1560.6	.000783						
110.	1.0868	.13809	1485.8	.000770	110.	1.0984	.13892	1500.1	.000775						
112.	1.0776	.13566	1428.7	.000761	112.	1.0802	.13651	1442.8	.000766						
114.	1.0682	.13323	1374.6	.000751	114.	1.0710	.13410	1388.5	.000757						
116.	1.0588	.13079	1323.3	.000742	116.	1.0617	.13169	1336.9	.000748						
118.	1.0493	.12836	1274.6	.000732	118.	1.0523	.12928	1288.0	.000738						
120.	1.0396	.12593	1228.2	.000722	120.	1.0428	.12687	1241.5	.000729						
122.	1.0299	.12349	1184.1	.000712	122.	1.0332	.12446	1197.2	.000719						
124.	1.0200	.12106	1142.0	.000701	124.	1.0235	.12206	1155.1	.000709						
126.	1.0100	.11863	1101.9	.000691	126.	1.0137	.11966	1114.9	.000698						
128.	.9999	.11620	1063.6	.000680	128.	1.0037	.11726	1076.5	.000688						
130.	.9897	.11378	1026.9	.000669	130.	.9937	.11486	1039.8	.000677						
132.	.9793	.11136	991.8	.000658	132.	.9834	.11248	1004.7	.000666						
134.	.9687	.10906	958.2	.000646	134.	.9731	.11010	971.1	.000655						
136.	.9580	.10656	926.0	.000635	136.	.9626	.10774	938.9	.000644						
138.	.9471	.10417	895.1	.000623	138.	.9520	.10538	908.0	.000633						
140.	.9360	.10180	865.3	.000612	140.	.9412	.10305	878.3	.000622						
142.	.9248	.09945	836.7	.000600	142.	.9302	.10073	849.8	.000611						
144.	.9133	.09712	809.2	.000588	144.	.9190	.09844	822.3	.000600						
146.	.9017	.09482	782.7	.000577	146.	.9077	.09617	795.9	.000588						
148.	.8898	.09257	757.1	.000566	148.	.8962	.09395	770.5	.000577						
150.	.8777	.09037	732.4	.000554	150.	.8845	.09178	745.9	.000567						
152.	.8654	.08825	708.5	.000544	152.	.8725	.08969	722.2	.000556						
154.	.8528	.08626	685.4	.000534	154.	.8604	.08771	699.3	.000547						
156.	.8400	.08411	663.1	.000523	156.	.8481	.08559	677.2	.000536						
158.	.8270	.08189	641.5	.000511	158.	.8355	.08341	655.8	.000525						
160.	.8136	.07973	620.6	.000500	160.	.8227	.08129	635.2	.000515						
162.	.7792	.07454	571.2	.000474	162.	.7898	.07619	586.4	.000490						
170.	.7431	.06969	525.6	.000451	170.	.7555	.07142	541.6	.000468						
175.	.7054	.06522	483.7	.000431	175.	.7199	.06700	500.4	.000449						
180.	.6664	.06117	445.4	.000418	180.	.6833	.06298	462.8	.000435						
185.	.6269	.05754	411.0	.000411	185.	.6460	.05936	428.8	.000427						
190.	.5876	.05433	380.8	.000413	190.	.6089	.05615	398.7	.000426						
195.	.5497	.05149	354.9	.000423	195.	.5727	.05331	372.5	.000433						
200.	.5142	.04898	333.4	.000442	200.	.5382	.05079	350.2	.000448						
210.	.4526	.04482	301.7	.000500	210.	.4770	.04660	316.3	.000496						
220.	.4035	.04171	281.6	.000574	220.	.4268	.04340	294.0	.000562						
230.	.3649	.03951	269.1	.000559	230.	.3865	.04104	279.6	.000638						
240.	.3341	.03803	261.5	.000749	240.	.3540	.03939	270.4	.000721						
250.	.3090	.03706	257.0	.000841	250.	.3275	.03826	264.8	.000807						
260.	.2882	.03646	254.7	.000935	260.	.3054	.03753	261.5	.000895						
270.	.2706	.03614	253.8	.001029	270.	.2866	.03709	259.9	.000984						
280.	.2555	.03400	254.0	.001125	280.	.2705	.03686	259.5	.001074						
290.	.2423	.03601	255.0	.001221	290.	.2564	.03678	260.0	.001165						
300.	.2307	.03612	256.6	.001317	300.	.2441	.03683	261.1	.001256						
310.	.2203	.03636	258.6	.001417	310.	.2330	.03701	262.8	.001350						
320.	.2110	.03681	260.9	.001523	320.	.2232	.03743	264.8	.001451						

* Two Phase Boundary

Table 5. Transport Properties of Oxygen, Isobars, SI Units.

19.0 MPa Isobar						20.0 MPa Isobar					
Temp.	Density	Thermal Cond.	Viscosity	Thermal Diffusivity		Temp.	Density	Thermal Cond.	Viscosity	Thermal Diffusivity	
K	g/cm³	W/m.K	g/cm.s	cm²/s		K	g/cm³	W/m.K	g/cm.s	cm²/s	
* 56.511	1.3181	.20814	5419.4	.000955	*	56.623	1.3187	.20838	5447.7	.000956	
58.	1.3119	.20559	5220.9	.000949		58.	1.3129	.20603	5262.1	.000950	
60.	1.3036	.20232	4960.6	.000941		60.	1.3047	.20277	4999.1	.000943	
62.	1.2953	.19922	4709.3	.000934		62.	1.2964	.19967	4745.4	.000936	
64.	1.2871	.19626	4468.2	.000928		64.	1.2882	.19672	4502.2	.000930	
66.	1.2788	.19341	4238.4	.000922		66.	1.2800	.19388	4270.4	.000924	
58.	1.2706	.19066	4020.1	.000916		68.	1.2719	.19115	4050.4	.000918	
70.	1.2524	.18800	3813.6	.000910		70.	1.2637	.18849	3842.3	.000912	
72.	1.2542	.18540	3618.6	.000905		72.	1.2555	.18590	3645.9	.000907	
74.	1.2459	.18285	3435.1	.000899		74.	1.2473	.18337	3461.0	.000902	
76.	1.2377	.18035	3262.4	.000894		76.	1.2391	.18088	3287.1	.000896	
78.	1.2294	.17788	3100.2	.000888		78.	1.2308	.17843	3123.8	.000891	
80.	1.2211	.17544	2948.0	.000883		80.	1.2226	.17600	2970.6	.000885	
82.	1.2128	.17303	2805.1	.000877		82.	1.2143	.17360	2826.8	.000880	
84.	1.2044	.17063	2671.2	.000871		84.	1.2060	.17121	2691.9	.000874	
86.	1.1960	.16824	2545.5	.000866		86.	1.1976	.16884	2565.5	.000869	
88.	1.1876	.16586	2427.6	.000860		88.	1.1893	.16648	2446.8	.000863	
90.	1.1791	.16349	2316.9	.000853		90.	1.1809	.16412	2335.5	.000857	
92.	1.1706	.16112	2213.0	.000847		92.	1.1724	.16177	2231.0	.000851	
94.	1.1621	.15875	2115.5	.000840		94.	1.1539	.15942	2132.8	.000844	
96.	1.1535	.15638	2023.7	.000834		96.	1.1554	.15706	2040.5	.000838	
98.	1.1449	.15401	1937.4	.000827		98.	1.1469	.15471	1953.8	.000831	
100.	1.1362	.15164	1856.2	.000820		100.	1.1383	.15236	1872.1	.000824	
102.	1.1275	.14926	1779.7	.000812		102.	1.1296	.15000	1795.1	.000816	
104.	1.1187	.14689	1707.5	.000804		104.	1.1209	.14764	1722.6	.000809	
106.	1.1098	.14451	1639.4	.000797		106.	1.1121	.14528	1654.2	.000801	
108.	1.1009	.14213	1575.1	.000788		108.	1.1033	.14292	1589.5	.000793	
110.	1.0919	.13974	1514.3	.000780		110.	1.0944	.14055	1528.4	.000785	
112.	1.0829	.13736	1456.7	.000772		112.	1.0855	.13819	1470.6	.000777	
114.	1.0738	.13497	1402.2	.000763		114.	1.0765	.13582	1415.8	.000768	
116.	1.0646	.13258	1350.4	.000754		116.	1.0574	.13345	1363.8	.000760	
118.	1.0553	.13019	1301.3	.000745		118.	1.0582	.13109	1314.5	.000751	
120.	1.0459	.12781	1254.7	.000735		120.	1.0489	.12872	1267.7	.000741	
122.	1.0364	.12542	1210.3	.000725		122.	1.0396	.12636	1223.1	.000732	
124.	1.0269	.12304	1168.0	.000716		124.	1.0302	.12401	1180.7	.000722	
126.	1.0177	.12046	1127.7	.000706		126.	1.0206	.12165	1140.3	.000713	
128.	1.0074	.11829	1089.2	.000695		128.	1.0110	.11931	1101.8	.000703	
130.	.9975	.11593	1052.5	.000685		130.	1.0013	.11697	1065.0	.000693	
132.	.9875	.11357	1017.4	.000675		132.	.9914	.11464	1029.8	.000683	
134.	.9774	.11122	983.7	.000664		134.	.9815	.11232	996.1	.000672	
136.	.9671	.10889	951.5	.000653		136.	.9714	.11001	963.9	.000662	
138.	.9567	.10656	920.6	.000642		138.	.9612	.10772	933.0	.000651	
140.	.9461	.10426	891.0	.000632		140.	.9508	.10544	903.4	.000641	
142.	.9354	.10197	852.5	.000621		142.	.9404	.10319	874.9	.000631	
144.	.9245	.9971	835.1	.000610		144.	.9297	.10095	847.6	.000620	
146.	.9135	.9748	808.8	.000599		146.	.9190	.9875	821.3	.000610	
148.	.9023	.9529	783.4	.000589		148.	.9080	.9659	796.0	.000600	
150.	.8909	.9315	759.0	.000578		150.	.8970	.9447	771.7	.000590	
152.	.8793	.9107	735.4	.000569		152.	.8857	.9242	748.2	.000580	
154.	.8676	.88911	712.7	.000559		154.	.8744	.9046	725.6	.000571	
156.	.8557	.86701	690.7	.000549		156.	.8628	.8840	703.8	.000561	
158.	.8435	.84888	669.6	.000539		158.	.8511	.8630	682.8	.000551	
160.	.8312	.8279	649.1	.000529		160.	.8392	.8424	662.4	.000542	
165.	.7996	.07778	600.9	.000505		165.	.8088	.07930	614.6	.000519	
170.	.7669	.07307	556.6	.000483		170.	.7773	.07466	570.8	.000498	
175.	.7330	.06870	516.0	.000465		175.	.7450	.07034	530.7	.000480	
180.	.6983	.06471	478.9	.000451		180.	.7119	.06637	494.1	.000466	
185.	.6631	.06110	445.6	.000442		185.	.6784	.06277	460.9	.000457	
190.	.6278	.05788	415.4	.000440		190.	.6448	.05955	431.0	.000453	
195.	.5932	.05593	389.0	.000444		195.	.6117	.05668	404.5	.000455	
200.	.5599	.05251	366.2	.000455		200.	.5796	.05414	381.4	.000463	
210.	.4995	.04829	330.7	.000495		210.	.5204	.04989	344.6	.000497	
220.	.4488	.04501	306.3	.000553		220.	.4696	.04655	318.6	.000548	
230.	.4073	.04254	290.1	.000623		230.	.4272	.04398	300.8	.000611	
240.	.3734	.04074	279.5	.000699		240.	.3922	.04206	288.8	.000682	
250.	.3455	.03947	272.7	.000779		250.	.3631	.04067	280.8	.000756	
260.	.3222	.03851	268.5	.000862		260.	.3386	.03969	275.6	.000834	
270.	.3023	.03806	266.2	.000946		270.	.3178	.03903	272.5	.000913	
280.	.2853	.03773	265.1	.001031		280.	.2998	.03861	270.9	.000993	
290.	.2704	.03757	265.1	.001117		290.	.2842	.03837	270.3	.001074	
300.	.2573	.03754	265.8	.001203		300.	.2704	.03827	270.6	.001156	
310.	.2456	.03767	267.1	.001292		310.	.2581	.03834	271.5	.001241	
320.	.2352	.03805	268.8	.001389		320.	.2470	.03868	272.9	.001332	

* Two Phase Boundary

Table 5. Transport Properties of Oxygen, Isobars, SI Units.

21.0 MPa Isobar								22.0 MPa Isobar							
Temp.	Density	Thermal Cond.	Viscosity	Thermal Diffusivity	Temp.	Density	Thermal Cond.	Viscosity	Thermal Diffusivity						
K	g/cm ³	W/m·K	μ/cm·s	cm ² /s	K	g/cm ³	W/m·K	μ/cm·s	cm ² /s						
* 56.734	1.3193	.20863	5475.8	.000957	* 56.845	1.3199	.20867	5503.8	.000958						
58.	1.3140	.20646	5303.5	.000952	58.	1.3151	.20690	5344.9	.000953						
60.	1.3058	.20321	5037.7	.000944	60.	1.3068	.20365	5076.5	.000946						
62.	1.2975	.20012	4781.6	.000938	62.	1.2987	.20057	4817.8	.000939						
64.	1.2894	.19718	4536.2	.000931	64.	1.2905	.19763	4570.3	.000933						
66.	1.2812	.19435	4302.5	.000925	66.	1.2824	.19482	4334.6	.000927						
68.	1.2731	.19162	4080.7	.000920	68.	1.2743	.19210	4111.1	.000922						
70.	1.2649	.18898	3871.0	.000914	70.	1.2662	.18947	3899.7	.000917						
72.	1.2568	.18640	3673.2	.000909	72.	1.2580	.18690	3700.4	.000911						
74.	1.2486	.18388	3486.9	.000904	74.	1.2499	.18439	3512.9	.000906						
76.	1.2404	.18141	3311.8	.000899	76.	1.2418	.18193	3336.5	.000901						
78.	1.2322	.17897	3147.4	.000893	78.	1.2336	.17950	3171.0	.000895						
80.	1.2240	.17656	2993.1	.000888	80.	1.2255	.17711	3015.7	.000891						
82.	1.2158	.17417	2848.4	.000883	82.	1.2173	.17473	2870.0	.000886						
84.	1.2075	.17180	2712.7	.000877	84.	1.2091	.17238	2733.4	.000880						
86.	1.1993	.16944	2585.4	.000872	86.	1.2008	.17004	2605.3	.000875						
88.	1.1909	.16709	2466.0	.000866	88.	1.1926	.16770	2485.2	.000869						
90.	1.1826	.16475	2354.0	.000860	90.	1.1843	.16538	2372.5	.000863						
92.	1.1742	.16241	2248.8	.000854	92.	1.1760	.16305	2266.7	.000857						
94.	1.1658	.16008	2150.1	.000848	94.	1.1676	.16073	2167.3	.000851						
96.	1.1573	.15774	2057.3	.000841	96.	1.1592	.15841	2074.0	.000845						
98.	1.1488	.15541	1970.0	.000835	98.	1.1508	.15609	1986.2	.000839						
100.	1.1403	.15307	1887.9	.000828	100.	1.1423	.15377	1903.6	.000832						
102.	1.1317	.15073	1810.5	.000821	102.	1.1338	.15145	1825.8	.000825						
104.	1.1231	.14839	1737.6	.000813	104.	1.1253	.14913	1752.5	.000818						
106.	1.1144	.14605	1668.8	.000806	106.	1.1166	.14680	1683.3	.000810						
108.	1.1057	.14370	1603.8	.000798	108.	1.1080	.14448	1618.0	.000803						
110.	1.0969	.14136	1542.4	.000790	110.	1.0993	.14215	1556.3	.000795						
112.	1.0880	.13901	1484.3	.000782	112.	1.0905	.13982	1497.9	.000787						
114.	1.0791	.13666	1429.3	.000774	114.	1.0817	.13749	1442.6	.000779						
116.	1.0701	.13432	1377.1	.000765	116.	1.0728	.13517	1390.3	.000771						
118.	1.0610	.13197	1327.6	.000756	118.	1.0638	.13284	1340.6	.000762						
120.	1.0519	.12963	1280.6	.000747	120.	1.0548	.13052	1293.3	.000753						
122.	1.0427	.12729	1235.9	.000738	122.	1.0457	.12820	1248.5	.000745						
124.	1.0334	.12495	1193.3	.000729	124.	1.0365	.12589	1205.8	.000735						
126.	1.0240	.12263	1152.8	.000720	126.	1.0273	.12358	1165.1	.000726						
128.	1.0145	.12030	1114.2	.000710	128.	1.0179	.12128	1126.4	.000717						
130.	1.0049	.11799	1077.3	.000700	130.	1.0085	.11899	1089.4	.000707						
132.	.9953	.11568	1042.0	.000690	132.	.9990	.11671	1054.1	.000698						
134.	.9855	.11339	1008.3	.000680	134.	.9893	.11444	1020.3	.000688						
136.	.9756	.11111	976.1	.000670	136.	.9796	.11219	988.0	.000678						
138.	.9656	.10884	945.2	.000660	138.	.9698	.10995	957.1	.000669						
140.	.9554	.10659	915.5	.000650	140.	.9598	.10772	927.5	.000559						
142.	.9452	.10437	887.1	.000640	142.	.9498	.10552	899.0	.000649						
144.	.9348	.10216	859.8	.000630	144.	.9396	.10334	871.7	.000639						
146.	.9243	.10099	833.6	.000620	146.	.9293	.10119	845.5	.000629						
148.	.9136	.99785	808.3	.000610	148.	.9189	.09908	820.3	.000620						
150.	.9028	.99575	784.1	.000600	150.	.9084	.09700	796.1	.000611						
152.	.8919	.99372	760.7	.000591	152.	.8977	.09499	772.8	.000601						
154.	.8808	.99178	738.1	.000582	154.	.8869	.09306	750.3	.000593						
156.	.8696	.98974	716.4	.000573	156.	.8760	.09104	728.7	.000584						
158.	.8582	.98767	695.5	.000563	158.	.8650	.08900	707.8	.000574						
160.	.8467	.98565	675.3	.000554	160.	.8538	.08701	687.7	.000565						
165.	.8173	.98078	627.8	.000532	165.	.8254	.08220	640.5	.000544						
170.	.7871	.97619	584.4	.000512	170.	.7961	.07767	597.4	.000525						
175.	.7560	.97191	544.6	.000495	175.	.7663	.07343	557.9	.000508						
180.	.7244	.96797	508.4	.000481	180.	.7358	.06952	522.0	.000495						
185.	.6923	.96439	475.4	.000471	185.	.7051	.06594	489.3	.000485						
190.	.6602	.96115	445.8	.000466	190.	.6743	.06271	459.7	.000479						
195.	.6285	.95827	419.2	.000467	195.	.6438	.05981	433.2	.000478						
200.	.5975	.95571	395.9	.000472	200.	.6139	.05722	409.7	.000482						
210.	.5397	.95141	358.1	.000500	210.	.5575	.05288	371.1	.000505						
220.	.4891	.94803	330.6	.000545	220.	.5074	.04945	342.4	.000545						
230.	.4462	.94538	311.4	.000603	230.	.4642	.04674	321.8	.000597						
240.	.4102	.94336	298.0	.000668	240.	.4276	.04463	307.3	.000657						
250.	.3801	.94186	288.9	.000737	250.	.3966	.04303	297.1	.000722						
260.	.3547	.94077	282.9	.000810	260.	.3703	.04184	290.2	.000790						
270.	.3329	.94000	279.0	.000885	270.	.3477	.04098	285.5	.000861						
280.	.3141	.93949	276.7	.000961	280.	.3282	.04038	282.6	.000932						
290.	.2977	.93917	275.6	.001038	290.	.3110	.03998	281.0	.001005						
300.	.2832	.93900	275.4	.001115	300.	.2959	.03974	280.4	.001079						
310.	.2703	.93902	275.9	.001195	310.	.2824	.03970	280.5	.001155						
320.	.2588	.93931	277.0	.001283	320.	.2704	.03996	281.2	.001239						

* Two Phase Boundary

Table 5. Transport Properties of Oxygen, Isohars, SI Units.

23.0 MPa Isobar						24.0 MPa Isobar					
Temp.	Density	Thermal Cond.	Viscosity	Thermal Diffusivity		Temp.	Density	Thermal Cond.	Viscosity	Thermal Diffusivity	
K	g/cm ³	W/m.K	g/cm.s	cm ² /s		K	g/cm ³	W/m.K	g/cm.s	cm ² /s	
* 56.956	1.3205	.20911	5531.6	.000959	*	57.057	1.3211	.20935	5559.3	.000960	
58.	1.3161	.20734	5386.5	.000955		58.	1.3172	.20777	5428.3	.000956	
60.	1.3079	.20409	5115.3	.000947		60.	1.3090	.20453	5154.2	.000949	
62.	1.2998	.20102	4854.2	.000941	62.	1.3009	.20146	4890.6	.000943		
64.	1.2916	.19809	4604.5	.000935	64.	1.2928	.19854	4638.7	.000937		
66.	1.2835	.19528	4366.8	.000929	66.	1.2847	.19574	4399.0	.000931		
68.	1.2755	.19258	4141.5	.000924	68.	1.2766	.19305	4171.9	.000926		
70.	1.2674	.18995	3928.5	.000919	70.	1.2686	.19043	3957.3	.000921		
72.	1.2593	.18740	3727.7	.000914	72.	1.2605	.18789	3755.0	.000916		
74.	1.2512	.18490	3538.8	.000909	74.	1.2525	.18541	3564.7	.000911		
76.	1.2431	.18245	3361.3	.000904	76.	1.2445	.18297	3386.0	.000906		
78.	1.2350	.18004	3194.6	.000899	78.	1.2364	.18057	3218.1	.000901		
80.	1.2269	.17766	3038.2	.000893	80.	1.2283	.17820	3060.7	.000896		
82.	1.2188	.17530	2891.6	.000888	82.	1.2202	.17585	2913.1	.000891		
84.	1.2106	.17295	2754.1	.000883	84.	1.2121	.17353	2774.7	.000886		
86.	1.2024	.17063	2625.2	.000878	86.	1.2040	.17121	2645.0	.000881		
88.	1.1942	.16831	2504.3	.000872	88.	1.1958	.16891	2523.4	.000875		
90.	1.1860	.16600	2390.9	.000867	90.	1.1876	.16661	2409.3	.000870		
92.	1.1777	.16359	2284.4	.000861	92.	1.1794	.16432	2302.2	.000864		
94.	1.1694	.16138	2184.5	.000855	94.	1.1712	.16203	2201.7	.000858		
96.	1.1611	.15908	2090.6	.000849	96.	1.1629	.15974	2107.2	.000852		
98.	1.1527	.15678	2002.3	.000842	98.	1.1546	.15745	2018.4	.000846		
100.	1.1443	.15447	1919.3	.000836	100.	1.1463	.15517	1934.9	.000840		
102.	1.1359	.15217	1841.0	.000829	102.	1.1379	.15288	1856.2	.000833		
104.	1.1274	.14986	1767.3	.000822	104.	1.1295	.15059	1782.1	.000826		
106.	1.1189	.14755	1697.8	.000815	106.	1.1210	.14830	1712.2	.000819		
108.	1.1103	.14524	1632.2	.000808	108.	1.1125	.14600	1646.2	.000812		
110.	1.1017	.14293	1570.1	.000800	110.	1.1040	.14371	1583.9	.000805		
112.	1.0930	.14062	1511.5	.000792	112.	1.0954	.14142	1524.9	.000797		
114.	1.0842	.13932	1455.9	.000784	114.	1.0867	.13913	1469.1	.000789		
116.	1.0754	.13601	1403.3	.000776	116.	1.0780	.13684	1416.3	.000781		
118.	1.0666	.13370	1353.4	.000768	118.	1.0693	.13455	1366.1	.000773		
120.	1.0577	.13140	1306.0	.000759	120.	1.0605	.13227	1318.5	.000765		
122.	1.0487	.12910	1261.0	.000751	122.	1.0515	.12999	1273.3	.000756		
124.	1.0396	.12581	1218.1	.000742	124.	1.0426	.12772	1230.3	.000748		
126.	1.0305	.12452	1177.3	.000733	126.	1.0336	.12545	1189.4	.000739		
128.	1.0213	.12225	1138.5	.000724	128.	1.0245	.12319	1150.4	.000730		
130.	1.0120	.11998	1101.6	.000714	130.	1.0154	.12095	1113.2	.000721		
132.	1.0026	.11772	1064.0	.000705	132.	1.0061	.11871	1077.7	.000712		
134.	.9931	.11547	1032.1	.000696	134.	.9968	.11649	1043.8	.000703		
136.	.9835	.11324	999.8	.000686	136.	.9874	.11428	1011.4	.000694		
138.	.9739	.11102	968.8	.000677	138.	.9779	.11208	990.3	.000685		
140.	.9641	.10883	939.1	.000667	140.	.9683	.10990	950.6	.000675		
142.	.9543	.10665	910.7	.000658	142.	.9586	.10775	922.2	.000666		
144.	.9443	.10449	883.4	.000648	144.	.9488	.10562	894.9	.000657		
146.	.9342	.10237	857.2	.000639	146.	.9390	.10351	868.5	.000648		
148.	.9240	.10027	832.0	.000629	148.	.9290	.10144	843.5	.000639		
150.	.9138	.98922	807.9	.000620	150.	.9189	.09941	819.3	.000630		
152.	.9033	.96923	784.5	.000612	152.	.9087	.09743	796.0	.000621		
154.	.8928	.94431	762.1	.000603	154.	.8985	.09552	773.6	.000613		
156.	.8822	.92321	740.5	.000594	156.	.8881	.09355	752.1	.000604		
158.	.8714	.9030	719.8	.000585	158.	.8775	.09156	731.4	.000596		
160.	.8605	.8833	699.7	.000577	160.	.8670	.08962	711.4	.000587		
165.	.8329	.8358	652.7	.000556	165.	.8401	.08492	564.6	.000567		
170.	.8047	.87910	600.4	.000537	170.	.8127	.08040	521.9	.000549		
175.	.7758	.87490	570.7	.000521	175.	.7848	.07633	582.9	.000533		
180.	.7465	.87102	534.3	.000508	180.	.7564	.07246	547.3	.000520		
185.	.7169	.86745	502.4	.000498	185.	.7279	.06801	514.9	.000510		
190.	.6873	.86421	472.9	.000491	190.	.6933	.06567	485.6	.000503		
195.	.6578	.86130	446.5	.000489	195.	.6709	.06274	459.1	.000500		
200.	.6290	.85869	422.8	.000492	200.	.6429	.06012	435.4	.000502		
210.	.5740	.85430	383.6	.000511	210.	.5894	.05568	395.6	.000517		
220.	.5245	.85042	354.0	.000546	220.	.5406	.05214	365.2	.000548		
230.	.4813	.84805	332.2	.000593	230.	.4975	.04932	342.4	.000591		
240.	.4442	.84597	316.5	.000649	240.	.4402	.04708	325.7	.000642		
250.	.4126	.84418	305.4	.000709	250.	.4280	.04531	313.6	.000699		
260.	.3955	.84290	297.5	.000773	260.	.4003	.04395	304.9	.000759		
270.	.3622	.84195	292.2	.000840	270.	.3763	.04292	298.8	.000822		
280.	.3419	.84127	288.5	.000908	280.	.3553	.04216	294.7	.000847		
290.	.3241	.84040	286.5	.000977	290.	.3369	.04161	292.0	.000852		
300.	.3084	.84049	285.4	.001047	300.	.3207	.04124	290.5	.001019		
310.	.2944	.84039	285.1	.001120	310.	.3061	.04108	289.8	.001049		
320.	.2818	.84060	285.5	.001200	320.	.2930	.04125	289.9	.001165		

* Two Phase Boundary

Table 5. Transport Properties of Oxygen, Isobars, SI Units.

	25.0 MPa Isobar						26.0 MPa Isobar					
Temp.	Density	Thermal Cond.	Viscosity micro	Thermal Diffusivity		Temp.	Density	Thermal Cond.	Viscosity micro	Thermal Diffusivity		
K	g/cm**3	W/m.K	g/cm.s	cm**2/s		K	g/cm**3	W/m.K	g/cm.s	cm**2/s		
* 57.178	1.3216	.20959	5586.8	.000960		* 57.288	1.3222	.20983	5614.1	.000961		
58.	1.3183	.20820	5470.1	.000957		58.	1.3193	.20863	5512.1	.000959		
60.	1.3101	.20497	5193.2	.000950		60.	1.3111	.20540	5232.3	.000952		
62.	1.3020	.20191	4927.1	.000944		62.	1.3030	.20235	4963.7	.000946		
64.	1.2939	.19899	4672.9	.000938		64.	1.2950	.19944	4707.3	.000940		
66.	1.2858	.19620	4431.3	.000933		66.	1.2870	.19666	4463.6	.000935		
68.	1.2778	.19352	4202.3	.000928		68.	1.2790	.19398	4232.8	.000930		
70.	1.2598	.19091	3946.1	.000923		70.	1.2710	.19139	4014.9	.000925		
72.	1.2618	.18838	3782.4	.000918		72.	1.2631	.18887	3809.7	.000920		
74.	1.2538	.18591	3590.7	.000913		74.	1.2551	.18641	3616.7	.000915		
76.	1.2458	.18349	3410.7	.000908		76.	1.2471	.18400	3435.4	.000911		
78.	1.2378	.18110	3241.7	.000904		78.	1.2391	.18162	3265.2	.000906		
80.	1.2297	.17874	3083.2	.000899		80.	1.2311	.17928	3105.7	.000901		
82.	1.2217	.17641	2934.7	.000894		82.	1.2231	.17696	2956.2	.000896		
84.	1.2136	.17409	2795.4	.000889		84.	1.2151	.17466	2816.0	.000892		
86.	1.2055	.17180	2664.8	.000884		86.	1.2071	.17237	2684.6	.000887		
88.	1.1974	.16951	2542.4	.000878		88.	1.1990	.17010	2561.4	.000881		
90.	1.1893	.16722	2427.6	.000873		90.	1.1909	.16783	2445.9	.000876		
92.	1.1811	.16495	2319.9	.000867		92.	1.1828	.16557	2337.5	.000871		
94.	1.1730	.16257	2218.7	.000862		94.	1.1747	.16331	2235.8	.000865		
96.	1.1647	.16040	2123.7	.000856		96.	1.1665	.16105	2140.2	.000859		
98.	1.1565	.15813	2034.4	.000850		98.	1.1584	.15879	2050.4	.000853		
100.	1.1482	.15585	1950.4	.000844		100.	1.1501	.15653	1965.9	.000847		
102.	1.1399	.15358	1871.3	.000837		102.	1.1419	.15428	1886.4	.000841		
104.	1.1316	.15131	1796.8	.000830		104.	1.1336	.15202	1811.4	.000835		
106.	1.1232	.14903	1726.5	.000824		106.	1.1253	.14976	1740.8	.000828		
108.	1.1149	.14775	1660.2	.000817		108.	1.1169	.14750	1674.1	.000821		
110.	1.1063	.14448	1597.5	.000809		110.	1.1086	.14524	1611.1	.000814		
112.	1.0978	.14220	1538.3	.000802		112.	1.1001	.14298	1551.6	.000807		
114.	1.0892	.13993	1482.2	.000794		114.	1.0916	.14072	1495.2	.000799		
116.	1.0806	.13766	1429.1	.000787		116.	1.0831	.13847	1441.9	.000792		
118.	1.0719	.13539	1378.8	.000779		118.	1.0745	.13622	1391.3	.000784		
120.	1.0632	.13313	1331.0	.000771		120.	1.0659	.13397	1343.3	.000776		
122.	1.0544	.13087	1285.6	.000752		122.	1.0572	.13173	1297.7	.000768		
124.	1.0456	.12861	1242.4	.000754		124.	1.0485	.12949	1254.3	.000760		
126.	1.0367	.12637	1201.3	.000745		126.	1.0397	.12727	1213.1	.000751		
128.	1.0277	.12413	1162.2	.000737		128.	1.0308	.12505	1173.8	.000743		
130.	1.0187	.12190	1124.9	.000728		130.	1.0219	.12284	1136.4	.000734		
132.	1.0096	.11968	1089.3	.000719		132.	1.0129	.12064	1100.7	.000726		
134.	1.0004	.11748	1055.3	.000710		134.	1.0039	.11846	1066.6	.000717		
136.	.9911	.11529	1022.8	.000701		136.	.9947	.11629	1034.0	.000708		
138.	.9819	.11312	991.7	.000692		138.	.9855	.11414	1002.9	.000700		
140.	.9723	.11096	961.9	.000683		140.	.9763	.11200	973.1	.000691		
142.	.9628	.10983	933.4	.000674		142.	.9669	.10989	944.5	.000682		
144.	.9532	.10672	906.1	.000665		144.	.9575	.10780	917.1	.000673		
146.	.9435	.10464	879.9	.000656		146.	.9480	.10573	890.9	.000665		
148.	.9338	.10258	854.7	.000647		148.	.9384	.10370	865.7	.000656		
150.	.9239	.10057	830.5	.000639		150.	.9287	.10170	841.5	.000648		
152.	.9139	.98861	807.3	.000630		152.	.9189	.09976	818.2	.000639		
154.	.9039	.96671	784.9	.000623		154.	.9091	.09787	795.9	.000632		
156.	.8937	.94976	763.4	.000614		156.	.8992	.09594	774.4	.000624		
158.	.8835	.9279	742.7	.000606		158.	.8891	.09400	753.7	.000615		
160.	.8732	.9087	722.7	.000597		160.	.8791	.09209	733.8	.000607		
165.	.8470	.8623	676.0	.000578		165.	.8535	.08750	687.2	.000588		
170.	.8203	.80184	633.5	.000560		170.	.8275	.08315	644.7	.000571		
175.	.7932	.77711	594.6	.000545		175.	.8012	.07905	606.0	.000556		
180.	.7657	.7387	559.2	.000532		180.	.7745	.07524	570.7	.000543		
185.	.7381	.7033	527.0	.000522		185.	.7477	.07171	538.5	.000533		
190.	.7104	.67697	497.7	.000515		190.	.7209	.06847	509.3	.000526		
195.	.6829	.64615	471.2	.000511		195.	.6942	.06552	482.8	.000522		
200.	.6558	.60151	447.4	.000512		200.	.6679	.06286	459.0	.000521		
210.	.6037	.50702	407.3	.000524		210.	.6171	.05833	418.5	.000531		
220.	.5558	.05343	376.1	.000551		220.	.5700	.05469	386.6	.000555		
230.	.5129	.05056	352.4	.000590		230.	.5275	.05176	362.2	.000590		
240.	.4754	.04826	334.7	.000637		240.	.4900	.04941	343.7	.000634		
250.	.4428	.04643	321.7	.000690		250.	.4571	.04752	329.9	.000684		
260.	.4146	.04499	312.3	.000747		260.	.4284	.04601	319.6	.000737		
270.	.3900	.04388	305.5	.000807		270.	.4033	.04484	312.2	.000794		
280.	.3685	.04305	300.8	.000868		280.	.3813	.04393	306.9	.000852		
290.	.3495	.04243	297.6	.000931		290.	.3618	.04325	303.2	.000912		
300.	.3327	.04199	295.6	.000994		300.	.3445	.04274	300.7	.000972		
310.	.3176	.04177	294.5	.001061		310.	.3290	.04247	299.3	.001035		
320.	.3041	.04190	294.3	.001134		320.	.3150	.04255	298.7	.001106		

* Two Phase Boundary

Table 5. Transport Properties of Oxygen, Isobars, SI Units.

27.0 MPa Isobar						28.0 MPa Isobar					
Temp.	Density	Thermal Cond.	Viscosity	Thermal Diffusivity		Temp.	Density	Thermal Cond.	Viscosity	Thermal Diffusivity	
K	g/cm ³	W/m.K	μ/cm.s	cm ² /s		K	g/cm ³	W/m.K	μ/cm.s	cm ² /s	
* 57.399	1.3228	.21007	5641.2	.000962		* 57.509	1.3234	.21031	5668.2	.000963	
58.	1.3203	.20906	5554.2	.000960		58.	1.3214	.20949	5596.4	.000961	
60.	1.3122	.20583	5271.5	.000953		60.	1.3133	.20627	5310.8	.000955	
62.	1.3041	.20279	5000.3	.000947		62.	1.3052	.20323	5037.1	.000949	
64.	1.2961	.19989	4741.6	.000942		64.	1.2972	.20034	4776.1	.000943	
66.	1.2881	.19712	4495.9	.000936		66.	1.2892	.19757	4528.3	.000938	
68.	1.2802	.19445	4263.3	.000932		68.	1.2813	.19491	4293.9	.000933	
70.	1.2722	.19187	4043.8	.000927		70.	1.2734	.19234	4072.7	.000929	
72.	1.2643	.18936	3837.0	.000922		72.	1.2655	.18984	3864.4	.000924	
74.	1.2564	.18691	3642.6	.000918		74.	1.2576	.18741	3688.6	.000920	
76.	1.2484	.18451	3460.0	.000913		76.	1.2497	.18502	3484.7	.000915	
78.	1.2405	.18215	3288.8	.000908		78.	1.2418	.18267	3312.3	.000911	
80.	1.2325	.17981	3128.2	.000904		80.	1.2339	.18035	3150.6	.000906	
82.	1.2246	.17751	2977.7	.000899		82.	1.2260	.17805	2999.1	.000902	
84.	1.2166	.17522	2836.6	.000894		84.	1.2180	.17578	2857.2	.000897	
86.	1.2086	.17295	2704.4	.000889		86.	1.2101	.17352	2724.1	.000892	
88.	1.2006	.17069	2580.4	.000884		88.	1.2021	.17127	2599.4	.000887	
90.	1.1925	.16843	2464.2	.000879		90.	1.1941	.16903	2482.4	.000882	
92.	1.1845	.16618	2355.2	.000874		92.	1.1861	.16680	2372.7	.000877	
94.	1.1764	.16394	2252.8	.000868		94.	1.1781	.16457	2269.8	.000872	
96.	1.1683	.16170	2156.7	.000863		96.	1.1701	.16234	2173.1	.000866	
98.	1.1602	.15945	2066.3	.000857		98.	1.1620	.16011	2082.2	.000861	
100.	1.1520	.15721	1981.3	.000851		100.	1.1539	.15788	1996.7	.000855	
102.	1.1439	.15497	1901.4	.000845		102.	1.1458	.15565	1916.3	.000849	
104.	1.1356	.15272	1826.0	.000839		104.	1.1376	.15342	1840.5	.000842	
106.	1.1274	.15048	1755.0	.000832		106.	1.1295	.15120	1769.1	.000836	
108.	1.1191	.14824	1687.9	.000825		108.	1.1212	.14897	1701.7	.000830	
110.	1.1108	.14599	1624.6	.000818		110.	1.1130	.14674	1638.1	.000823	
112.	1.1024	.14375	1564.8	.000811		112.	1.1047	.14451	1577.9	.000816	
114.	1.0940	.14151	1508.2	.000804		114.	1.0964	.14229	1521.0	.000809	
116.	1.0856	.13927	1454.5	.000797		116.	1.0880	.14006	1467.1	.000801	
118.	1.0771	.13704	1403.7	.000789		118.	1.0796	.13785	1416.1	.000794	
120.	1.0686	.13481	1355.5	.000781		120.	1.0712	.13563	1367.6	.000786	
122.	1.0600	.13258	1309.7	.000773		122.	1.0627	.13342	1321.6	.000779	
124.	1.0513	.13036	1266.2	.000765		124.	1.0541	.13122	1277.9	.000771	
126.	1.0426	.12815	1224.8	.000757		126.	1.0455	.12903	1236.4	.000763	
128.	1.0339	.12595	1185.4	.000749		128.	1.0369	.12685	1196.8	.000755	
130.	1.0251	.12376	1147.8	.000741		130.	1.0282	.12467	1159.1	.000747	
132.	1.0162	.12159	1112.0	.000732		132.	1.0194	.12251	1123.2	.000739	
134.	1.0073	.11942	1077.8	.000724		134.	1.0106	.12037	1088.9	.000730	
136.	.9983	.11727	1045.1	.000715		136.	1.0017	.11823	1056.1	.000722	
138.	.9902	.11514	1013.9	.000707		138.	.9928	.11612	1024.8	.000714	
140.	.9801	.11302	984.0	.000698		140.	.9838	.11402	994.8	.000705	
142.	.9709	.11093	955.4	.000690		142.	.9747	.11195	966.1	.000697	
144.	.9616	.10885	928.0	.000681		144.	.9656	.10989	938.7	.000689	
146.	.9522	.10681	901.7	.000673		146.	.9564	.10786	912.3	.000680	
148.	.9428	.10479	876.5	.000664		148.	.9471	.10587	887.1	.000672	
150.	.9333	.10282	852.3	.000656		150.	.9378	.10390	862.8	.000664	
152.	.9238	.10088	829.0	.000648		152.	.9284	.10198	839.6	.000657	
154.	.9141	.99091	806.6	.000641		154.	.9190	.10012	817.2	.000649	
156.	.9044	.97079	785.2	.000633		156.	.9094	.98822	795.7	.000641	
158.	.8946	.9517	764.5	.000625		158.	.8998	.9632	775.0	.000634	
160.	.8847	.9328	744.6	.000617		160.	.8902	.9445	755.1	.000626	
165.	.8598	.08873	698.0	.000598		165.	.8658	.08994	708.6	.000608	
170.	.8344	.08442	655.6	.000582		170.	.8410	.08567	666.2	.000591	
175.	.8087	.08036	617.0	.000567		175.	.8159	.08163	627.6	.000577	
180.	.7828	.07657	581.7	.000554		180.	.7907	.07786	592.4	.000564	
185.	.7568	.07305	549.6	.000544		185.	.7653	.07436	560.4	.000554	
190.	.7307	.06981	520.5	.000536		190.	.7400	.07113	531.2	.000547	
195.	.7048	.06686	494.0	.000532		195.	.7148	.06817	504.8	.000542	
200.	.6792	.06419	470.1	.000531		200.	.6899	.06548	480.8	.000540	
210.	.6297	.05961	429.3	.000539		210.	.6415	.06086	439.7	.000547	
220.	.5834	.05592	396.9	.000560		220.	.5961	.05712	406.9	.000565	
230.	.5414	.05294	371.7	.000592		230.	.5545	.05409	381.1	.000594	
240.	.5039	.05053	352.5	.000632		240.	.5172	.05163	361.1	.000631	
250.	.4708	.04858	337.9	.000679		250.	.4840	.04964	345.8	.000675	
260.	.4418	.04702	327.0	.000729		260.	.4547	.04802	334.2	.000723	
270.	.4163	.04578	318.9	.000783		270.	.4288	.04672	325.5	.000773	
280.	.3938	.04481	313.0	.000838		280.	.4059	.04568	319.1	.000826	
290.	.3738	.04406	308.8	.000895		290.	.3855	.04487	314.4	.000880	
300.	.3560	.04350	305.9	.000953		300.	.3673	.04425	311.1	.000935	
310.	.3401	.04317	304.1	.001013		310.	.3510	.04387	308.9	.00093	
320.	.3257	.04321	303.2	.001081		320.	.3362	.04387	307.7	.001058	

* Two Phase Boundary

Table 5. Transport Properties of Oxygen, Isobars, SI Units.

29.0 MPa Isobar								30.0 MPa Isobar							
Temp.	Density	Thermal Cond.	Viscosity	Thermal Diffusivity	Temp.	Density	Thermal Cond.	Viscosity	Thermal Diffusivity						
K	g/cm ³	W/m.K	micro-g/cm.s	cm ² /s	K	g/cm ³	W/m.K	g/cm.s	cm ² /s						
* 57.619	1.3240	.21055	5695.0	.000963	* 57.729	1.3245	.21079	5721.6	.000964						
58.	1.3224	.20991	5638.7	.000962	58.	1.3234	.21034	5681.2	.000963						
60.	1.3143	.20670	5350.2	.000956	60.	1.3153	.20713	5389.6	.000957						
62.	1.3063	.20346	5073.8	.000950	62.	1.3073	.20410	5110.7	.000952						
64.	1.2983	.20078	4810.6	.000945	64.	1.2994	.20122	4845.1	.000946						
66.	1.2904	.19902	4560.7	.000940	66.	1.2915	.19847	4533.2	.000942						
68.	1.2825	.19537	4324.6	.000935	68.	1.2836	.19583	4355.0	.000937						
70.	1.2746	.19281	4101.5	.000931	70.	1.2758	.19328	4130.5	.000933						
72.	1.2667	.19033	3891.7	.000926	72.	1.2679	.19081	3919.1	.000928						
74.	1.2589	.18760	3694.5	.000922	74.	1.2601	.18839	3720.5	.000924						
76.	1.2510	.18552	3509.4	.000918	76.	1.2523	.18602	3534.1	.000920						
78.	1.2431	.18318	3335.8	.000913	78.	1.2444	.18370	3359.3	.000915						
80.	1.2353	.18088	3173.1	.000909	80.	1.2366	.18140	3195.5	.000911						
82.	1.2274	.17860	3020.6	.000904	82.	1.2288	.17913	3042.0	.000907						
84.	1.2195	.17533	2877.7	.000900	84.	1.2209	.17689	2898.2	.000902						
86.	1.2116	.17409	2743.8	.000895	86.	1.2131	.17465	2763.5	.000898						
88.	1.2037	.17185	2618.3	.000890	88.	1.2052	.17243	2637.2	.000893						
90.	1.1957	.16963	2500.6	.000885	90.	1.1973	.17022	2518.8	.000888						
92.	1.1878	.16741	2390.3	.000880	92.	1.1894	.16801	2407.8	.000883						
94.	1.1798	.16510	2286.7	.000875	94.	1.1815	.16581	2303.6	.000878						
96.	1.1718	.16297	2189.4	.000870	96.	1.1735	.16361	2205.7	.000873						
98.	1.1638	.16076	2098.0	.000864	98.	1.1656	.16141	2113.8	.000868						
100.	1.1558	.15855	2012.1	.000858	100.	1.1576	.15921	2027.3	.000862						
102.	1.1477	.15633	1931.2	.000852	102.	1.1496	.15701	1946.0	.000856						
104.	1.1396	.15412	1855.0	.000846	104.	1.1416	.15481	1869.4	.000850						
106.	1.1315	.15190	1783.2	.000840	106.	1.1335	.15261	1797.2	.000844						
108.	1.1233	.14959	1715.4	.000834	108.	1.1254	.15041	1729.0	.000838						
110.	1.1152	.14748	1651.4	.000827	110.	1.1173	.14821	1664.7	.000831						
112.	1.1069	.14527	1591.0	.000820	112.	1.1092	.14601	1604.0	.000825						
114.	1.0987	.14304	1533.8	.000813	114.	1.1010	.14382	1546.5	.000818						
116.	1.0904	.14085	1479.6	.000806	116.	1.0928	.14163	1492.1	.000811						
118.	1.0821	.13865	1428.3	.000799	118.	1.0845	.13944	1440.5	.000804						
120.	1.0737	.13645	1379.7	.000792	120.	1.0762	.13726	1391.6	.000797						
122.	1.0653	.13426	1333.5	.000784	122.	1.0679	.13508	1345.2	.000789						
124.	1.0569	.13207	1289.6	.000776	124.	1.0596	.13291	1301.1	.000782						
126.	1.0484	.12990	1247.8	.000769	126.	1.0511	.13075	1259.2	.000774						
128.	1.0398	.12773	1208.1	.000761	128.	1.0427	.12860	1219.3	.000766						
130.	1.0312	.12557	1170.3	.000753	130.	1.0342	.12646	1181.3	.000759						
132.	1.0226	.12343	1134.2	.000745	132.	1.0257	.12433	1145.1	.000751						
134.	1.0139	.12130	1099.8	.000737	134.	1.0171	.12222	1110.6	.000743						
136.	1.0051	.11918	1066.9	.000729	136.	1.0084	.12012	1077.6	.000735						
138.	.9963	.11709	1035.5	.000720	138.	.9997	.11804	1046.1	.000727						
140.	.9874	.11501	1005.5	.000712	140.	.9910	.11598	1016.0	.000719						
142.	.9785	.11295	976.7	.000704	142.	.9822	.11393	987.2	.000711						
144.	.9695	.11091	949.2	.000696	144.	.9733	.11191	959.6	.000703						
146.	.9605	.10890	922.8	.000688	146.	.9644	.10992	933.1	.000695						
148.	.9513	.10692	897.5	.000680	148.	.9554	.10795	907.8	.000688						
150.	.9422	.10497	873.2	.000672	150.	.9464	.10602	883.4	.000680						
152.	.9329	.10306	849.9	.000665	152.	.9373	.10412	860.1	.000673						
154.	.9237	.10121	827.5	.000657	154.	.9282	.10228	837.7	.000665						
156.	.9143	.09933	806.0	.000650	156.	.9190	.10041	816.1	.000658						
158.	.9049	.09744	785.3	.000642	158.	.9098	.09854	795.4	.000651						
160.	.8954	.09559	765.4	.000635	160.	.9005	.09671	775.5	.000643						
165.	.8715	.09112	718.9	.000617	165.	.8770	.09228	729.0	.000626						
170.	.8473	.08688	676.5	.000601	170.	.8533	.08907	686.6	.000610						
175.	.8228	.08288	638.0	.000587	175.	.8294	.08409	648.1	.000596						
180.	.7982	.07912	602.8	.000574	180.	.8053	.08036	612.9	.000584						
185.	.7735	.07563	570.8	.000564	185.	.7812	.07648	580.9	.000574						
190.	.7488	.07241	541.7	.000557	190.	.7571	.07366	551.8	.000566						
195.	.7242	.06945	515.2	.000552	195.	.7331	.07069	525.2	.000561						
200.	.6999	.06675	491.1	.000550	200.	.7094	.06799	501.2	.000559						
210.	.6527	.06209	449.8	.000554	210.	.6632	.06329	459.6	.000562						
220.	.6081	.05830	416.6	.000570	220.	.6195	.05946	426.0	.000576						
230.	.5670	.05522	390.2	.000597	230.	.5789	.05633	399.1	.000600						
240.	.5299	.05272	369.6	.000632	240.	.5420	.05378	377.9	.000632						
250.	.4967	.05067	353.7	.000672	250.	.5089	.05168	361.4	.000671						
260.	.4672	.04900	341.4	.000717	260.	.4792	.04996	348.6	.000713						
270.	.4410	.04764	332.2	.000765	270.	.4528	.04855	338.7	.000759						
280.	.4177	.04655	325.2	.000816	280.	.4292	.04741	331.3	.000807						
290.	.3970	.04568	320.0	.000867	290.	.4082	.04649	325.7	.000856						
300.	.3784	.04500	316.3	.000920	300.	.3892	.04576	321.6	.000906						
310.	.3617	.04457	313.8	.000975	310.	.3722	.04527	318.6	.000959						
320.	.3466	.04452	312.2	.001038	320.	.3567	.04518	316.7	.001019						

* Two Phase Boundary

Table 5. Transport Properties of Oxygen, Isobars, SI Units.

35.0 MPa Isobar								40.0 MPa Isobar							
Temp.	Density	Thermal Cond.	Viscosity	Thermal Diffusivity	Temp.	Density	Thermal Cond.	Viscosity	Thermal Diffusivity						
K	g/cm ³	W/m.K	g/cm.s	cm ² /s	K	g/cm ³	W/m.K	g/cm.s	cm ² /s						
* 58.276	1.3274	.21199	5852.2	.000968	* 58.819	1.3302	.21318	5978.5	.000971						
60.	1.3205	.20925	5588.5	.000963	60.	1.3255	.21133	5789.8	.000969						
62.	1.3126	.20625	5296.2	.000959	62.	1.3176	.20835	5483.5	.000965						
64.	1.3047	.20340	5018.7	.000954	64.	1.3099	.20554	5193.7	.000961						
66.	1.2969	.20069	4756.2	.000950	66.	1.3022	.20287	4920.3	.000957						
68.	1.2892	.19910	4508.5	.000946	68.	1.2946	.20031	4662.7	.000954						
70.	1.2815	.19559	4275.3	.000942	70.	1.2871	.19786	4420.7	.000951						
72.	1.2738	.19317	4056.1	.000938	72.	1.2795	.19548	4193.5	.000947						
74.	1.2662	.19080	3850.4	.000934	74.	1.2720	.19316	3980.5	.000944						
76.	1.2585	.18849	3657.5	.000931	76.	1.2645	.19090	3780.9	.000941						
78.	1.2509	.18622	3476.8	.000927	78.	1.2570	.18869	3594.0	.000938						
80.	1.2432	.18399	3307.5	.000923	80.	1.2496	.18651	3419.2	.000934						
82.	1.2356	.18178	3148.9	.000919	82.	1.2421	.18436	3255.5	.000931						
84.	1.2279	.17959	3000.5	.000915	84.	1.2346	.18223	3102.3	.000927						
86.	1.2203	.17742	2861.5	.000911	86.	1.2272	.18012	2958.9	.000924						
88.	1.2126	.17527	2731.2	.000907	88.	1.2197	.17802	2824.6	.000920						
90.	1.2049	.17312	2609.2	.000903	90.	1.2123	.17593	2698.8	.000916						
92.	1.1973	.17097	2494.7	.000898	92.	1.2048	.17384	2580.9	.000912						
94.	1.1896	.16883	2387.4	.000894	94.	1.1973	.17177	2470.4	.000908						
96.	1.1819	.16670	2286.5	.000889	96.	1.1898	.16969	2366.6	.000904						
98.	1.1742	.16456	2192.0	.000884	98.	1.1824	.16762	2269.2	.000900						
100.	1.1665	.16243	2103.0	.000879	100.	1.1749	.16554	2177.6	.000895						
102.	1.1587	.16030	2019.3	.000874	102.	1.1674	.16347	2091.6	.000891						
104.	1.1510	.15817	1940.6	.000869	104.	1.1599	.16140	2010.5	.000886						
106.	1.1432	.15603	1866.3	.000863	106.	1.1523	.15933	1934.2	.000881						
108.	1.1354	.15390	1796.3	.000857	108.	1.1448	.15726	1862.3	.000876						
110.	1.1276	.15177	1730.3	.000852	110.	1.1373	.15519	1794.4	.000870						
112.	1.1198	.14964	1667.9	.000846	112.	1.1297	.15312	1730.4	.000865						
114.	1.1119	.14752	1608.9	.000840	114.	1.1222	.15106	1669.8	.000859						
116.	1.1041	.14540	1553.1	.000833	116.	1.1146	.14900	1612.6	.000854						
118.	1.0962	.14328	1500.3	.000827	118.	1.1070	.14694	1558.4	.000848						
120.	1.0882	.14117	1450.2	.000820	120.	1.0994	.14489	1507.0	.000842						
122.	1.0803	.13906	1402.7	.000814	122.	1.0918	.14284	1458.3	.000836						
124.	1.0723	.13696	1357.6	.000807	124.	1.0842	.14081	1412.1	.000830						
126.	1.0643	.13487	1314.7	.000800	126.	1.0765	.13878	1368.2	.000824						
128.	1.0563	.13279	1273.9	.000793	128.	1.0688	.13676	1326.5	.000818						
130.	1.0483	.13073	1235.2	.000786	130.	1.0612	.13475	1286.8	.000811						
132.	1.0402	.12867	1198.2	.000779	132.	1.0535	.13276	1249.1	.000805						
134.	1.0321	.12663	1163.0	.000772	134.	1.0457	.13078	1213.1	.000798						
136.	1.0239	.12460	1129.4	.000765	136.	1.0380	.12881	1178.8	.000792						
138.	1.0157	.12260	1097.3	.000758	138.	1.0302	.12686	1146.0	.000785						
140.	1.0075	.12060	1066.7	.000751	140.	1.0224	.12493	1114.8	.000779						
142.	.9993	.11863	1037.4	.000744	142.	1.0146	.12302	1084.9	.000772						
144.	.9910	.11668	1009.4	.000736	144.	1.0068	.12113	1054.4	.000765						
146.	.9827	.11476	982.5	.000729	146.	.9930	.11926	1029.1	.000760						
148.	.9743	.11286	956.9	.000722	148.	.9911	.11741	1002.9	.000753						
150.	.9659	.11099	932.2	.000715	150.	.9832	.11559	977.9	.000747						
152.	.9575	.10915	908.6	.000709	152.	.9753	.11381	953.9	.000741						
154.	.9491	.10736	885.9	.000702	154.	.9674	.11205	930.9	.000735						
156.	.9406	.10555	864.2	.000696	156.	.9595	.11030	908.8	.000729						
158.	.9321	.10375	843.3	.000689	158.	.9515	.10856	887.6	.000723						
160.	.9235	.10199	823.2	.000682	160.	.9436	.10684	867.2	.000717						
165.	.9020	.09771	776.3	.000647	165.	.9336	.10269	819.8	.000702						
170.	.8804	.09364	733.8	.000653	170.	.9035	.09873	776.7	.000689						
175.	.8587	.08978	695.0	.000640	175.	.8835	.09456	737.5	.000677						
180.	.8369	.08613	659.8	.000628	180.	.8634	.09138	701.8	.000666						
185.	.8152	.08271	627.6	.000618	185.	.8433	.08802	659.3	.000657						
190.	.7935	.07952	598.2	.000611	190.	.8234	.08486	639.6	.000649						
195.	.7719	.07656	571.5	.000605	195.	.8036	.08190	612.5	.000643						
200.	.7505	.07382	547.1	.000601	200.	.7840	.07915	587.7	.000638						
210.	.7087	.06999	504.6	.000599	210.	.7455	.07424	544.2	.000635						
220.	.6687	.06496	469.5	.000607	220.	.7084	.07007	508.0	.000637						
230.	.6308	.06162	440.7	.000622	230.	.6730	.06654	477.8	.000647						
240.	.5956	.05884	417.2	.000644	240.	.6396	.06358	452.7	.000663						
250.	.5632	.05653	398.2	.000672	250.	.6084	.06107	432.0	.000683						
260.	.5335	.05459	382.9	.000704	260.	.5794	.05895	414.9	.000708						
270.	.5064	.05296	370.7	.000740	270.	.5526	.05714	400.9	.000735						
280.	.4821	.05159	361.0	.000778	280.	.5280	.05558	389.4	.000767						
290.	.4599	.05044	353.4	.000817	290.	.5053	.05424	380.1	.000799						
300.	.4397	.04548	347.4	.000858	300.	.4845	.05309	372.6	.000833						
310.	.4213	.04876	342.9	.000901	310.	.4653	.05218	366.6	.000868						
320.	.4046	.04846	339.4	.000951	320.	.4477	.05167	361.8	.000909						

* Two Phase Boundary

Table 5. Transport Properties of Oxygen, Isobars, SI Units.

45.0 MPa Isobar					50.0 MPa Isobar				
Temp.	Density	Thermal Cond.	Viscosity	Thermal Diffusivity	Temp.	Density	Thermal Cond.	Viscosity	Thermal Diffusivity
K	g/cm ³	W/m.K	g/cm.s	cm ² /s	K	g/cm ³	W/m.K	g/cm.s	cm ² /s
* 59.358	1.3329	.21437	6100.4	.000975	* 59.894	1.3355	.21556	6218.1	.000978
60.	1.3303	.21338	5993.5	.000974	60.	1.3351	.21540	6199.6	.000978
62.	1.3226	.21043	5672.7	.000971	62.	1.3274	.21246	5863.7	.000976
64.	1.3149	.20764	5370.2	.000967	64.	1.3199	.20970	5548.0	.000973
66.	1.3074	.20500	5085.4	.000964	66.	1.3124	.20709	5251.6	.000971
68.	1.2999	.20249	4817.7	.000962	68.	1.3050	.20461	4973.5	.000969
70.	1.2924	.20007	4566.6	.000959	70.	1.2977	.20223	4713.0	.000967
72.	1.2850	.19773	4331.1	.000956	72.	1.2904	.19994	4469.2	.000964
74.	1.2777	.19547	4110.6	.000953	74.	1.2832	.19772	4241.0	.000962
76.	1.2703	.19326	3904.3	.000951	76.	1.2759	.19556	4027.7	.000960
78.	1.2630	.19109	3711.2	.000948	78.	1.2688	.19344	3828.3	.000957
80.	1.2557	.18896	3530.6	.000945	80.	1.2616	.19136	3641.8	.000955
82.	1.2484	.18587	3361.7	.000942	82.	1.2544	.18931	3467.6	.000952
84.	1.2411	.18479	3203.7	.000939	84.	1.2473	.18729	3304.6	.000950
86.	1.2338	.18273	3055.8	.000935	86.	1.2402	.18528	3152.3	.000947
88.	1.2265	.18069	2917.4	.000933	88.	1.2331	.18329	3009.7	.000944
90.	1.2192	.17866	2787.8	.000929	90.	1.2260	.18131	2876.2	.000941
92.	1.2120	.17663	2666.4	.000926	92.	1.2189	.17934	2751.2	.000938
94.	1.2047	.17461	2552.5	.000922	94.	1.2118	.17737	2634.0	.000935
96.	1.1974	.17259	2445.7	.000918	96.	1.2047	.17540	2524.1	.000932
98.	1.1901	.17057	2345.5	.000914	98.	1.1976	.17344	2421.0	.000928
100.	1.1829	.16855	2251.3	.000910	100.	1.1905	.17147	2324.1	.000925
102.	1.1756	.16654	2162.8	.000906	102.	1.1834	.16951	2233.1	.000921
104.	1.1683	.16452	2079.5	.000902	104.	1.1763	.16755	2147.5	.000917
106.	1.1610	.16251	2001.0	.000897	106.	1.1693	.16558	2066.9	.000913
108.	1.1537	.16049	1927.1	.000893	108.	1.1622	.16362	1990.9	.000909
110.	1.1464	.15848	1857.4	.000888	110.	1.1551	.16166	1919.3	.000905
112.	1.1391	.15647	1791.6	.000883	112.	1.1480	.15970	1851.7	.000900
114.	1.1318	.15446	1729.4	.000878	114.	1.1409	.15774	1787.9	.000896
116.	1.1245	.15245	1670.6	.000873	116.	1.1339	.15578	1727.6	.000891
118.	1.1172	.15045	1615.0	.000868	118.	1.1268	.15383	1670.5	.000886
120.	1.1099	.14845	1562.3	.000862	120.	1.1197	.15188	1616.4	.000881
122.	1.1025	.14646	1512.4	.000857	122.	1.1126	.14994	1565.2	.000876
124.	1.0952	.14448	1465.1	.000851	124.	1.1055	.14800	1516.7	.000871
126.	1.0878	.14250	1420.1	.000846	126.	1.0984	.14607	1470.6	.000866
128.	1.0805	.14054	1377.4	.000840	128.	1.0913	.14415	1426.8	.000861
130.	1.0731	.13858	1336.7	.000834	130.	1.0842	.14225	1385.2	.000855
132.	1.0657	.13664	1298.1	.000828	132.	1.0771	.14035	1345.6	.000850
134.	1.0583	.13471	1261.3	.000822	134.	1.0700	.13846	1307.9	.000845
136.	1.0509	.13280	1226.2	.000816	136.	1.0629	.13659	1272.0	.000839
138.	1.0435	.13090	1192.7	.000811	138.	1.0558	.13474	1237.8	.000834
140.	1.0361	.12902	1160.8	.000805	140.	1.0487	.13290	1205.1	.000828
142.	1.0287	.12715	1130.3	.000799	142.	1.0416	.13108	1173.9	.000823
144.	1.0212	.12531	1101.2	.000793	144.	1.0345	.12927	1144.1	.000817
146.	1.0138	.12349	1073.3	.000787	146.	1.0274	.12749	1115.7	.000812
148.	1.0063	.12169	1046.6	.000781	148.	1.0202	.12573	1088.4	.000806
150.	.9988	.11991	1021.1	.000775	150.	1.0131	.12399	1062.4	.000801
152.	.9914	.11816	996.7	.000769	152.	1.0060	.12227	1037.4	.000795
154.	.9839	.11644	973.2	.000764	154.	.9988	.12059	1013.5	.000790
156.	.9764	.11473	950.7	.000758	156.	.9917	.11891	990.6	.000785
158.	.9689	.11303	929.2	.000753	158.	.9846	.11725	968.6	.000780
160.	.9614	.11137	908.5	.000747	160.	.9774	.11562	947.5	.000775
165.	.9426	.10731	860.2	.000734	165.	.9596	.11164	898.3	.000763
170.	.9238	.10343	816.4	.000722	170.	.9418	.10784	853.7	.000751
175.	.9050	.09974	776.7	.000710	175.	.9241	.10420	813.2	.000740
180.	.8862	.09622	740.4	.000700	180.	.9064	.10074	776.4	.000731
185.	.8675	.09290	707.4	.000691	185.	.8888	.09746	742.8	.000722
190.	.8489	.08977	677.2	.000684	190.	.8713	.09435	712.0	.000714
195.	.8305	.08683	649.6	.000677	195.	.8539	.09142	683.9	.000708
200.	.8122	.08408	624.4	.000672	200.	.8367	.08867	658.1	.000703
210.	.7774	.07912	590.0	.000667	210.	.8030	.08367	612.8	.000696
220.	.7416	.07484	542.7	.000667	220.	.7702	.07932	574.6	.000695
230.	.7083	.07117	511.4	.000673	230.	.7387	.07554	542.2	.000698
240.	.6766	.06805	485.1	.000684	240.	.7085	.07228	514.8	.000706
250.	.6457	.06537	463.0	.000699	250.	.6798	.06946	491.6	.000718
260.	.6186	.06308	444.5	.000719	260.	.6526	.06702	472.0	.000733
270.	.5923	.06110	429.1	.000741	270.	.6271	.06489	455.4	.000751
280.	.5679	.05939	416.2	.000766	280.	.6031	.06303	441.4	.000771
290.	.5453	.05789	405.6	.000793	290.	.5806	.06139	429.6	.000793
300.	.5242	.05658	396.7	.000820	300.	.5596	.05994	419.7	.000816
310.	.5047	.05551	390.4	.000850	310.	.5400	.05871	411.4	.000841
320.	.4866	.05480	383.5	.000885	320.	.5217	.05783	404.4	.000870

* Two Phase Boundary

Table 5. Transport Properties of Oxygen, Isobars, SI Units.

55.0 MPa Isobar						60.0 MPa Isobar					
Temp.	Density	Thermal Cond.	Viscosity	Thermal Diffusivity		Temp.	Density	Thermal Cond.	Viscosity	Thermal Diffusivity	
K	g/cm**3	W/m.K	g/cm.s	cm**2/s		K	g/cm**3	W/m.K	g/cm.s	cm**2/s	
* 60.425	1.3381	.21675	6331.5	.000981		* 60.954	1.3407	.21793	6440.8	.000984	
62.	1.3321	.21446	6056.7	.000980		62.	1.3367	.21643	6251.5	.000984	
64.	1.3246	.21173	5727.3	.000979		64.	1.3293	.21372	5908.1	.000984	
66.	1.3173	.20915	5418.8	.000977		66.	1.3220	.21116	5587.2	.000983	
68.	1.3100	.20670	5130.1	.000975		68.	1.3148	.20875	5287.5	.000982	
70.	1.3028	.20436	4860.0	.000974		70.	1.3077	.20644	5007.6	.000981	
72.	1.2956	.20210	4607.5	.000972		72.	1.3006	.20422	4746.3	.000979	
74.	1.2885	.19992	4371.6	.000970		74.	1.2936	.20208	4502.4	.000978	
76.	1.2814	.19780	4151.2	.000968		76.	1.2867	.20000	4274.7	.000977	
78.	1.2743	.19573	3945.3	.000967		78.	1.2797	.19798	4062.2	.000975	
80.	1.2673	.19370	3752.9	.000965		80.	1.2728	.19599	3863.9	.000974	
82.	1.2603	.19170	3573.2	.000963		82.	1.2660	.19404	3678.7	.000972	
84.	1.2533	.18973	3405.3	.000960		84.	1.2591	.19211	3505.7	.000970	
86.	1.2463	.18777	3248.3	.000958		86.	1.2523	.19020	3344.0	.000968	
88.	1.2394	.18583	3101.5	.000956		88.	1.2455	.18830	3192.9	.000966	
90.	1.2324	.18390	2964.1	.000953		90.	1.2387	.18642	3051.5	.000964	
92.	1.2255	.18197	2835.4	.000950		92.	1.2319	.18454	2919.1	.000962	
94.	1.2185	.18005	2714.9	.000948		94.	1.2251	.18267	2795.2	.000960	
96.	1.2116	.17814	2601.8	.000945		96.	1.2183	.18080	2679.0	.000957	
98.	1.2047	.17622	2495.8	.000942		98.	1.2116	.17894	2570.0	.000954	
100.	1.1978	.17431	2396.2	.000938		100.	1.2048	.17707	2467.6	.000951	
102.	1.1909	.17240	2302.7	.000935		102.	1.1981	.17520	2371.5	.000949	
104.	1.1840	.17048	2214.7	.000932		104.	1.1914	.17333	2281.1	.000945	
106.	1.1771	.16857	2131.8	.000928		106.	1.1847	.17146	2196.0	.000942	
108.	1.1702	.16665	2053.8	.000924		108.	1.1779	.16959	2115.9	.000939	
110.	1.1634	.16474	1980.3	.000920		110.	1.1712	.16772	2040.4	.000935	
112.	1.1565	.16282	1910.9	.000916		112.	1.1645	.16585	1969.2	.000931	
114.	1.1496	.16091	1845.4	.000912		114.	1.1579	.16398	1901.9	.000928	
116.	1.1427	.15900	1783.4	.000908		116.	1.1512	.16211	1838.4	.000924	
118.	1.1359	.15709	1724.9	.000903		118.	1.1445	.16024	1778.3	.000920	
120.	1.1290	.15518	1669.4	.000899		120.	1.1378	.15838	1721.4	.000916	
122.	1.1221	.15328	1616.9	.000894		122.	1.1312	.15652	1667.6	.000911	
124.	1.1153	.15139	1567.1	.000890		124.	1.1245	.15467	1616.5	.000907	
126.	1.1084	.14951	1519.8	.000885		126.	1.1178	.15282	1568.1	.000903	
128.	1.1016	.14763	1475.0	.000880		128.	1.1112	.15098	1522.1	.000898	
130.	1.0947	.14576	1432.3	.000875		130.	1.1046	.14915	1478.4	.000894	
132.	1.0878	.14391	1391.8	.000870		132.	1.0979	.14733	1436.8	.000889	
134.	1.0810	.14206	1353.2	.000865		134.	1.0913	.14552	1397.3	.000884	
136.	1.0741	.14023	1316.4	.000860		136.	1.0847	.14372	1359.6	.000880	
138.	1.0673	.13841	1281.4	.000855		138.	1.0781	.14194	1323.8	.000875	
140.	1.0604	.13661	1247.9	.000850		140.	1.0714	.14017	1289.6	.000870	
142.	1.0536	.13482	1216.1	.000845		142.	1.0648	.13842	1256.9	.000866	
144.	1.0468	.13306	1185.6	.000840		144.	1.0582	.13668	1225.7	.000861	
146.	1.0399	.13111	1154.5	.000835		146.	1.0516	.13496	1196.0	.000856	
148.	1.0331	.12958	1128.6	.000830		148.	1.0451	.13326	1167.5	.000851	
150.	1.0263	.12787	1102.0	.000825		150.	1.0385	.13158	1140.3	.000847	
152.	1.0194	.12618	1076.5	.000820		152.	1.0319	.12992	1114.2	.000842	
154.	1.0126	.12453	1052.1	.000815		154.	1.0253	.12829	1089.2	.000837	
156.	1.0058	.12288	1028.7	.000810		156.	1.0188	.12666	1065.3	.000833	
158.	.9990	.12125	1005.2	.000805		158.	1.0122	.12506	1042.4	.000828	
160.	.9921	.11964	984.7	.000800		160.	1.0057	.12348	1020.4	.000824	
165.	.9751	.11574	934.5	.000789		165.	.9894	.11963	969.1	.000813	
170.	.9582	.11199	889.0	.000778		170.	.9732	.11593	922.7	.000802	
175.	.9413	.10840	847.8	.000768		175.	.9570	.11239	880.6	.000793	
180.	.9245	.10498	810.2	.000758		180.	.9409	.10901	842.2	.000784	
185.	.9078	.10173	775.9	.000750		185.	.9250	.10578	807.3	.000776	
190.	.8912	.99865	744.6	.000743		190.	.9091	.10272	775.3	.000769	
195.	.8747	.96747	715.9	.000736		195.	.8935	.09982	746.0	.000762	
200.	.8584	.92929	689.6	.000731		200.	.8779	.09707	719.2	.000757	
210.	.8266	.88797	643.3	.000724		210.	.8474	.09203	671.8	.000749	
220.	.7953	.08355	604.0	.000721		220.	.8177	.08756	631.6	.000745	
230.	.7653	.07968	570.7	.000722		230.	.7889	.08362	597.4	.000745	
240.	.7364	.07631	542.4	.000728		240.	.7613	.08015	568.2	.000749	
250.	.7088	.07336	518.2	.000736		250.	.7347	.07709	543.1	.000755	
260.	.6826	.07078	497.6	.000748		260.	.7093	.07439	521.7	.000764	
270.	.6578	.06852	480.1	.000763		270.	.6852	.07200	503.2	.000776	
280.	.6343	.06652	465.1	.000779		280.	.6623	.06987	487.4	.000790	
290.	.6122	.06475	452.3	.000798		290.	.6406	.06797	473.8	.000805	
300.	.5914	.06316	441.5	.000817		300.	.6201	.06627	462.2	.000821	
310.	.5718	.06180	432.2	.000838		310.	.6007	.06477	452.1	.000839	
320.	.5535	.06075	424.4	.000862		320.	.5824	.06356	443.6	.000859	

* Two Phase Boundary

Table 5. Transport Properties of Oxygen, Isobars, SI Units.

65.0 MPa Isobar							70.0 MPa Isobar						
Temp.	Density	Thermal Cond.	Viscosity	Thermal Diffusivity		Temp.	Density	Thermal Cond.	Viscosity	Thermal Diffusivity			
K	g/cm ³	W/m·K	g/cm·s	cm ² /s		K	g/cm ³	W/m·K	g/cm·s	cm ² /s			
* 61.478	1.3432	.21911	6545.9	.000988	*	62.000	1.3456	.22028	6647.1	.000991			
62.	1.3412	.21837	6448.3	.000988		62.	1.3456	.22028	6647.1	.000991			
64.	1.3339	.21547	6090.3	.000988		64.	1.3383	.21760	6274.1	.000992			
66.	1.3266	.21315	5756.7	.000988		66.	1.3312	.21509	5927.3	.000992			
68.	1.3195	.21076	5445.7	.000987		68.	1.3241	.21273	5604.8	.000993			
70.	1.3125	.20848	5155.8	.000987		70.	1.3172	.21049	5304.6	.000993			
72.	1.3055	.20630	4885.4	.000986		72.	1.3103	.20834	5025.0	.000993			
74.	1.2986	.20420	4633.4	.000986		74.	1.3035	.20527	4764.7	.000992			
76.	1.2918	.20216	4398.4	.000985		76.	1.2968	.20427	4522.2	.000992			
78.	1.2850	.20017	4179.2	.000984		78.	1.2901	.20233	4296.2	.000992			
80.	1.2782	.19823	3974.7	.000983		80.	1.2834	.20042	4085.5	.000991			
82.	1.2714	.19632	3783.9	.000981		82.	1.2768	.19856	3889.0	.000990			
84.	1.2647	.19444	3605.8	.000980		84.	1.2702	.19671	3705.6	.000989			
86.	1.2580	.19257	3439.4	.000978		86.	1.2636	.19489	3534.4	.000988			
88.	1.2513	.19072	3283.9	.000977		88.	1.2570	.19309	3374.5	.000987			
90.	1.2447	.18888	3138.4	.000975		90.	1.2505	.19129	3225.0	.000985			
92.	1.2380	.18705	3002.4	.000973		92.	1.2440	.18950	3085.2	.000984			
94.	1.2314	.18523	2874.9	.000971		94.	1.2375	.18772	2954.2	.000982			
96.	1.2248	.18340	2755.5	.000969		96.	1.2310	.18594	2831.5	.000980			
98.	1.2182	.18158	2643.5	.000966		98.	1.2245	.18416	2716.6	.000978			
100.	1.2116	.17976	2538.4	.000964		100.	1.2181	.18238	2608.6	.000976			
102.	1.2050	.17793	2439.7	.000961		102.	1.2117	.18060	2507.3	.000974			
104.	1.1984	.17611	2346.9	.000959		104.	1.2052	.17881	2412.0	.000971			
106.	1.1919	.17428	2259.5	.000956		106.	1.1988	.17703	2322.4	.000968			
108.	1.1853	.17245	2177.3	.000953		108.	1.1924	.17524	2238.0	.000966			
110.	1.1788	.17062	2099.8	.000949		110.	1.1860	.17345	2158.5	.000963			
112.	1.1723	.16879	2026.7	.000946		112.	1.1797	.17165	2083.6	.000960			
114.	1.1657	.16696	1957.7	.000943		114.	1.1733	.16986	2012.8	.000957			
116.	1.1592	.16513	1892.5	.000939		116.	1.1669	.16807	1946.0	.000953			
118.	1.1527	.16330	1830.9	.000935		118.	1.1606	.16628	1882.8	.000950			
120.	1.1462	.16148	1772.6	.000932		120.	1.1543	.16449	1823.0	.000947			
122.	1.1397	.15966	1717.4	.000928		122.	1.1479	.16270	1756.4	.000943			
124.	1.1333	.15784	1665.0	.000924		124.	1.1416	.16092	1712.7	.000939			
126.	1.1268	.15603	1615.4	.000920		126.	1.1353	.15914	1661.8	.000936			
128.	1.1204	.15422	1568.2	.000915		128.	1.1291	.15736	1613.5	.000932			
130.	1.1139	.15243	1523.5	.000911		130.	1.1228	.15560	1567.7	.000928			
132.	1.1075	.15064	1480.9	.000907		132.	1.1165	.15384	1524.1	.000924			
134.	1.1010	.14886	1440.4	.000903		134.	1.1103	.15209	1482.6	.000920			
136.	1.0946	.14710	1401.8	.000898		136.	1.1040	.15036	1443.1	.000916			
138.	1.0882	.14534	1365.1	.000894		138.	1.0978	.14863	1405.5	.000912			
140.	1.0818	.14360	1330.1	.000889		140.	1.0916	.14692	1369.7	.000907			
142.	1.0754	.14188	1296.7	.000885		142.	1.0854	.14522	1335.5	.000903			
144.	1.0690	.14017	1264.8	.000880		144.	1.0792	.14354	1302.9	.000899			
146.	1.0626	.13848	1234.3	.000876		146.	1.0730	.14187	1271.7	.000895			
148.	1.0563	.13680	1205.2	.000872		148.	1.0668	.14022	1241.9	.000891			
150.	1.0499	.13514	1177.3	.000867		150.	1.0607	.13858	1213.4	.000886			
152.	1.0436	.13351	1150.7	.000863		152.	1.0545	.13697	1186.1	.000882			
154.	1.0372	.13190	1125.2	.000858		154.	1.0484	.13537	1160.0	.000878			
156.	1.0309	.13030	1100.7	.000854		156.	1.0423	.13379	1135.0	.000874			
158.	1.0246	.12872	1077.2	.000850		158.	1.0362	.13223	1111.0	.000870			
160.	1.0183	.12716	1054.8	.000846		160.	1.0301	.13069	1088.0	.000866			
165.	1.0026	.12335	1002.4	.000835		165.	1.0149	.12693	1034.5	.000856			
170.	.9870	.11970	955.0	.000825		170.	.9999	.12332	986.1	.000847			
175.	.9715	.11619	912.0	.000816		175.	.9849	.11984	942.2	.000838			
180.	.9560	.11284	872.9	.000808		180.	.9700	.11651	902.2	.000830			
185.	.9407	.10964	837.2	.000800		185.	.9553	.11333	865.8	.000822			
190.	.9256	.10659	804.5	.000793		190.	.9407	.11030	832.4	.000815			
195.	.9105	.10370	774.6	.000786		195.	.9262	.10741	801.9	.000809			
200.	.8956	.10095	747.2	.000781		200.	.9119	.10467	773.9	.000804			
210.	.8664	.09590	698.8	.000773		210.	.8837	.09959	724.4	.000795			
220.	.8379	.09139	557.6	.000768		220.	.8563	.09505	682.3	.000790			
230.	.8103	.08738	622.5	.000767		230.	.8297	.09098	646.3	.000788			
240.	.7836	.08382	592.4	.000769		240.	.8040	.08734	615.4	.000788			
250.	.7580	.08066	566.6	.000773		250.	.7792	.08409	588.7	.000791			
260.	.7334	.07785	544.3	.000781		260.	.7554	.08118	565.7	.000797			
270.	.7100	.07534	525.1	.000790		270.	.7325	.07856	545.8	.000804			
280.	.6876	.07310	508.5	.000801		280.	.7107	.07620	528.6	.000813			
290.	.6664	.07108	494.2	.000813		290.	.6899	.07407	513.6	.000823			
300.	.6462	.06925	481.8	.000827		300.	.6701	.07213	500.5	.000834			
310.	.6270	.06763	471.1	.000842		310.	.6512	.07039	489.2	.000847			
320.	.6089	.06628	461.9	.000859		320.	.6332	.06890	479.4	.000861			

* Two Phase Boundary

Table 5. Transport Properties of Oxygen, Isobars, SI Units.

75.0 MPa Isobar								80.0 MPa Isobar							
Temp.	Density	Thermal Cond.	Viscosity	Thermal Diffusivity	Temp.	Density	Thermal Cond.	Viscosity	Thermal Diffusivity						
K	g/cm**3	W/m.K	g/cm.s	cm**2/s	K	g/cm**3	W/m.K	g/cm.s	cm**2/s						
* 62.518	1.3480	.22146	6744.5	.000994	* 63.032	1.3504	.22263	6838.0	.000997						
64.	1.3427	.21950	6459.4	.000995	64.	1.3469	.22137	6646.3	.000998						
66.	1.3356	.21701	6099.2	.000997	66.	1.3399	.21890	6272.2	.001000						
68.	1.3286	.21467	5764.8	.000998	68.	1.3330	.21659	5925.6	.001002						
70.	1.3217	.21246	5454.0	.000998	70.	1.3262	.21440	5604.1	.001004						
72.	1.3150	.21034	5165.1	.000999	72.	1.3195	.21231	5305.6	.001005						
74.	1.3083	.20831	4896.3	.000999	74.	1.3129	.21031	5028.2	.001005						
76.	1.3016	.20635	4646.1	.000999	76.	1.3063	.20838	4770.2	.001006						
78.	1.2950	.20444	4413.2	.000999	78.	1.2998	.20651	4530.3	.001006						
80.	1.2884	.20258	4196.2	.000999	80.	1.2934	.20468	4306.9	.001006						
82.	1.2819	.20075	3993.9	.000998	82.	1.2869	.20289	4098.8	.001006						
84.	1.2754	.19894	3805.3	.000998	84.	1.2806	.20113	3904.8	.001006						
86.	1.2690	.19716	3629.2	.000997	86.	1.2742	.19939	3723.8	.001006						
88.	1.2625	.19540	3464.9	.000996	88.	1.2679	.19767	3554.9	.001005						
90.	1.2561	.19365	3311.2	.000995	90.	1.2616	.19595	3397.1	.001004						
92.	1.2497	.19190	3167.6	.000994	92.	1.2553	.19425	3249.6	.001004						
94.	1.2434	.19016	3033.1	.000992	94.	1.2491	.19254	3111.6	.001002						
96.	1.2370	.18842	2907.2	.000991	96.	1.2428	.19084	2982.3	.001001						
98.	1.2307	.18668	2789.1	.000989	98.	1.2366	.18914	2861.2	.001000						
100.	1.2244	.18494	2678.3	.000987	100.	1.2304	.18744	2747.6	.000998						
102.	1.2181	.18320	2574.3	.000985	102.	1.2242	.18574	2640.9	.000997						
104.	1.2118	.18145	2476.6	.000983	104.	1.2181	.18403	2540.7	.000995						
106.	1.2055	.17970	2384.7	.000981	106.	1.2119	.18232	2446.4	.000993						
108.	1.1992	.17795	2298.2	.000978	108.	1.2058	.18061	2357.7	.000991						
110.	1.1930	.17620	2216.6	.000976	110.	1.1997	.17889	2274.2	.000988						
112.	1.1868	.17445	2139.8	.000973	112.	1.1936	.17717	2195.4	.000986						
114.	1.1805	.17269	2067.2	.000970	114.	1.1875	.17545	2121.0	.000983						
116.	1.1743	.17093	1998.7	.000967	116.	1.1814	.17372	2050.8	.000981						
118.	1.1681	.16917	1933.9	.000964	118.	1.1754	.17200	1984.5	.000978						
120.	1.1620	.16742	1872.7	.000961	120.	1.1693	.17027	1921.7	.000975						
122.	1.1558	.16566	1814.7	.000958	122.	1.1633	.16855	1862.3	.000972						
124.	1.1496	.16391	1759.7	.000954	124.	1.1573	.16683	1806.0	.000969						
126.	1.1435	.16216	1707.6	.000951	126.	1.1513	.16511	1752.7	.000965						
128.	1.1374	.16042	1658.1	.000947	128.	1.1453	.16339	1702.0	.000962						
130.	1.1313	.15868	1611.2	.000944	130.	1.1394	.16168	1653.9	.000959						
132.	1.1252	.15695	1566.5	.000940	132.	1.1334	.15998	1608.2	.000955						
134.	1.1191	.15523	1524.0	.000936	134.	1.1275	.15828	1564.8	.000952						
136.	1.1130	.15352	1493.6	.000932	136.	1.1216	.15660	1523.4	.000948						
138.	1.1069	.15182	1445.1	.000928	138.	1.1157	.15492	1484.0	.000944						
140.	1.1009	.15013	1408.4	.000924	140.	1.1098	.15326	1446.5	.000941						
142.	1.0949	.14846	1373.5	.000921	142.	1.1039	.15160	1410.7	.000937						
144.	1.0888	.14680	1340.1	.000917	144.	1.0980	.14996	1376.5	.000933						
146.	1.0828	.14515	1308.2	.000913	146.	1.0922	.14833	1343.9	.000930						
148.	1.0768	.14352	1277.7	.000909	148.	1.0863	.14672	1312.7	.000926						
150.	1.0709	.14190	1248.5	.000905	150.	1.0805	.14513	1282.9	.000922						
152.	1.0649	.14031	1220.7	.000901	152.	1.0747	.14355	1254.4	.000918						
154.	1.0590	.13973	1194.0	.000897	154.	1.0689	.14199	1227.1	.000915						
156.	1.0530	.13717	1168.4	.000893	156.	1.0632	.14044	1200.9	.000911						
158.	1.0471	.13543	1143.9	.000889	158.	1.0574	.13891	1175.9	.000907						
160.	1.0412	.13410	1120.4	.000885	160.	1.0517	.13740	1151.9	.000904						
165.	1.0265	.13038	1065.7	.000876	165.	1.0374	.13372	1096.0	.000895						
170.	1.0119	.12690	1016.2	.000867	170.	1.0233	.13016	1045.4	.000886						
175.	.9974	.12335	971.3	.000858	175.	1.0092	.12673	999.6	.000878						
180.	.9831	.12004	930.5	.000850	180.	.9953	.12344	957.9	.000870						
185.	.9688	.11688	893.3	.000843	185.	.9815	.12029	919.8	.000863						
190.	.9547	.11385	859.2	.000836	190.	.9678	.11728	885.1	.000856						
195.	.9407	.11097	828.0	.000830	195.	.9543	.11440	853.2	.000850						
200.	.9269	.10823	799.4	.000825	200.	.9409	.11166	824.0	.000845						
210.	.8997	.10314	748.8	.000816	210.	.9146	.10656	772.3	.000836						
220.	.8733	.09856	705.8	.000810	220.	.8890	.10194	728.3	.000830						
230.	.8475	.09444	668.9	.000807	230.	.8641	.09777	690.5	.000826						
240.	.8226	.09073	637.2	.000807	240.	.8399	.09400	658.0	.000825						
250.	.7986	.08740	609.8	.000809	250.	.8166	.09059	630.0	.000825						
260.	.7755	.08439	586.1	.000812	260.	.7940	.08750	605.6	.000828						
270.	.7532	.08167	565.5	.000818	270.	.7724	.08468	584.4	.000832						
280.	.7319	.07921	547.6	.000824	280.	.7515	.08211	565.9	.000837						
290.	.7115	.07696	532.0	.000833	290.	.7316	.07975	549.7	.000844						
300.	.6921	.07491	518.4	.000842	300.	.7124	.07759	535.5	.000851						
310.	.6735	.07305	506.5	.000852	310.	.6941	.07562	523.1	.000859						
320.	.6557	.07143	496.1	.000864	320.	.6766	.07388	512.2	.000869						

* Two Phase Boundary

Table 5. Transport Properties of Oxygen, Isobars, SI Units.

85.0 MPa Isobar					90.0 MPa Isobar				
Temp.	Density	Thermal Cond.	Viscosity	Thermal Diffusivity	Temp.	Density	Thermal Cond.	Viscosity	Thermal Diffusivity
K	g/cm**3	W/m.K	g/cm.s	cm**2/s	K	g/cm**3	W/m.K	g/cm.s	cm**2/s
* 63. ^{F44}	1.3527	.22390	6927.9	.001000	* 64.052	1.3550	.22497	7014.2	.001003
64.	1.3511	.22321	6834.9	.001001	65.	1.3483	.22260	6622.2	.001007
66.	1.3441	.22076	6446.5	.001004	68.	1.3415	.22032	6250.3	.001010
68.	1.3373	.21847	6087.5	.001006	70.	1.3348	.21818	5906.5	.001013
70.	1.3306	.21631	5755.0	.001008	72.	1.3283	.21615	5588.2	.001015
72.	1.3239	.21425	5446.6	.001010	74.	1.3218	.21422	5293.1	.001017
74.	1.3174	.21228	5150.4	.001011	76.	1.3154	.21235	5019.2	.001018
76.	1.3109	.21038	4894.6	.001012	78.	1.3091	.21055	4764.8	.001020
78.	1.3045	.20855	4647.5	.001013	80.	1.3028	.20879	4528.3	.001021
80.	1.2981	.20676	4417.6	.001014					
82.	1.2918	.20500	4203.5	.001014	82.	1.2966	.20707	4308.3	.001021
84.	1.2855	.20328	4044.1	.001014	84.	1.2904	.20538	4103.4	.001022
86.	1.2793	.20157	3818.2	.001014	86.	1.2842	.20372	3912.5	.001022
88.	1.2731	.19989	3644.8	.001014	88.	1.2781	.20207	3734.4	.001022
90.	1.2669	.19821	3482.8	.001013	90.	1.2720	.20043	3568.1	.001022
92.	1.2607	.19654	3331.3	.001013	92.	1.2660	.19880	3412.8	.001022
94.	1.2546	.19488	3189.7	.001012	94.	1.2599	.19717	3267.5	.001021
96.	1.2485	.19322	3057.1	.001011	96.	1.2539	.19555	3131.6	.001021
98.	1.2424	.19156	2932.9	.001010	98.	1.2479	.19392	3004.2	.001020
100.	1.2363	.18989	2816.4	.001009	100.	1.2420	.19229	2884.8	.001019
102.	1.2302	.18823	2707.0	.001007	102.	1.2360	.19066	2772.7	.001018
104.	1.2242	.18656	2604.3	.001006	104.	1.2301	.18903	2667.5	.001017
106.	1.2182	.18488	2507.7	.001004	106.	1.2242	.18739	2568.5	.001015
108.	1.2122	.18320	2416.8	.001002	108.	1.2183	.18574	2475.4	.001014
110.	1.2062	.18152	2331.2	.001000	110.	1.2124	.18409	2387.7	.001012
112.	1.2002	.17983	2250.5	.000998	112.	1.2066	.18243	2305.1	.001010
114.	1.1942	.17814	2174.3	.000996	114.	1.2007	.18078	2227.1	.001008
116.	1.1883	.17645	2102.4	.000993	116.	1.1949	.17911	2153.5	.001006
118.	1.1824	.17475	2034.5	.000991	118.	1.1891	.17745	2083.9	.001003
120.	1.1765	.17306	1970.2	.000988	120.	1.1833	.17578	2018.2	.001001
122.	1.1706	.17135	1909.4	.000985	122.	1.1775	.17411	1955.9	.000998
124.	1.1647	.16967	1851.8	.000982	124.	1.1718	.17245	1896.9	.000996
126.	1.1588	.16798	1797.1	.000979	126.	1.1660	.17078	1841.0	.000993
128.	1.1530	.16629	1745.3	.000976	128.	1.1603	.16912	1788.0	.000990
130.	1.1471	.16461	1696.1	.000973	130.	1.1546	.16746	1737.6	.000987
132.	1.1413	.16293	1649.3	.000970	132.	1.1489	.16580	1689.8	.000984
134.	1.1355	.16126	1604.8	.000967	134.	1.1433	.16416	1644.3	.000981
136.	1.1297	.15959	1542.5	.000963	136.	1.1376	.16251	1601.0	.000978
138.	1.1240	.15794	1522.2	.000960	138.	1.1320	.16088	1559.8	.000974
140.	1.1182	.15629	1483.8	.000956	140.	1.1263	.15926	1520.5	.000971
142.	1.1125	.15456	1447.2	.000953	142.	1.1207	.15764	1483.1	.000968
144.	1.1068	.15304	1412.2	.000949	144.	1.1152	.15604	1447.4	.000964
146.	1.1011	.15143	1378.9	.000946	146.	1.1096	.15445	1413.2	.000961
148.	1.0954	.14984	1347.0	.000942	148.	1.1040	.15287	1380.7	.000958
150.	1.0897	.14826	1316.5	.000939	150.	1.0985	.15131	1349.5	.000954
152.	1.0841	.14669	1287.4	.000935	152.	1.0930	.14976	1319.7	.000951
154.	1.0784	.14515	1259.5	.000931	154.	1.0875	.14822	1291.2	.000947
156.	1.0728	.14362	1232.7	.000928	156.	1.0820	.14671	1263.9	.000944
158.	1.0672	.14210	1207.1	.000924	158.	1.0766	.14520	1237.7	.000941
160.	1.0616	.14061	1182.6	.000921	160.	1.0711	.14372	1212.6	.000937
165.	1.0478	.13695	1125.5	.000912	165.	1.0576	.14009	1154.3	.000929
170.	1.0340	.13341	1073.8	.000904	170.	1.0442	.13658	1101.5	.000921
175.	1.0203	.13001	1027.0	.000896	175.	1.0309	.13319	1053.7	.000913
180.	1.0068	.12674	984.4	.000888	180.	1.0177	.12993	1010.2	.000906
185.	.9934	.12360	945.6	.000881	185.	1.0047	.12680	970.6	.000899
190.	.9802	.12059	910.1	.000875	190.	.9918	.12380	934.3	.000893
195.	.9670	.11772	877.5	.000869	195.	.9790	.12093	901.1	.000887
200.	.9540	.11497	847.7	.000864	200.	.9664	.11818	870.6	.000882
210.	.9285	.10985	794.9	.000855	210.	.9416	.11305	816.7	.000873
220.	.9036	.10521	749.9	.000848	220.	.9174	.10837	770.7	.000866
230.	.8794	.10099	711.3	.000844	230.	.8938	.10411	731.3	.000861
240.	.8560	.09716	678.0	.000842	240.	.8710	.10022	697.3	.000858
250.	.8332	.09368	649.2	.000841	250.	.8488	.09667	667.8	.000857
260.	.8113	.09050	624.2	.000843	260.	.8274	.09341	642.1	.000857
270.	.7901	.08759	602.4	.000845	270.	.8067	.09041	619.7	.000859
280.	.7698	.08492	583.3	.000849	280.	.7868	.08765	600.1	.000861
290.	.7502	.08246	566.6	.000854	290.	.7676	.08509	582.8	.000865
300.	.7314	.08020	551.9	.000860	300.	.7492	.08272	567.6	.000869
310.	.7134	.07812	539.0	.000866	310.	.7314	.08054	554.3	.000873
320.	.6961	.07625	527.6	.000874	320.	.7144	.07855	542.5	.000879

* Two Phase Boundary

Table 5. Transport Properties of Oxygen, Isobars, SI Units.

95.0 MPa Isobar								100.0 MPa Isobar							
Temp.	Density	Thermal Cond.	Viscosity	Thermal Diffusivity	Temp.	Density	Thermal Cond.	Viscosity	Thermal Diffusivity						
K	g/cm^3	$\text{W}/\text{m}\cdot\text{K}$	$\text{g}/\text{cm}\cdot\text{s}$	cm^2/s	K	g/cm^3	$\text{W}/\text{m}\cdot\text{K}$	$\text{g}/\text{cm}\cdot\text{s}$	cm^2/s						
* 64.558	1.3573	.22614	7097.1	.001006	* 65.060	1.3595	.22730	7176.6	.001009						
66.	1.3523	.22441	6799.1	.001009	66.	1.3563	.22619	6977.4	.001012						
68.	1.3456	.22215	6414.2	.001013	68.	1.3496	.22396	6579.1	.001016						
70.	1.3390	.22003	6058.9	.001017	70.	1.3430	.22186	6212.0	.001021						
72.	1.3325	.21803	5730.3	.001020	72.	1.3366	.21988	5873.0	.001024						
74.	1.3261	.21612	5426.1	.001022	74.	1.3303	.21800	5559.5	.001027						
76.	1.3198	.21429	5144.0	.001024	76.	1.3240	.21619	5269.2	.001029						
78.	1.3135	.21251	4882.3	.001026	78.	1.3179	.21445	4990.9	.001032						
80.	1.3073	.21079	4639.1	.001027	80.	1.3118	.21276	4750.0	.001033						
82.	1.3012	.20911	4413.0	.001028	82.	1.3057	.21111	4517.7	.001035						
84.	1.2951	.20745	4202.6	.001029	84.	1.2997	.20948	4301.7	.001036						
86.	1.2890	.20582	4006.5	.001030	86.	1.2937	.20789	4100.5	.001037						
88.	1.2830	.20421	3823.8	.001030	88.	1.2878	.20631	3913.0	.001038						
90.	1.2770	.20260	3653.2	.001031	90.	1.2819	.20474	3738.2	.001039						
92.	1.2711	.20101	3493.9	.001031	92.	1.2760	.20318	3574.9	.001039						
94.	1.2651	.19942	3345.0	.001030	94.	1.2702	.20163	3422.2	.001039						
96.	1.2592	.19783	3205.7	.001030	96.	1.2644	.20007	3279.5	.001039						
98.	1.2533	.19624	3075.2	.001030	98.	1.2586	.19851	3145.8	.001039						
100.	1.2475	.19465	2952.8	.001029	100.	1.2528	.19695	3020.5	.001038						
102.	1.2416	.19305	2838.0	.001028	102.	1.2471	.19539	2903.0	.001038						
104.	1.2358	.19145	2730.2	.001027	104.	1.2414	.19382	2792.6	.001037						
106.	1.2300	.18984	2628.9	.001026	106.	1.2357	.19225	2688.9	.001036						
108.	1.2242	.18823	2533.6	.001024	108.	1.2300	.19066	2591.3	.001035						
110.	1.2185	.18661	2443.8	.001023	110.	1.2243	.18908	2499.5	.001034						
112.	1.2127	.18498	2359.2	.001021	112.	1.2187	.18748	2412.9	.001032						
114.	1.2070	.18336	2279.4	.001019	114.	1.2131	.18588	2331.3	.001031						
116.	1.2013	.18172	2204.1	.001017	116.	1.2074	.18428	2254.3	.001029						
118.	1.1956	.18009	2132.9	.001015	118.	1.2019	.18267	2181.5	.001027						
120.	1.1899	.17845	2065.6	.001013	120.	1.1963	.18106	2112.6	.001025						
122.	1.1843	.17681	2001.9	.001011	122.	1.1907	.17944	2047.5	.001023						
124.	1.1786	.17517	1941.6	.001008	124.	1.1852	.17783	1985.8	.001021						
126.	1.1730	.17352	1884.4	.001006	126.	1.1797	.17621	1927.3	.001018						
128.	1.1674	.17189	1830.2	.001003	128.	1.1742	.17459	1871.9	.001016						
130.	1.1618	.17025	1778.7	.001000	130.	1.1687	.17298	1819.2	.001013						
132.	1.1562	.16862	1729.8	.000957	132.	1.1633	.17137	1769.2	.001010						
134.	1.1507	.16699	1683.2	.000995	134.	1.1578	.16976	1721.7	.001008						
136.	1.1451	.16537	1639.0	.000992	136.	1.1524	.16816	1676.4	.001005						
138.	1.1396	.16375	1596.8	.000988	138.	1.1470	.16656	1633.4	.001002						
140.	1.1341	.16215	1556.7	.000985	140.	1.1416	.16497	1592.4	.000999						
142.	1.1287	.16055	1518.4	.000982	142.	1.1363	.16339	1553.2	.000996						
144.	1.1232	.15896	1481.9	.000979	144.	1.1309	.16182	1515.9	.000993						
146.	1.1178	.15739	1447.0	.000976	146.	1.1256	.16026	1480.3	.000990						
148.	1.1123	.15583	1413.7	.000973	148.	1.1203	.15872	1446.3	.000987						
150.	1.1069	.15428	1381.9	.000969	150.	1.1150	.15718	1413.8	.000984						
152.	1.1015	.15274	1351.5	.000966	152.	1.1097	.15566	1382.7	.000981						
154.	1.0962	.15122	1322.3	.000963	154.	1.1045	.15415	1352.9	.000978						
156.	1.0908	.14972	1294.4	.000960	156.	1.0992	.15266	1324.4	.000975						
158.	1.0855	.14823	1267.7	.000956	158.	1.0940	.15118	1297.1	.000971						
160.	1.0802	.14675	1242.1	.000953	160.	1.0888	.14971	1271.0	.000968						
165.	1.0670	.14315	1182.5	.000945	165.	1.0759	.14613	1210.1	.000961						
170.	1.0539	.13966	1128.6	.000937	170.	1.0631	.14265	1155.1	.000953						
175.	1.0409	.13628	1079.8	.000930	175.	1.0505	.13930	1105.3	.000946						
180.	1.0281	.13304	1035.4	.000923	180.	1.0379	.13606	1059.9	.000939						
185.	1.0154	.12991	994.9	.000916	185.	1.0255	.13294	1018.6	.000932						
190.	1.0028	.12692	957.9	.000910	190.	1.0132	.12995	980.8	.000926						
195.	.9903	.12404	924.0	.000904	195.	1.0011	.12708	946.2	.000921						
200.	.9780	.12129	892.9	.000899	200.	.9891	.12432	914.5	.000915						
210.	.9539	.11614	837.8	.000890	210.	.9655	.11916	858.3	.000906						
220.	.9303	.11144	790.9	.000883	220.	.9425	.11442	810.4	.000899						
230.	.9073	.10713	750.6	.000877	230.	.9201	.11008	769.3	.000893						
240.	.8851	.10319	715.8	.000874	240.	.8983	.10608	733.7	.000889						
250.	.8634	.09957	685.6	.000872	250.	.8772	.10240	702.9	.000886						
260.	.8425	.09624	659.3	.000871	260.	.8568	.09899	676.0	.000885						
270.	.8223	.09316	636.4	.000872	270.	.8370	.09583	652.4	.000884						
280.	.8028	.09030	616.2	.000873	280.	.8178	.09289	631.8	.000884						
290.	.7839	.08765	598.5	.000875	290.	.7993	.09014	613.5	.000885						
300.	.7658	.08518	582.8	.000876	300.	.7815	.08757	597.5	.000887						
310.	.7484	.08289	569.0	.000881	310.	.7643	.08517	583.2	.000888						
320.	.7316	.08079	556.8	.000885	320.	.7478	.08296	570.6	.000891						

* Two Phase Boundary

Table 6. Transport Properties of Oxygen for saturated Liquid and Vapor, Engr. Units

Temp. R	Pressure psia	Density lb/ft ³	Thermal Cond. ATU/ft.h.R			Viscosity lb/ft.s	Thermal Diffusivity ft ² /h			Temp. R	Pressure psia	Density lb/ft ³	Thermal Cond. ATU/ft.h.R			Viscosity lb/ft.s	Thermal Diffusivity ft ² /h	
			11769	326.06	.00363		190.	57.250	56.2125				.07445	91.28	.00267			
97.846	.021	81.5428	.11769	326.06	.00363		190.	57.250	56.2125	.07445	91.28	.00267						
97.846	.021	.0007	.00236	2.44	16.54835		190.	57.250	.9847	.00574	5.37	.02247						
100.	.031	81.2157	.11639	317.52	.00360		192.	52.172	65.8256	.07334	89.02	.00264						
100.	.031	.0009	.00248	2.52	12.33342		192.	52.172	1.0542	.00592	5.44	.02090						
102.	.043	80.9115	.11522	309.51	.00358		194.	57.349	65.4346	.07262	86.82	.00261						
102.	.043	.0013	.00258	2.60	9.46578		194.	57.349	1.1484	.00591	5.51	.01944						
104.	.059	80.6068	.11409	301.46	.00355		196.	72.942	65.0393	.07170	84.69	.00253						
104.	.059	.0017	.00268	2.67	7.32589		196.	72.942	1.2376	.00599	5.57	.01810						
106.	.079	80.3015	.11298	293.43	.00353		198.	78.812	64.6396	.07077	82.61	.00255						
106.	.079	.0022	.00277	2.74	5.71802		198.	78.812	1.3320	.00608	5.64	.01686						
108.	.105	79.9955	.11189	285.46	.00351		200.	85.021	64.2352	.06984	80.59	.00251						
108.	.105	.0029	.00286	2.81	4.50094		200.	85.021	1.4318	.00616	5.71	.01573						
110.	.139	79.6888	.11083	277.58	.00349		202.	91.580	63.8259	.06891	78.63	.00248						
110.	.139	.0038	.00294	2.88	3.57259		202.	91.580	1.5374	.00625	5.78	.01468						
112.	.181	79.3812	.10980	269.81	.00347		204.	98.501	63.4115	.06797	76.71	.00245						
112.	.181	.0048	.00302	2.94	2.85897		204.	98.501	1.6489	.00634	5.85	.01370						
114.	.234	79.0728	.10878	262.17	.00345		206.	105.794	62.9916	.06703	74.84	.00241						
114.	.234	.0061	.00310	3.01	2.30614		206.	105.794	1.7666	.00643	5.92	.01280						
116.	.300	78.7635	.10778	254.68	.00343		208.	113.471	62.5660	.06609	73.02	.00238						
116.	.300	.0077	.00317	3.07	1.87458		208.	113.471	1.8908	.00652	5.99	.01197						
118.	.380	78.4532	.10680	247.16	.00341		210.	121.545	62.1344	.06514	71.25	.00234						
118.	.380	.0096	.00324	3.14	1.53514		210.	121.545	2.0218	.00662	6.07	.01119						
120.	.478	78.1419	.10583	240.22	.00340		212.	130.025	61.6964	.06419	69.51	.00231						
120.	.478	.0119	.00331	3.20	1.26617		212.	130.025	2.1600	.00672	6.14	.01047						
122.	.597	77.8295	.10487	233.25	.00338		214.	138.926	61.2518	.06323	67.82	.00227						
122.	.597	.0146	.00338	3.27	1.05152		214.	138.926	2.3056	.00682	6.22	.00979						
124.	.738	77.5160	.10393	226.48	.00336		216.	148.257	60.8001	.06227	66.16	.00223						
124.	.738	.0178	.00344	3.33	.87901		216.	148.257	2.4592	.00692	6.30	.00916						
126.	.907	77.2014	.10299	219.89	.00334		218.	158.031	60.3409	.06130	64.54	.00219						
126.	.907	.0216	.00351	3.39	.73945		218.	158.031	2.6210	.00702	6.37	.00858						
128.	1.106	76.8855	.10207	213.49	.00333		220.	168.260	59.8738	.06033	62.96	.00215						
128.	1.106	.0259	.00357	3.45	.62579		220.	168.260	2.7915	.00713	6.45	.00802						
130.	1.340	76.5685	.10115	207.29	.00331		222.	178.957	59.3984	.05936	61.41	.00211						
130.	1.340	.0309	.00364	3.51	.53265		222.	178.957	2.9712	.00724	6.54	.00751						
132.	1.613	76.2501	.10024	201.27	.00329		224.	190.133	58.9141	.05837	59.89	.00207						
132.	1.613	.0367	.00370	3.58	.45587		224.	190.133	3.1606	.00736	6.62	.00703						
134.	1.930	75.9305	.09934	195.45	.00328		226.	201.801	58.4203	.05739	58.40	.00202						
134.	1.930	.0433	.00377	3.64	.39220		226.	201.801	3.3602	.00748	6.70	.00657						
136.	2.296	75.6094	.09844	189.81	.00326		228.	213.974	57.9165	.05640	56.93	.00198						
136.	2.296	.0508	.00383	3.70	.33910		228.	213.974	3.5708	.00760	6.79	.00614						
138.	2.717	75.2870	.09754	184.35	.00324		230.	226.664	57.4021	.05540	55.49	.00193						
138.	2.717	.0593	.00390	3.76	.29458		230.	226.664	3.7928	.00773	6.88	.00574						
140.	3.198	74.9631	.09666	179.07	.00322		232.	239.884	56.8763	.05440	54.08	.00189						
140.	3.198	.0689	.00396	3.82	.25707		232.	239.884	4.0271	.00787	6.98	.00536						
142.	3.745	74.6377	.09577	173.97	.00321		234.	253.648	56.3382	.05340	52.69	.00184						
142.	3.745	.0797	.00403	3.88	.22530		234.	253.648	4.2745	.00801	5.707	.00501						
144.	4.364	74.3108	.09489	169.04	.00319		236.	267.969	55.7871	.05239	51.32	.00179						
144.	4.364	.0917	.00409	3.94	.19826		236.	267.969	4.5359	.00816	5.717	.00467						
146.	5.063	73.9823	.09400	164.27	.00317		238.	282.860	55.2220	.05137	49.97	.00174						
146.	5.063	.1051	.00416	4.00	.17515		238.	282.860	4.8124	.00832	5.27	.00435						
148.	5.848	73.6521	.09312	159.66	.00315		240.	298.335	54.6417	.05035	48.64	.00169						
148.	5.848	.1200	.00422	4.06	.15530		240.	298.335	5.1050	.00849	5.38	.00405						

Table 6. Transport Properties of Oxygen for saturated Liquid and Vapor, Engr. Units

Temp. R	Pressure psia	Density lb/ft ³	Thermal Cond. BTU/ft.h.R			Viscosity lb/ft.s	Thermal Diffusivity ft ² /h	Temp. R	Pressure psia	Density lb/ft ³	Thermal Cond. BTU/ft.h.R			Viscosity lb/ft.s	Thermal Diffusivity ft ² /h
			0.9225	155.20	.00313						0.9225	155.20	.00313		
150.	6.727	73.3203	.09225	155.20	.00313	242.	314.410	54.0451	.04932	47.32	.00164	150.	6.727	.1364	.00429
152.	7.707	72.9867	.09137	150.90	.00311	244.	331.098	53.4307	.04830	46.02	.00159	152.	7.707	.1546	.00435
154.	8.795	72.6513	.09049	146.74	.00309	246.	348.414	52.7969	.04726	44.73	.00153	154.	8.795	.1745	.00442
156.	10.001	72.3140	.08961	142.72	.00307	248.	366.375	52.1419	.04623	43.45	.00148	156.	10.001	.1963	.00449
158.	11.332	71.9748	.08873	138.83	.00305	250.	384.997	51.4634	.04519	42.18	.00142	158.	11.332	.2202	.00456
160.	12.797	71.6336	.08786	135.07	.00303	252.	404.297	50.7590	.04416	40.92	.00136	160.	12.797	.2462	.00463
162.	14.404	71.2902	.08698	131.44	.00301	254.	424.292	50.0254	.04313	39.65	.00129	162.	14.404	.2744	.00470
164.	16.163	70.9448	.08610	127.93	.00299	256.	445.001	49.2589	.04210	38.39	.00123	164.	16.163	.3051	.00477
166.	18.083	70.5971	.08521	124.54	.00297	258.	466.444	48.4548	.04109	37.12	.00116	166.	18.083	.3382	.00484
168.	20.173	70.2471	.08433	121.25	.00295	260.	488.642	47.6069	.04009	35.85	.00109	168.	20.173	.3741	.00491
170.	22.443	69.8946	.08344	118.07	.00293	262.	511.619	46.7073	.03912	34.55	.00102	170.	22.443	.4127	.00498
172.	24.903	69.5396	.08256	115.00	.00290	264.	535.399	45.7454	.03818	33.24	.00094	172.	24.903	.4542	.00505
174.	27.562	69.1821	.08167	112.02	.00288	266.	560.010	44.7061	.03730	31.88	.00085	174.	27.562	.4988	.00513
176.	30.431	68.8217	.08077	109.14	.00285	268.	585.483	43.5671	.03651	30.48	.00076	176.	30.431	.5466	.00520
178.	33.519	68.4586	.07988	106.34	.00283	270.	611.855	42.2934	.03583	29.00	.00066	178.	33.519	.5978	.00528
180.	36.838	68.0925	.07898	103.64	.00280	272.	639.170	40.8236	.03533	27.39	.00055	180.	36.838	.6525	.00535
182.	40.397	67.7232	.07808	101.01	.00278	274.	667.486	39.0338	.03511	25.57	.00042	182.	40.397	.7109	.00543
184.	44.207	67.3508	.07718	98.47	.00275	276.	696.886	36.5919	.03533	23.29	.00025	184.	44.207	.7732	.00551
186.	48.279	66.9749	.07627	96.00	.00272	278.	727.543	31.3822	.05145	19.16	.00005	186.	48.279	.8394	.00558
188.	52.623	66.5956	.07536	93.60	.00270	278.	727.543	31.3822	.06158	14.65	.00003	188.	52.623	.9099	.00566
				5.31	.02423		731.426	27.2276							
							731.426	27.2276							

Table 7. Transport Properties of Cryorn, Isobars, Engg. Units.

5. osia Isobar								10. osia Isobar							
Temp. °	Density lb/ft ³	Thermal Cond. BTU/ft.h.R	Viscosity lb/ft.s	Thermal micro-Diffusivity ft ² /h	Temp. °	Density lb/ft ³	Thermal Cond. BTU/ft.h.R	Viscosity lb/ft.s	Thermal micro-Diffusivity ft ² /h						
* 97.553	81.5442	.11770	326.13	.00369	* 97.860	81.5456	.11770	326.20	.00363						
100.	81.2182	.11640	317.62	.00360	100.	81.2207	.11641	317.71	.00360						
105.	80.4568	.11354	297.53	.00354	105.	80.4594	.11355	297.62	.00354						
110.	79.4914	.11094	277.56	.00349	110.	79.4941	.11085	277.74	.00349						
115.	78.0209	.10825	258.48	.00344	115.	78.9238	.10830	258.56	.00344						
120.	78.1446	.10594	240.28	.00340	120.	78.1475	.10585	240.35	.00340						
125.	77.3615	.10347	223.21	.00335	125.	77.3646	.10348	223.28	.00335						
130.	76.5709	.10116	207.33	.00331	130.	76.5742	.10117	207.40	.00331						
135.	75.7721	.09949	192.54	.00327	135.	75.7756	.09891	192.70	.00327						
140.	74.3744	.09766	179.09	.00322	140.	74.9681	.09667	179.15	.00322						
145.	74.1470	.09445	166.43	.00318	145.	74.1509	.09446	166.49	.00318						
* 145.528	74.0106	.09408	164.67	.00317	150.	73.3230	.09225	155.23	.00313						
* 145.928	73.929	.09415	4.00	.17700	155.	72.4834	.09005	144.72	.00308						
150.	70.009	.00428	4.12	.18860	* 155.998	72.3143	.08961	142.72	.00308						
155.	.0075	.00443	4.27	.20294	* 155.998	.1963	.00449	4.31	.00927						
160.	.0243	.00458	4.41	.21778	160.	.1910	.00461	4.42	.00540						
165.	.0213	.00474	4.56	.23314	165.	.1848	.00477	4.57	.00527						
170.	.0094	.00489	4.71	.24901	170.	.1790	.00492	4.71	.01238						
175.	.0060	.00505	4.85	.26540	175.	.1736	.00508	4.86	.01297						
180.	.0035	.00521	5.00	.28231	180.	.1685	.00523	5.00	.01383						
185.	.0012	.00527	5.14	.29973	185.	.1637	.00539	5.15	.014717						
190.	.0790	.00552	5.28	.31767	190.	.1592	.00555	5.29	.015626						
195.	.0770	.00569	5.43	.33610	195.	.1549	.00571	5.44	.01559						
200.	.0750	.00585	5.57	.35503	200.	.1509	.00587	5.58	.017516						
205.	.0731	.00601	5.71	.37445	205.	.1471	.00603	5.72	.018496						
210.	.0714	.00617	5.86	.39434	210.	.1435	.00620	5.86	.019500						
215.	.0697	.00634	6.00	.41471	215.	.1401	.00636	6.01	.020527						
220.	.0681	.00650	6.14	.43554	220.	.1368	.00652	6.15	.021576						
225.	.0665	.00666	6.28	.45683	225.	.1337	.00668	6.29	.022648						
230.	.0651	.00682	6.42	.47856	230.	.1307	.00684	6.43	.023741						
235.	.0637	.00698	6.56	.50073	235.	.1279	.00699	6.57	.024857						
240.	.0623	.00713	6.70	.52334	240.	.1251	.00715	6.71	.025993						
245.	.0611	.00729	6.84	.54638	245.	.1225	.00731	6.84	.027151						
250.	.0598	.00745	6.97	.56984	250.	.1200	.00747	6.98	.028330						
255.	.0586	.00761	7.11	.59373	255.	.1176	.00762	7.12	.029530						
260.	.0575	.00776	7.25	.61806	260.	.1153	.00778	7.25	.030751						
265.	.0564	.00792	7.38	.64283	265.	.1131	.00793	7.39	.031995						
270.	.0554	.00807	7.52	.66807	270.	.1110	.00809	7.52	.033262						
275.	.0543	.00823	7.65	.69384	275.	.1089	.00825	7.66	.034556						
280.	.0534	.00838	7.79	.71975	280.	.1070	.00840	7.79	.035856						
285.	.0524	.00852	7.92	.74536	285.	.1051	.00854	7.93	.037140						
290.	.0515	.00867	8.05	.77151	290.	.1032	.00868	8.06	.038450						
295.	.0506	.00881	8.18	.79811	295.	.1015	.00883	8.19	.039784						
300.	.0498	.00896	8.31	.82512	300.	.0998	.00897	8.32	.041138						
310.	.0482	.00926	8.57	.88030	310.	.0965	.00926	8.58	.043903						
320.	.0467	.00953	8.83	.93694	320.	.0935	.00954	8.84	.046742						
330.	.0452	.00981	9.09	.99499	330.	.0906	.00982	9.09	.049650						
340.	.0439	.01009	9.34	1.05442	340.	.0879	.01010	9.34	.052627						
350.	.0426	.01036	9.59	1.11519	350.	.0854	.01038	9.59	.055672						
360.	.0415	.01064	9.83	1.17728	360.	.0830	.01065	9.84	.058782						
370.	.0403	.01091	10.08	1.24069	370.	.0807	.01092	10.08	.061958						
380.	.0393	.01117	10.32	1.30539	380.	.0786	.01118	10.32	.065198						
390.	.0383	.01144	10.55	1.37137	390.	.0766	.01145	10.56	.068502						
400.	.0373	.01170	10.79	1.43861	400.	.0747	.01171	10.79	.071869						
410.	.0364	.01195	11.02	1.50710	410.	.0728	.01197	11.03	.07298						
420.	.0355	.01222	11.25	1.57683	420.	.0711	.01223	11.26	.078790						
430.	.0347	.01247	11.48	1.64779	430.	.0694	.01248	11.49	.082342						
440.	.0339	.01273	11.71	1.71996	440.	.0678	.01274	11.71	.085955						
450.	.0331	.01298	11.93	1.79332	450.	.0663	.01299	11.94	.089628						
460.	.0324	.01323	12.15	1.86787	460.	.0649	.01324	12.16	.093360						
470.	.0317	.01348	12.37	1.94359	470.	.0635	.01349	12.38	.097150						
480.	.0311	.01373	12.59	2.02046	480.	.0622	.01374	12.60	.100998						
490.	.0304	.01397	12.81	2.09847	490.	.0609	.01399	12.81	.104903						
500.	.0298	.01422	13.02	2.17761	500.	.0597	.01423	13.02	.108864						
510.	.0292	.01446	13.23	2.25784	510.	.0585	.01448	13.24	.112880						
520.	.0287	.01471	13.44	2.33917	520.	.0574	.01472	13.45	.116950						
530.	.0281	.01495	13.65	2.42157	530.	.0563	.01496	13.65	.121074						
540.	.0276	.01519	13.86	2.50501	540.	.0552	.01520	13.86	.125250						

* Two Phase Boundary

Table 7. Transport Properties of Oxygen, Isobars, Engr. Units.

15. psia Isobar						20. psia Isobar					
Temp. R	Density lb/ft ³	Thermal Cond. BTU/ft.h.R	Viscosity micro- lb/ft.s	Thermal Diffusivity ft ² /h		Temp. R	Density lb/ft ³	Thermal Cond. BTU/ft.h.R	Viscosity micro- lb/ft.s	Thermal Diffusivity ft ² /h	
* 97.868	81.5470	.11771	326.27	.00363		* 97.875	81.5484	.11771	326.34	.00363	
100.	81.2232	.11642	317.81	.00360		100.	81.2257	.11643	317.91	.00360	
105.	80.4620	.11356	297.71	.00354		105.	80.4646	.11357	297.80	.00354	
110.	79.6968	.11086	277.82	.00349		110.	79.6995	.11087	277.90	.00349	
115.	78.9266	.10831	258.63	.00344		115.	78.9294	.10832	258.71	.00344	
120.	78.1505	.10586	240.42	.00340		120.	78.1534	.10587	240.49	.00340	
125.	77.3677	.10349	223.35	.00335		125.	77.3708	.10350	223.41	.00335	
130.	76.5774	.10118	207.46	.00331		130.	76.5807	.10119	207.52	.00331	
135.	75.7791	.09892	192.76	.00327		135.	75.7825	.09893	192.82	.00327	
140.	74.9718	.09668	179.21	.00323		140.	74.9754	.09670	179.26	.00323	
145.	74.1547	.09447	166.74	.00318		145.	74.1586	.09448	166.79	.00318	
150.	73.3271	.09227	155.29	.00313		150.	73.3312	.09228	155.34	.00313	
155.	72.4878	.09007	144.76	.00309		155.	72.4922	.09008	144.81	.00309	
160.	71.6356	.08786	135.09	.00303		160.	71.603	.08788	135.14	.00304	
* 162.698	71.1700	.08667	130.20	.00301		165.	70.7741	.08566	126.25	.00298	
* 162.698	.2848	.00472	4.51	.07073		* 167.840	70.2751	.08440	121.51	.00295	
165.	.2804	.00479	4.58	.07322		* 167.840	.3711	.00490	4.67	.05554	
170.	.2713	.00495	4.72	.07875		170.	.3657	.00497	4.73	.05738	
175.	.2628	.00510	4.87	.08442		175.	.3539	.00512	4.88	.06173	
180.	.2549	.00526	5.01	.09026		180.	.3430	.00528	5.02	.06618	
185.	.2475	.00542	5.16	.09624		185.	.3328	.00544	5.17	.07074	
190.	.2406	.00557	5.30	.10239		190.	.3232	.00559	5.31	.07541	
195.	.2340	.00573	5.44	.10868		195.	.3142	.00575	5.45	.08019	
200.	.2278	.00589	5.59	.11513		200.	.3057	.00591	5.59	.08509	
205.	.2220	.00605	5.73	.12174		205.	.2977	.00607	5.74	.09009	
210.	.2164	.00621	5.87	.12849		210.	.2901	.00623	5.88	.09520	
215.	.2112	.00637	6.01	.13539		215.	.2830	.00639	6.02	.10043	
220.	.2062	.00653	6.15	.14244		220.	.2762	.00655	6.16	.10575	
225.	.2014	.00669	6.29	.14964		225.	.2697	.00671	6.30	.11119	
230.	.1968	.00685	6.43	.15697		230.	.2636	.00687	6.44	.11673	
235.	.1925	.00701	6.57	.16445		235.	.2577	.00703	6.58	.12237	
240.	.1884	.00717	6.71	.17207		240.	.2521	.00718	6.72	.12812	
245.	.1844	.00733	6.85	.17983		245.	.2467	.00734	6.86	.13397	
250.	.1806	.00748	6.99	.18773		250.	.2416	.00750	6.99	.13993	
255.	.1770	.00764	7.12	.19577		255.	.2367	.00765	7.13	.14599	
260.	.1735	.00779	7.26	.20395		260.	.2320	.00781	7.27	.15215	
265.	.1701	.00795	7.40	.21228		265.	.2275	.00796	7.40	.15842	
270.	.1669	.00810	7.53	.22076		270.	.2231	.00812	7.54	.16481	
275.	.1638	.00826	7.66	.22942		275.	.2190	.00828	7.67	.17133	
280.	.1608	.00841	7.80	.23812		280.	.2149	.00843	7.80	.17788	
285.	.1580	.00856	7.93	.24670		285.	.2111	.00857	7.94	.18433	
290.	.1552	.00870	8.06	.25546		290.	.2073	.00871	8.07	.19092	
295.	.1525	.00884	8.19	.26437		295.	.2037	.00886	8.20	.19762	
300.	.1499	.00899	8.32	.27342		300.	.2003	.00900	8.33	.20442	
310.	.1450	.00927	8.58	.29190		310.	.1937	.00929	8.59	.21832	
320.	.1404	.00956	8.84	.31087		320.	.1875	.00957	8.85	.23258	
330.	.1361	.00984	9.09	.33030		330.	.1817	.00985	9.10	.24718	
340.	.1320	.01012	9.35	.35019		340.	.1763	.01013	9.35	.26213	
350.	.1282	.01039	9.59	.37052		350.	.1712	.01040	9.60	.27740	
360.	.1246	.01066	9.84	.39129		360.	.1664	.01067	9.84	.29301	
370.	.1212	.01093	10.08	.41250		370.	.1618	.01094	10.09	.30894	
380.	.1180	.01120	10.32	.43413		380.	.1575	.01121	10.33	.32520	
390.	.1150	.01146	10.56	.45619		390.	.1534	.01147	10.57	.34177	
400.	.1121	.01172	10.80	.47867		400.	.1495	.01173	10.80	.35865	
410.	.1093	.01198	11.03	.50157		410.	.1458	.01199	11.03	.37585	
420.	.1067	.01224	11.26	.52488		420.	.1423	.01225	11.26	.39335	
430.	.1042	.01250	11.49	.54859		430.	.1390	.01251	11.49	.41116	
440.	.1018	.01275	11.72	.57271		440.	.1358	.01276	11.72	.42927	
450.	.0995	.01300	11.94	.59722		450.	.1328	.01301	11.94	.44767	
460.	.0974	.01325	12.16	.62213		460.	.1299	.01326	12.16	.46638	
470.	.0953	.01350	12.38	.64743		470.	.1271	.01351	12.38	.48537	
480.	.0933	.01375	12.60	.67311		480.	.1244	.01376	12.60	.50465	
490.	.0914	.01400	12.81	.69917		490.	.1219	.01401	12.82	.52422	
500.	.0895	.01424	13.03	.72560		500.	.1194	.01425	13.03	.54406	
510.	.0878	.01449	13.24	.75240		510.	.1171	.01450	13.24	.56418	
520.	.0861	.01473	13.45	.77956		520.	.1148	.01474	13.45	.58457	
530.	.0845	.01497	13.66	.80708		530.	.1126	.01498	13.66	.60523	
540.	.0829	.01522	13.86	.83494		540.	.1105	.01523	13.86	.62614	

* Two Phase Boundary

Table 7. Transport Properties of Oxygen, Isobars, Engr. Units.

25. psia Isobar								30. psia Isobar							
Temp.	Density	Thermal Cond.	Viscosity micro- lb/ft.s	Thermal Diffusivity ft ² /h		Temp.	Density	Thermal Cond.	Viscosity micro- lb/ft.s	Thermal Diffusivity ft ² /h					
F	lb/ft ³	BTU/ft.h.R	lb/ft.s	ft ² /h	R	lb/ft ³	BTU/ft.h.R	lb/ft.s	ft ² /h						
* 97.882	81.5498	.11772	326.42	.00363	* 97.882	81.5512	.11772	326.49	.00363						
100.	81.2282	.11644	318.00	.00360	100.	81.2307	.11645	318.10	.00360						
105.	80.4672	.11358	297.89	.00354	105.	80.4698	.11358	297.97	.00354						
110.	79.7022	.11088	277.99	.00349	110.	79.7049	.11089	278.07	.00349						
115.	78.9322	.10833	258.78	.00344	115.	78.9350	.10834	258.86	.00344						
120.	78.1564	.10588	240.57	.00340	120.	78.1593	.10589	240.64	.00340						
125.	77.3739	.10351	222.49	.00335	125.	77.3770	.10352	223.55	.00336						
130.	76.5840	.10120	207.58	.00331	130.	76.5873	.10121	207.65	.00331						
135.	75.7860	.09904	192.88	.00327	135.	75.7894	.09895	192.93	.00327						
140.	74.9791	.09671	179.32	.00323	140.	74.9828	.09672	179.37	.00323						
145.	74.1625	.09450	166.85	.00318	145.	74.1664	.09451	166.90	.00318						
150.	73.3354	.09230	155.39	.00314	150.	73.3395	.09231	155.44	.00314						
155.	72.4966	.09010	144.84	.00309	155.	72.5010	.09011	144.91	.00309						
160.	71.6450	.08789	135.19	.00304	160.	71.6496	.08791	135.23	.00304						
165.	70.7791	.08568	126.29	.00298	165.	70.7841	.08569	126.34	.00298						
170.	69.8973	.08345	118.10	.00293	170.	69.9027	.08347	118.14	.00293						
* 172.076	69.5261	.08252	114.88	.00290	175.	69.0034	.08122	110.58	.00287						
* 172.076	.4558	.00506	4.80	.04600	* 175.709	58.8743	.08090	109.55	.00286						
175.	.4470	.00515	4.89	.04808	* 175.709	.5795	.00519	4.92	.03940						
180.	.4327	.00530	5.03	.05171	180.	.5242	.00532	5.04	.04204						
185.	.4105	.00546	5.17	.05541	185.	.5077	.00548	5.18	.04513						
190.	.4071	.00561	5.32	.05920	190.	.4924	.00563	5.33	.04838						
195.	.3955	.00577	5.46	.06308	195.	.4781	.00579	5.47	.05156						
200.	.3846	.00593	5.60	.06704	200.	.4646	.00595	5.61	.05499						
205.	.3744	.00609	5.74	.07109	205.	.4520	.00611	5.75	.05840						
210.	.3647	.00625	5.89	.07522	210.	.4401	.00627	5.89	.06186						
215.	.3556	.00641	6.03	.07943	215.	.4289	.00643	6.03	.06542						
220.	.3469	.00657	6.17	.08373	220.	.4183	.00658	6.18	.06903						
225.	.3387	.00673	6.31	.08811	225.	.4082	.00674	6.32	.07271						
230.	.3308	.00688	6.45	.09257	230.	.3987	.00690	6.45	.07645						
235.	.3224	.00704	6.59	.09711	235.	.3896	.00706	6.59	.08026						
240.	.3143	.00720	6.72	.10174	240.	.3809	.00721	6.73	.08414						
245.	.3095	.00736	6.86	.10645	245.	.3727	.00737	6.87	.08808						
250.	.3030	.00751	7.00	.11123	250.	.3648	.00753	7.01	.09210						
255.	.2968	.00767	7.14	.11510	255.	.3572	.00768	7.14	.09617						
260.	.2908	.00782	7.27	.12106	260.	.3500	.00784	7.28	.10032						
265.	.2851	.00798	7.41	.12610	265.	.3431	.00799	7.41	.10454						
270.	.2796	.00813	7.54	.13123	270.	.3364	.00815	7.55	.10884						
275.	.2744	.00829	7.68	.13547	275.	.3300	.00830	7.68	.11322						
280.	.2693	.00844	7.81	.14173	280.	.3239	.00846	7.81	.11762						
285.	.2644	.00858	7.94	.14490	285.	.3180	.00860	7.95	.12194						
290.	.2597	.00873	8.07	.15219	290.	.3123	.00874	8.08	.12636						
295.	.2552	.00887	8.20	.15754	295.	.3068	.00888	8.21	.13085						
300.	.2508	.00901	8.33	.16302	300.	.3015	.00903	8.34	.13541						
310.	.2425	.00930	8.59	.17416	310.	.2915	.00931	8.60	.14472						
320.	.2347	.00958	8.85	.18559	320.	.2821	.00959	8.85	.15426						
330.	.2275	.00986	9.10	.19730	330.	.2733	.00987	9.11	.16404						
340.	.2206	.01014	9.35	.20928	340.	.2651	.01015	9.36	.17405						
350.	.2142	.01041	9.60	.22153	350.	.2573	.01043	9.61	.18427						
360.	.2087	.01068	9.85	.23404	360.	.2500	.01070	9.85	.19471						
370.	.2024	.01095	10.09	.24680	370.	.2432	.01096	10.09	.20537						
380.	.1970	.01122	10.33	.25983	380.	.2366	.01123	10.33	.21624						
390.	.1919	.01148	10.57	.27310	390.	.2305	.01149	10.57	.22732						
400.	.1870	.01174	10.80	.28663	400.	.2246	.01176	10.81	.23861						
410.	.1824	.01200	11.04	.30040	410.	.2191	.01201	11.04	.25010						
420.	.1780	.01226	11.27	.31442	420.	.2138	.01227	11.27	.26130						
430.	.1739	.01252	11.50	.32869	430.	.2087	.01253	11.50	.27371						
440.	.1699	.01277	11.72	.34319	440.	.2039	.01278	11.72	.28591						
450.	.1661	.01302	11.95	.35794	450.	.1994	.01303	11.95	.29811						
460.	.1624	.01327	12.17	.37292	460.	.1950	.01328	12.17	.31061						
470.	.1589	.01352	12.39	.38813	470.	.1908	.01353	12.39	.32330						
480.	.1556	.01377	12.60	.40357	480.	.1868	.01378	12.61	.33618						
490.	.1524	.01402	12.82	.41924	490.	.1829	.01403	12.82	.34925						
500.	.1493	.01426	13.03	.43513	500.	.1792	.01427	13.03	.36250						
510.	.1464	.01451	13.24	.45124	510.	.1757	.01452	13.25	.37594						
520.	.1435	.01475	13.45	.46757	520.	.1723	.01476	13.46	.38956						
530.	.1408	.01499	13.66	.48411	530.	.1690	.01500	13.66	.40336						
540.	.1382	.01524	13.87	.50086	540.	.1659	.01525	13.87	.41732						

* Two Phase Boundary

Table 7. Transport Properties of Oxygen, Isobars, Engr. Units.

35. psia Isobar								40. psia Isobar							
Temp.	Density	Thermal Cond.	Viscosity	Thermal Diffusivity		Temp.	Density	Thermal Cond.	Viscosity	Thermal Diffusivity					
R	lb/ft ^{**3}	BTU/ft.h.R	lb/ft.s	ft ^{**2} /h		R	lb/ft ^{**3}	BTU/ft.h.R	lb/ft.s	ft ^{**2} /h					
* 97.896	81.5526	.11773	326.56	.00363		* 97.903	81.5540	.11773	326.63	.00363					
100.	81.2333	.11646	318.20	.00360		100.	81.2358	.11647	318.29	.00360					
105.	80.4723	.11359	298.06	.00354		105.	80.4749	.11360	298.15	.00354					
110.	79.7076	.11090	278.15	.00349		110.	79.7103	.11091	278.23	.00349					
115.	78.9379	.10835	258.94	.00344		115.	78.9407	.10836	259.01	.00344					
120.	78.1623	.10590	240.71	.00340		120.	78.1653	.10591	240.78	.00340					
125.	77.3801	.10353	223.61	.00336		125.	77.3832	.10354	223.68	.00336					
130.	76.5906	.10123	207.71	.00331		130.	76.5938	.10124	207.77	.00331					
135.	75.7929	.09896	192.99	.00327		135.	75.7964	.09898	193.05	.00327					
140.	74.9864	.09673	179.43	.00323		140.	74.9901	.09675	179.48	.00323					
145.	74.1703	.09452	166.95	.00318		145.	74.1742	.09454	167.00	.00318					
150.	73.3436	.09232	155.49	.00314		150.	73.3477	.09234	155.54	.00314					
155.	72.5053	.09012	144.96	.00309		155.	72.5097	.09014	145.00	.00309					
160.	71.6543	.08792	135.28	.00304		160.	71.6590	.08794	135.33	.00304					
165.	70.7891	.08571	126.38	.00298		165.	70.7940	.08573	126.43	.00298					
170.	69.9080	.08348	118.18	.00293		170.	69.9133	.08350	118.23	.00293					
175.	69.0091	.08124	110.62	.00287		175.	69.0149	.08126	110.66	.00287					
* 178.910	68.2924	.07947	105.10	.00282		180.	68.0963	.07899	103.66	.00280					
* 178.910	.6223	.00531	5.02	.03453		* 181.784	67.7633	.07818	101.29	.00278					
180.	.6177	.00534	5.05	.03512		* 181.784	.7044	.00542	5.11	.03078					
185.	.5977	.00550	5.19	.03785		185.	.6893	.00552	5.20	.03235					
190.	.5791	.00565	5.33	.04064		190.	.6674	.00567	5.34	.03482					
195.	.5619	.00581	5.48	.04348		195.	.6470	.00583	5.49	.03734					
200.	.5458	.00597	5.62	.04638		200.	.6280	.00599	5.63	.03991					
205.	.5306	.00613	5.76	.04933		205.	.6103	.00614	5.77	.04252					
210.	.5165	.00628	5.90	.05234		210.	.5937	.00630	5.91	.04518					
215.	.5031	.00644	6.04	.05540		215.	.5781	.00646	6.05	.04788					
220.	.4904	.00660	6.18	.05852		220.	.5633	.00662	6.19	.05064					
225.	.4785	.00676	6.32	.06170		225.	.5494	.00677	6.33	.05344					
230.	.4671	.00692	6.46	.06493		230.	.5362	.00693	6.47	.05629					
235.	.4563	.00707	6.60	.06822		235.	.5237	.00709	6.61	.05918					
240.	.4461	.00723	6.74	.07156		240.	.5118	.00725	6.74	.06213					
245.	.4363	.00739	6.88	.07496		245.	.5004	.00740	6.88	.06512					
250.	.4270	.00754	7.01	.07842		250.	.4896	.00756	7.02	.06816					
255.	.4181	.00770	7.15	.08193		255.	.4793	.00771	7.15	.07125					
260.	.4095	.00785	7.28	.08550		260.	.4694	.00787	7.29	.07439					
265.	.4014	.00801	7.42	.08914		265.	.4600	.00802	7.43	.07758					
270.	.3935	.00816	7.55	.09284		270.	.4509	.00818	7.56	.08083					
275.	.3860	.00832	7.69	.09662		275.	.4422	.00833	7.69	.08415					
280.	.3788	.00847	7.82	.10040		280.	.4339	.00848	7.83	.08748					
285.	.3718	.00861	7.95	.10411		285.	.4258	.00862	7.96	.09074					
290.	.3651	.00875	8.08	.10791		290.	.4181	.00877	8.09	.09406					
295.	.3586	.00890	8.21	.11176		295.	.4107	.00891	8.22	.09745					
300.	.3524	.00904	8.35	.11568		300.	.4035	.00905	8.35	.10089					
310.	.3406	.00932	8.60	.12368		310.	.3900	.00934	8.61	.10790					
320.	.3296	.00961	8.86	.13188		320.	.3773	.00962	8.86	.11510					
330.	.3193	.00989	9.11	.14028		330.	.3655	.00990	9.12	.12246					
340.	.3097	.01016	9.36	.14888		340.	.3544	.01017	9.37	.13000					
350.	.3006	.01044	9.61	.15766		350.	.3439	.01045	9.62	.13769					
360.	.2920	.01071	9.86	.16662		360.	.3341	.01072	9.86	.14555					
370.	.2840	.01098	10.10	.17577		370.	.3248	.01099	10.10	.15357					
380.	.2763	.01124	10.34	.18511		380.	.3161	.01125	10.34	.16175					
390.	.2691	.01151	10.58	.19462		390.	.3078	.01152	10.58	.17009					
400.	.2623	.01177	10.81	.20431		400.	.2999	.01178	10.81	.17858					
410.	.2557	.01203	11.04	.21417		410.	.2925	.01204	11.05	.18722					
420.	.2496	.01228	11.27	.22422		420.	.2854	.01229	11.28	.19602					
430.	.2437	.01254	11.50	.23443		430.	.2786	.01255	11.51	.20497					
440.	.2381	.01279	11.73	.24482		440.	.2722	.01280	11.73	.21407					
450.	.2327	.01304	11.95	.25537		450.	.2661	.01305	11.95	.22332					
460.	.2276	.01329	12.17	.26610		460.	.2602	.01330	12.18	.23271					
470.	.2227	.01354	12.39	.27698		470.	.2546	.01355	12.39	.24225					
480.	.2180	.01379	12.61	.28804		480.	.2492	.01380	12.61	.25193					
490.	.2135	.01404	12.82	.29925		490.	.2441	.01405	12.83	.26175					
500.	.2097	.01428	13.04	.31062		500.	.2391	.01429	13.04	.27171					
510.	.2050	.01453	13.25	.32215		510.	.2344	.01454	13.25	.28181					
520.	.2011	.01477	13.46	.33384		520.	.2298	.01478	13.46	.29204					
530.	.1972	.01501	13.67	.34567		530.	.2255	.01502	13.67	.30241					
540.	.1935	.01526	13.87	.35766		540.	.2212	.01527	13.87	.31290					

* Two Phase Boundary

Table 7. Transport Properties of Oxygen, Isobars, Engr. Units.

45. psia Isobar							50. psia Isobar						
Temp.	Density	Thermal Cond.	Viscosity	Thermal Diffusivity		Temp.	Density	Thermal Cond.	Viscosity	Thermal Diffusivity			
R	lb/ft ³	BTU/ft.h.R	lb/ft.s	ft ² /h		R	lb/ft ³	BTU/ft.h.R	lb/ft.s	ft ² /h			
* 97.910	81.5554	.11774	326.71	.00363		* 97.918	81.5567	.11774	326.78	.00363			
100.	81.2383	.11648	318.39	.00360		100.	81.2408	.11649	318.49	.00360			
105.	80.4775	.11361	298.24	.00354		105.	80.4801	.11362	298.33	.00354			
110.	79.7130	.11092	278.31	.00349		110.	79.7156	.11093	278.40	.00349			
115.	78.9435	.10837	259.09	.00344		115.	78.9463	.10838	259.16	.00344			
120.	78.1682	.10592	240.85	.00340		120.	78.1712	.10593	240.92	.00340			
125.	77.3863	.10355	223.74	.00336		125.	77.3894	.10356	223.81	.00336			
130.	76.5971	.10125	207.83	.00331		130.	76.6004	.10126	207.90	.00331			
135.	75.7998	.09899	193.11	.00327		135.	75.8033	.09900	193.17	.00327			
140.	74.9937	.09676	179.54	.00323		140.	74.9974	.09677	179.60	.00323			
145.	74.1780	.09455	167.06	.00318		145.	74.1819	.09456	167.11	.00318			
150.	73.3518	.09235	155.59	.00314		150.	73.3559	.09236	155.64	.00314			
155.	72.5141	.09015	145.05	.00309		155.	72.5185	.09017	145.10	.00309			
160.	71.6636	.08795	135.37	.00304		160.	71.6683	.08797	135.42	.00304			
165.	70.7990	.08574	126.47	.00298		165.	70.8040	.08576	126.51	.00299			
170.	69.9187	.08352	118.27	.00293		170.	69.9240	.08353	118.31	.00293			
175.	69.0206	.08128	110.70	.00287		175.	69.0263	.08129	110.74	.00287			
180.	68.1025	.07901	103.70	.00280		180.	68.1087	.07903	103.74	.00281			
* 184.400	67.2759	.07700	97.97	.00274		185.	67.1683	.07674	97.25	.00274			
* 184.400	.7861	.00552	5.19	.02779		* 186.808	66.8221	.07591	95.02	.00271			
185.	.7829	.00554	5.21	.02805		* 186.808	.8674	.00562	5.27	.02534			
190.	.7572	.00569	5.35	.03029		190.	.8488	.00571	5.36	.02665			
195.	.7336	.00585	5.49	.03256		195.	.8216	.00587	5.50	.02872			
200.	.7116	.00601	5.64	.03487		200.	.7964	.00602	5.64	.03083			
205.	.6911	.00616	5.78	.03721		205.	.7730	.00618	5.79	.03296			
210.	.6719	.00632	5.92	.03960		210.	.7511	.00634	5.93	.03513			
215.	.6539	.00648	6.06	.04203		215.	.7306	.00649	6.07	.03734			
220.	.6370	.00663	6.20	.04450		220.	.7114	.00665	6.21	.03958			
225.	.6210	.00679	6.34	.04701		225.	.6933	.00681	6.34	.04186			
230.	.6059	.00695	6.48	.04956		230.	.6762	.00696	6.48	.04417			
235.	.5915	.00710	6.61	.05215		235.	.6600	.00712	6.62	.04652			
240.	.5779	.00726	6.75	.05478		240.	.6446	.00728	6.76	.04890			
245.	.5650	.00742	6.89	.05746		245.	.6300	.00743	6.90	.05132			
250.	.5527	.00757	7.03	.06017		250.	.6162	.00759	7.03	.05378			
255.	.5409	.00773	7.16	.06293		255.	.6029	.00774	7.17	.05628			
260.	.5297	.00788	7.30	.06574		260.	.5903	.00790	7.30	.05882			
265.	.5189	.00804	7.43	.06859		265.	.5782	.00805	7.44	.06140			
270.	.5086	.00819	7.57	.07150		270.	.5666	.00820	7.57	.06402			
275.	.4987	.00835	7.70	.07446		275.	.5555	.00836	7.70	.06670			
280.	.4893	.00850	7.83	.07743		280.	.5449	.00851	7.84	.06939			
285.	.4801	.00864	7.96	.08033		285.	.5347	.00865	7.97	.07200			
290.	.4714	.00878	8.10	.08330		290.	.5249	.00879	8.10	.07468			
295.	.4630	.00892	8.23	.08631		295.	.5154	.00893	8.23	.07740			
300.	.4548	.00906	8.36	.08938		300.	.5063	.00908	8.36	.08017			
310.	.4395	.00935	8.61	.09563		310.	.4891	.00936	8.62	.08581			
320.	.4251	.00963	8.87	.10204		320.	.4731	.00964	8.87	.09159			
330.	.4117	.00991	9.12	.10860		330.	.4581	.00992	9.13	.09751			
340.	.3992	.01019	9.37	.11531		340.	.4441	.01020	9.38	.10356			
350.	.3874	.01046	9.62	.12217		350.	.4309	.01047	9.62	.10974			
360.	.3763	.01073	9.86	.12917		360.	.4185	.01074	9.87	.11605			
370.	.3658	.01100	10.11	.13631		370.	.4068	.01101	10.11	.12249			
380.	.3559	.01126	10.35	.14359		380.	.3958	.01127	10.35	.12905			
390.	.3465	.01153	10.58	.15101		390.	.3854	.01154	10.59	.13574			
400.	.3377	.01179	10.82	.15857		400.	.3755	.01180	10.82	.14256			
410.	.3293	.01205	11.05	.16626		410.	.3661	.01206	11.C5	.14949			
420.	.3213	.01230	11.28	.17409		420.	.3572	.01231	11.28	.15655			
430.	.3136	.01256	11.51	.18206		430.	.3487	.01257	11.51	.16372			
440.	.3064	.01281	11.73	.19015		440.	.3406	.01282	11.74	.17102			
450.	.2995	.01306	11.96	.19838		450.	.3329	.01307	11.96	.17844			
460.	.2928	.01331	12.18	.20674		460.	.3255	.01332	12.18	.18597			
470.	.2865	.01356	12.40	.21523		470.	.3185	.01357	12.40	.19361			
480.	.2805	.01381	12.61	.22384		480.	.3117	.01382	12.62	.20138			
490.	.2747	.01406	12.83	.23258		490.	.3053	.01407	12.83	.20925			
500.	.2691	.01430	13.04	.24145		500.	.2991	.01431	13.05	.21723			
510.	.2638	.01455	13.25	.25043		510.	.2931	.01456	13.26	.22533			
520.	.2586	.01479	13.46	.25953		520.	.2874	.01480	13.47	.23353			
530.	.2537	.01503	13.67	.26876		530.	.2819	.01504	13.67	.24183			
540.	.2489	.01528	13.88	.27809		540.	.2767	.01529	13.88	.25024			

* Two Phase Boundary

Table 7. Transport Properties of Oxygen, Isobars, Engr. Units.

100. psia Isobar

150. psia Isobar

Temp. R	Density lb/ft ³	Thermal Cond. BTU/ft.h.R	Viscosity micro- lb/ft.s	Thermal Diffusivity ft ² /h	Temp. R	Density lb/ft ³	Thermal Cond. BTU/ft.h.R	Viscosity micro- lb/ft.s	Thermal Diffusivity ft ² /h
* 97.989	81.5707	.11779	327.50	.00363	* 98.060	81.5846	.11784	328.22	.00363
100.	81.2658	.11658	319.45	.00361	100.	81.2908	.11667	320.42	.00361
105.	80.5060	.11372	299.22	.00355	105.	80.5318	.11381	300.11	.00355
110.	79.7425	.11103	279.22	.00349	110.	79.7694	.11112	280.04	.00350
115.	78.9744	.10848	259.93	.00345	115.	79.0025	.10858	260.69	.00345
120.	78.2066	.10603	241.63	.00340	120.	78.2301	.10614	242.34	.00341
125.	77.4204	.10367	224.48	.00336	125.	77.4514	.10378	225.14	.00336
130.	76.6331	.10137	208.52	.00332	130.	76.6657	.10148	209.14	.00332
135.	75.8378	.09912	193.76	.00328	135.	75.8722	.09923	194.35	.00328
140.	75.0339	.09689	180.15	.00323	140.	75.0703	.09702	180.71	.00324
145.	74.2206	.09469	167.64	.00319	145.	74.2591	.09482	168.17	.00319
150.	73.3970	.09250	156.14	.00314	150.	73.4379	.09263	156.64	.00315
155.	72.5621	.09031	145.58	.00310	155.	72.6055	.09045	146.06	.00310
160.	71.7147	.08811	135.88	.00304	160.	71.7610	.08826	136.35	.00305
165.	70.8536	.08591	126.96	.00299	165.	70.9029	.08606	127.41	.00300
170.	69.9770	.08370	118.75	.00294	170.	70.0298	.08386	119.18	.00294
175.	69.0832	.08146	111.17	.00288	175.	69.1398	.08163	111.59	.00288
180.	68.1699	.07921	104.16	.00281	180.	68.2308	.07939	104.57	.00282
185.	67.2345	.07693	97.66	.00275	185.	67.3002	.07712	98.07	.00276
190.	66.2739	.07462	91.62	.00268	190.	66.3451	.07482	92.02	.00269
195.	65.2842	.07229	85.99	.00260	195.	65.3618	.07250	86.39	.00261
200.	64.2609	.06991	80.71	.00252	200.	64.3459	.07014	81.11	.00253
* 204.420	63.3238	.06778	76.31	.00244	205.	63.2921	.06774	76.16	.00244
* 204.420	1.6730	.00636	5.87	.01351	210.	62.1936	.06529	71.48	.00235
205.	1.6659	.00638	5.88	.01365	215.	61.0419	.06279	67.04	.00225
210.	1.6075	.00652	6.02	.01487	* 216.364	60.7172	.06209	65.87	.00222
215.	1.5543	.00667	6.16	.01609	* 216.364	2.4880	.00694	6.31	.00905
220.	1.5055	.00683	6.29	.01732	220.	2.4174	.00704	6.41	.00973
225.	1.4605	.00698	6.43	.01857	225.	2.3293	.00718	6.54	.01065
230.	1.4187	.00713	6.57	.01982	230.	2.2499	.00732	6.67	.01156
235.	1.3798	.00728	6.70	.02108	235.	2.1775	.00747	6.80	.01248
240.	1.3434	.00743	6.84	.02236	240.	2.1111	.00762	6.93	.01340
245.	1.3093	.00759	6.97	.02365	245.	2.0498	.00776	7.07	.01433
250.	1.2771	.00774	7.11	.02495	250.	1.9929	.00791	7.20	.01526
255.	1.2468	.00789	7.24	.02627	255.	1.9399	.00806	7.33	.01620
260.	1.2180	.00804	7.38	.02761	260.	1.8903	.00821	7.46	.01714
265.	1.1908	.00820	7.51	.02897	265.	1.8438	.00837	7.59	.01810
270.	1.1649	.00835	7.64	.03035	270.	1.7999	.00852	7.72	.01908
275.	1.1403	.00851	7.77	.03176	275.	1.7585	.00868	7.85	.02007
280.	1.1168	.00866	7.90	.03316	280.	1.7193	.00883	7.98	.02105
285.	1.0943	.00879	8.03	.03450	285.	1.6821	.00895	8.11	.02196
290.	1.0729	.00893	8.16	.03587	290.	1.6467	.00908	8.24	.02290
295.	1.0523	.00907	8.29	.03727	295.	1.6130	.00921	8.36	.02386
300.	1.0326	.00921	8.42	.03869	300.	1.5808	.00935	8.49	.02484
310.	.9955	.00948	8.68	.04158	310.	1.5207	.00962	8.74	.02682
320.	.9612	.00976	8.93	.04455	320.	1.4656	.00989	8.99	.02884
330.	.9294	.01004	9.18	.04757	330.	1.4147	.01016	9.24	.03091
340.	.8997	.01031	9.43	.05066	340.	1.3675	.01043	9.48	.03301
350.	.8720	.01058	9.67	.05382	350.	1.3237	.01070	9.73	.03516
360.	.8460	.01085	9.92	.05703	360.	1.2828	.01096	9.97	.03734
370.	.8216	.01112	10.16	.06030	370.	1.2446	.01123	10.21	.03956
380.	.7986	.01138	10.39	.06364	380.	1.2087	.01149	10.44	.04182
390.	.7770	.01164	10.63	.06703	390.	1.1750	.01175	10.68	.04412
400.	.7565	.01190	10.86	.07049	400.	1.1432	.01201	10.91	.04646
410.	.7371	.01216	11.09	.07401	410.	1.1132	.01226	11.14	.04884
420.	.7188	.01242	11.32	.07758	420.	1.0849	.01252	11.36	.05125
430.	.7013	.01267	11.55	.08121	430.	1.0580	.01277	11.59	.05370
440.	.6847	.01292	11.77	.08491	440.	1.0324	.01302	11.81	.05619
450.	.6689	.01317	11.99	.08866	450.	1.0082	.01327	12.03	.05872
460.	.6539	.01342	12.21	.09246	460.	.9850	.01352	12.25	.06129
470.	.6395	.01367	12.43	.09633	470.	.9630	.01377	12.47	.06389
480.	.6257	.01392	12.65	.10025	480.	.9420	.01402	12.68	.06653
490.	.6126	.01417	12.86	.10422	490.	.9219	.01426	12.90	.06921
500.	.6000	.01441	13.07	.10825	500.	.9027	.01451	13.11	.07192
510.	.5879	.01465	13.28	.11234	510.	.8842	.01475	13.32	.07467
520.	.5763	.01490	13.49	.11647	520.	.8666	.01499	13.52	.07745
530.	.5652	.01514	13.70	.12066	530.	.8496	.01523	13.73	.08026
540.	.5545	.01538	13.90	.12490	540.	.8334	.01547	13.93	.08311

* Two Phase Boundary

Table 7. Transport Properties of Oxygen, Isobars, Enor. Units.

200. eslp Isobar						250. esla Isobar					
Temp.	Density	Thermal Cond.	Viscosity micro- lb/ft. ² /h	Thermal Diffusivity ft. ² /h		Temp.	Density	Thermal Cond.	Viscosity micro- lb/ft. ² /h	Thermal Diffusivity ft. ² /h	
R	lb/ft. ³	BTU/ft. ² .h.R	lb/ft.s	ft. ² /h	R	lb/ft. ³	BTU/ft. ² .h.R	lb/ft.s	ft. ² /h		
* 98.131	81.5985	.11788	328.94	.00364		* 98.202	81.6124	.11793	329.65	.00364	
100.	81.3157	.11676	321.39	.00361	100.	81.3406	.11685	322.36	.00351		
105.	80.5575	.11390	301.00	.00355	105.	80.5832	.11400	301.89	.00355		
110.	79.7942	.11122	280.86	.00350	110.	79.8229	.11132	281.58	.00350		
115.	79.0304	.10868	261.45	.00345	115.	79.8058	.10878	262.22	.00346		
120.	78.2594	.10624	243.05	.00341	120.	78.2884	.10634	243.76	.00341		
125.	77.4822	.10389	225.90	.00337	125.	77.5130	.10399	226.47	.00337		
130.	76.6932	.10160	207.77	.00333	130.	76.7305	.10171	210.39	.00333		
135.	75.9065	.09935	194.93	.00328	135.	75.9407	.09947	195.52	.00329		
140.	75.1065	.09714	181.26	.00324	140.	75.1427	.09726	181.82	.00325		
145.	74.2975	.09494	168.49	.00320	145.	74.3357	.09507	169.22	.00320		
150.	73.4785	.09276	157.15	.00315	150.	73.5191	.09290	157.65	.00316		
155.	72.6487	.09059	146.55	.00311	155.	72.6918	.09072	147.03	.00311		
160.	71.8070	.08841	136.81	.00306	160.	71.8527	.08855	137.27	.00306		
165.	70.9519	.08622	127.85	.00301	165.	71.0007	.08637	128.30	.00301		
170.	70.0822	.08402	119.61	.00295	170.	70.1343	.08418	120.04	.00296		
175.	69.1960	.08190	111.01	.00299	175.	69.2518	.08197	112.43	.00290		
180.	68.2912	.07957	104.98	.00283	180.	68.3511	.07974	105.39	.00284		
185.	67.3654	.07731	98.47	.00277	185.	67.4300	.07749	98.87	.00277		
190.	66.4157	.07502	92.42	.00270	190.	66.4856	.07522	92.82	.00271		
195.	65.4386	.07271	86.78	.00262	195.	65.5147	.07292	87.18	.00263		
200.	64.4300	.07036	81.51	.00254	200.	64.5131	.07058	81.90	.00255		
205.	63.3847	.06797	76.56	.00246	205.	63.4761	.06821	76.95	.00247		
210.	62.2963	.06554	71.88	.00237	210.	62.3976	.06580	72.29	.00238		
215.	61.1570	.06306	67.45	.00227	215.	61.2707	.06334	67.87	.00228		
220.	59.9563	.06052	63.23	.00216	220.	60.0842	.06082	63.66	.00218		
225.	58.6805	.05791	59.17	.00205	225.	58.8269	.05824	59.62	.00207		
* 225.697	58.4958	.05754	58.62	.00203	230.	57.4811	.05557	55.71	.00195		
* 225.697	3.3293	.00746	6.69	.00664	* 233.478	56.4800	.05366	53.05	.00185		
230.	3.2074	.00757	6.80	.00731	* 233.478	4.2086	.00797	7.05	.00510		
235.	3.0819	.00770	6.92	.00807	235.	4.1454	.00800	7.08	.00531		
240.	2.9701	.00784	7.05	.00883	240.	3.9584	.00812	7.20	.00600		
245.	2.8694	.00798	7.18	.00959	245.	3.7962	.00824	7.31	.00667		
250.	2.7778	.00812	7.30	.01035	250.	3.6532	.00837	7.43	.00734		
255.	2.6939	.00826	7.43	.01110	255.	3.5253	.00851	7.55	.00799		
260.	2.6165	.00841	7.56	.01186	260.	3.4098	.00865	7.58	.00865		
265.	2.5448	.00856	7.69	.01263	265.	3.3044	.00879	7.80	.00931		
270.	2.4780	.00872	7.81	.01341	270.	3.2076	.00895	7.92	.00998		
275.	2.4155	.00898	7.94	.01420	275.	3.1182	.00912	8.04	.01066		
280.	2.3569	.00903	8.07	.01497	280.	3.0352	.00926	8.17	.01132		
285.	2.3016	.00913	8.19	.01568	285.	2.9577	.00934	8.29	.01189		
290.	2.2495	.00925	8.32	.01640	290.	2.8852	.00944	8.41	.01249		
295.	2.2002	.00937	8.44	.01714	295.	2.8171	.00955	8.53	.01310		
300.	2.1533	.00950	8.57	.01789	300.	2.7528	.00967	8.66	.01372		
310.	2.0665	.00976	8.82	.01942	310.	2.6346	.00992	8.90	.01498		
320.	1.9874	.01002	9.06	.02098	320.	2.5281	.01017	9.14	.01626		
330.	1.9150	.01029	9.31	.02257	330.	2.4313	.01043	9.38	.01756		
340.	1.8483	.01055	9.55	.02418	340.	2.3428	.01069	9.62	.01888		
350.	1.7867	.01082	9.79	.02582	350.	2.2615	.01095	9.86	.02022		
360.	1.7295	.01108	10.03	.02749	360.	2.1863	.01121	10.09	.02158		
370.	1.6762	.01134	10.26	.02919	370.	2.1166	.01146	10.32	.02296		
380.	1.6264	.01160	10.50	.03091	380.	2.0518	.01172	10.56	.02436		
390.	1.5797	.01186	10.73	.03266	390.	1.9912	.01197	10.78	.02579		
400.	1.5358	.01212	10.96	.03444	400.	1.9344	.01223	11.01	.02723		
410.	1.4945	.01237	11.19	.03625	410.	1.8811	.01248	11.24	.02870		
420.	1.4555	.01262	11.41	.03808	420.	1.8309	.01273	11.46	.03019		
430.	1.4187	.01288	11.63	.03995	430.	1.7835	.01298	11.68	.03169		
440.	1.3837	.01313	11.86	.04184	440.	1.7387	.01323	11.90	.03322		
450.	1.3504	.01338	12.07	.04376	450.	1.6963	.01348	12.12	.03478		
460.	1.3191	.01362	12.29	.04570	460.	1.6560	.01373	12.34	.03635		
470.	1.2891	.01387	12.51	.04767	470.	1.6177	.01397	12.55	.03794		
480.	1.2505	.01412	12.72	.04967	480.	1.5813	.01422	12.76	.03956		
490.	1.2332	.01436	12.93	.05170	490.	1.5465	.01446	12.97	.04120		
500.	1.2071	.01460	13.14	.05375	500.	1.5134	.01470	13.18	.04285		
510.	1.1822	.01485	13.35	.05583	510.	1.4817	.01494	13.39	.04453		
520.	1.1583	.01509	13.56	.05793	520.	1.4514	.01518	13.59	.04623		
530.	1.1354	.01533	13.75	.06006	530.	1.4224	.01542	13.80	.04794		
540.	1.1134	.01557	13.97	.06222	540.	1.3945	.01566	14.00	.04968		

* Two Phase Boundary

Table 7. Transport Properties of Oxygen, Isobars, Engr. Units.

300. psia Isobar

350. psia Isobar

Temp. R	Density lb/ft ³	Thermal Cond. BTU/ft.h.R	Viscosity micro- lb/ft.s	Thermal Diffusivity ft ² /h	Temp. R	Density lb/ft ³	Thermal Cond. BTU/ft.h.R	Viscosity micro- lb/ft.s	Thermal Diffusivity ft ² /h
* 98.274	81.6263	.11798	330.37	.00364	* 98.345	81.6401	.11803	331.09	.00364
100.	81.3654	.11695	323.33	.00362	100.	81.3902	.11704	324.31	.00362
105.	80.6089	.11409	302.78	.00356	105.	80.5345	.11418	303.68	.00356
110.	79.8495	.11141	282.51	.00351	110.	79.8761	.11151	283.33	.00351
115.	79.0862	.10887	262.98	.00346	115.	79.1140	.10897	263.74	.00346
120.	78.3178	.10645	244.47	.00342	120.	78.3469	.10655	245.19	.00342
125.	77.5436	.10410	227.13	.00337	125.	77.5742	.10421	227.80	.00338
130.	76.7628	.10182	211.01	.00333	130.	76.7950	.10193	211.64	.00334
135.	75.9747	.09958	196.11	.00329	135.	76.0087	.09970	195.70	.00330
140.	75.1786	.09738	182.38	.00325	140.	75.2145	.09750	182.93	.00326
145.	74.3738	.09520	169.75	.00321	145.	74.4118	.09532	170.28	.00321
150.	73.5594	.09303	158.15	.00316	150.	73.5996	.09316	158.65	.00317
155.	72.7346	.09086	147.51	.00312	155.	72.7773	.09100	147.99	.00312
160.	71.8983	.08870	137.73	.00307	160.	71.9435	.08884	138.19	.00307
165.	71.0493	.08652	128.74	.00302	165.	71.0975	.08667	129.19	.00302
170.	70.1861	.08434	120.47	.00296	170.	70.2376	.08450	120.90	.00297
175.	69.3072	.08214	112.84	.00291	175.	69.3624	.08230	113.26	.00291
180.	68.4107	.07992	105.80	.00285	180.	68.4698	.08009	105.20	.00286
185.	67.4941	.07768	99.27	.00278	185.	67.5578	.07786	99.67	.00279
190.	66.5550	.07541	93.21	.00271	190.	66.6237	.07561	93.61	.00272
195.	65.5900	.07312	87.57	.00264	195.	65.6645	.07333	87.96	.00265
200.	64.5953	.07080	82.29	.00257	200.	64.6766	.07102	82.68	.00258
205.	63.5663	.06845	77.35	.00248	205.	63.6555	.06868	77.74	.00250
210.	62.4974	.06605	72.68	.00240	210.	62.5958	.06630	73.08	.00241
215.	61.3815	.06361	68.27	.00230	215.	61.4910	.06388	58.58	.00232
220.	60.2096	.06111	64.08	.00220	220.	60.3326	.06140	64.49	.00222
225.	59.9699	.05856	60.06	.00209	225.	59.1098	.05887	60.49	.00211
230.	57.6648	.05593	56.18	.00197	230.	57.8081	.05627	56.63	.00200
235.	56.2178	.05320	52.39	.00184	235.	55.4075	.05359	52.88	.00187
240.	54.6495	.05036	48.66	.00169	240.	54.8784	.05081	49.19	.00173
* 240.211	54.5797	.05024	48.50	.00169	245.	53.1743	.04788	45.50	.00157
* 240.211	5.1368	.00851	7.39	.00402	* 246.180	52.7390	.04717	44.62	.00153
245.	4.8799	.00859	7.49	.00453	* 246.180	52.1261	.00911	7.74	.00121
250.	4.6541	.00870	7.59	.00526	250.	5.8451	.00914	7.80	.00359
255.	4.4598	.00881	7.70	.00587	255.	5.5400	.00922	7.89	.00428
260.	4.2891	.00894	7.82	.00647	260.	5.2485	.00932	7.99	.00436
265.	4.1371	.00908	7.93	.00707	265.	5.0645	.00945	8.09	.00543
270.	4.0001	.00923	8.05	.00767	270.	4.8715	.00959	8.20	.00579
275.	3.8756	.00941	8.16	.00829	275.	4.6997	.00977	8.30	.00557
280.	3.7614	.00954	8.28	.00887	280.	4.5449	.00989	8.41	.00711
285.	3.6561	.00959	8.40	.00936	285.	4.4042	.00989	8.52	.00754
290.	3.5545	.00966	8.52	.00987	290.	4.2753	.00993	8.64	.00799
295.	3.4676	.00976	8.64	.01039	295.	4.1564	.01000	8.75	.00845
300.	3.3825	.00986	8.75	.01092	300.	4.0462	.01008	8.86	.00892
310.	3.2275	.01009	8.99	.01200	310.	3.8476	.01029	9.09	.00988
320.	3.0892	.01033	9.23	.01310	320.	3.6726	.01051	9.32	.01085
330.	2.9648	.01058	9.46	.01421	330.	3.5157	.01074	9.55	.01183
340.	2.8518	.01083	9.70	.01534	340.	3.3763	.01098	9.78	.01281
350.	2.7487	.01108	9.93	.01648	350.	3.2489	.01123	10.01	.01381
360.	2.6538	.01134	10.16	.01764	360.	3.1325	.01147	10.24	.01483
370.	2.5653	.01159	10.39	.01881	370.	3.0255	.01172	10.45	.01585
380.	2.4851	.01184	10.62	.02000	380.	2.9268	.01197	10.69	.01689
390.	2.4096	.01209	10.85	.02121	390.	2.8352	.01222	10.91	.01793
400.	2.3390	.01235	11.07	.02243	400.	2.7499	.01247	11.13	.01900
410.	2.2730	.01260	11.29	.02367	410.	2.6703	.01271	11.35	.02007
420.	2.2109	.01284	11.51	.02492	420.	2.5957	.01296	11.57	.02115
430.	2.1525	.01309	11.73	.02619	430.	2.5256	.01321	11.79	.02227
440.	2.0973	.01334	11.95	.02748	440.	2.4596	.01345	12.01	.02339
450.	2.0452	.01359	12.17	.02879	450.	2.3973	.01369	12.22	.02452
460.	1.9958	.01383	12.38	.03012	460.	2.3384	.01394	12.43	.02567
470.	1.9449	.01407	12.59	.03145	470.	2.2926	.01418	12.64	.02683
480.	1.8943	.01432	12.81	.03282	480.	2.2296	.01442	12.85	.02801
490.	1.8519	.01456	13.01	.03414	490.	2.1792	.01466	13.06	.02920
500.	1.8214	.01480	13.22	.03559	500.	2.1312	.01490	13.27	.03040
510.	1.7828	.01504	13.43	.03700	510.	2.0854	.01514	13.47	.03162
520.	1.7459	.01528	13.63	.03842	520.	2.0417	.01538	13.67	.03285
530.	1.7106	.01552	13.83	.03986	530.	2.0000	.01562	13.87	.03410
540.	1.6767	.01576	14.04	.04132	540.	1.9600	.01585	14.07	.03535

* Two Phase Boundary

Table 7. Transport Properties of Oxygen, Isobars, Enr. Units.

400. psia Isobar

450. psia Isobar

Temp.	Density R	Thermal Cond. lb/ft**3	Viscosity micro- lb/ft.s	Thermal Diffusivity ft**2/h	Temp.	Density R	Thermal Cond. lb/ft**3	Viscosity micro- lb/ft.s	Thermal Diffusivity ft**2/h
* 98.416	81.6540	.11808	331.80	.00364	* 98.487	81.6678	.11912	332.51	.00364
100.	81.4150	.11713	325.28	.00362	100.	81.4397	.11722	326.26	.00362
105.	80.6600	.11428	304.57	.00356	105.	80.6855	.11437	305.47	.00357
110.	79.9027	.11161	284.16	.00351	110.	79.9292	.11170	284.98	.00351
115.	79.1417	.10907	264.51	.00347	115.	79.1693	.10917	265.27	.00347
120.	78.3760	.10665	245.90	.00342	120.	78.4049	.10675	246.61	.00343
125.	77.6047	.10431	228.46	.00338	125.	77.6351	.10442	229.13	.00339
130.	76.8271	.10204	212.26	.00334	130.	76.8591	.10215	212.89	.00335
135.	76.0425	.09981	197.28	.00330	135.	76.0763	.09993	197.87	.00330
140.	75.2502	.09762	183.49	.00326	140.	75.2859	.09774	184.04	.00326
145.	74.4495	.09545	170.80	.00322	145.	74.4872	.09558	171.33	.00322
150.	73.6397	.09329	159.16	.00317	150.	73.6795	.09342	159.66	.00318
155.	72.8197	.09114	148.46	.00313	155.	72.8620	.09128	148.94	.00313
160.	71.9887	.08898	138.65	.00308	160.	72.0336	.08913	139.11	.00309
165.	71.1455	.08682	129.63	.00303	165.	71.1933	.08697	130.07	.00304
170.	70.2889	.08465	121.33	.00298	170.	70.3398	.08481	121.76	.00298
175.	69.4171	.08247	113.48	.00292	175.	69.4715	.08263	114.09	.00293
180.	68.5285	.08027	106.61	.00286	180.	68.5868	.08044	107.02	.00287
185.	67.6209	.07805	100.07	.00280	185.	67.6836	.07823	100.47	.00281
190.	66.6919	.07580	94.00	.00273	190.	66.7594	.07599	94.39	.00274
195.	65.7384	.07353	88.35	.00266	195.	65.8116	.07374	88.73	.00267
200.	64.7570	.07124	83.07	.00259	200.	64.8366	.07145	83.46	.00260
205.	63.7435	.06891	78.13	.00251	205.	63.8306	.06914	78.51	.00252
210.	62.6929	.06654	73.47	.00242	210.	62.7886	.06679	73.86	.00244
215.	61.5988	.06414	69.08	.00233	215.	61.7049	.06440	69.47	.00235
220.	60.4534	.06169	64.90	.00224	220.	60.5720	.06197	65.31	.00225
225.	59.2466	.05918	60.91	.00213	225.	59.3805	.05949	61.33	.00215
230.	57.9552	.05662	57.08	.00202	230.	58.1184	.05695	57.52	.00204
235.	56.5911	.05397	53.36	.00190	235.	58.7692	.05434	53.82	.00192
240.	55.0982	.05123	49.71	.00176	240.	55.3098	.05165	50.21	.00179
245.	53.4464	.04838	46.08	.00161	245.	53.7052	.04885	46.64	.00165
250.	51.5673	.04537	42.38	.00143	250.	51.8986	.04592	43.02	.00148
* 251.561	50.9160	.04439	41.19	.00137	255.	49.7834	.04282	39.26	.00128
* 251.561	7.1921	.00980	8.10	.00258	* 256.473	49.0725	.04186	38.09	.00121
255.	6.8492	.00979	8.14	.00301	* 256.473	8.3557	.01064	8.49	.00207
260.	6.4474	.00984	8.20	.00359	260.	7.8824	.01058	8.49	.00252
265.	6.1209	.00993	8.28	.00416	265.	7.3666	.01058	8.53	.00311
270.	5.8456	.01005	8.37	.00471	270.	6.9605	.01067	8.59	.00367
275.	5.6077	.01023	8.47	.00527	275.	6.6252	.01083	8.67	.00423
280.	5.3984	.01033	8.57	.00578	280.	6.3396	.01089	8.75	.00472
285.	5.2115	.01025	8.67	.00616	285.	6.0909	.01070	8.84	.00508
290.	5.0428	.01024	8.77	.00657	290.	5.8708	.01063	8.93	.00546
295.	4.8893	.01028	8.88	.00699	295.	5.6735	.01061	9.03	.00585
300.	4.7485	.01034	8.99	.00742	300.	5.4948	.01064	9.13	.00624
310.	4.4979	.01051	9.21	.00828	310.	5.1817	.01076	9.34	.00703
320.	4.2802	.01071	9.43	.00915	320.	4.9142	.01092	9.55	.00783
330.	4.0883	.01092	9.65	.01003	330.	4.6811	.01112	9.76	.00864
340.	3.9170	.01115	9.87	.01092	340.	4.4751	.01133	9.97	.00945
350.	3.7628	.01138	10.10	.01181	350.	4.2910	.01155	10.19	.01026
360.	3.6227	.01162	10.32	.01272	360.	4.1249	.01178	10.41	.01108
370.	3.4946	.01186	10.54	.01363	370.	3.9738	.01201	10.63	.01190
380.	3.3768	.01211	10.76	.01455	380.	3.8356	.01225	10.84	.01274
390.	3.2681	.01235	10.98	.01548	390.	3.7084	.01248	11.06	.01358
400.	3.1671	.01259	11.20	.01643	400.	3.5908	.01272	11.27	.01443
410.	3.0732	.01284	11.42	.01738	410.	3.4816	.01296	11.49	.01529
420.	2.9853	.01308	11.63	.01835	420.	3.3798	.01320	11.70	.01616
430.	2.9030	.01332	11.85	.01933	430.	3.2846	.01344	11.91	.01704
440.	2.8256	.01356	12.06	.02032	440.	3.1954	.01368	12.12	.01793
450.	2.7528	.01381	12.27	.02132	450.	3.1114	.01392	12.33	.01883
460.	2.6839	.01405	12.48	.02233	460.	3.0323	.01416	12.54	.01974
470.	2.6188	.01429	12.69	.02336	470.	2.9576	.01440	12.75	.02066
480.	2.5571	.01453	12.90	.02440	480.	2.8868	.01463	12.95	.02159
490.	2.4985	.01477	13.11	.02545	490.	2.8197	.01487	13.16	.02254
500.	2.4427	.01500	13.31	.02651	500.	2.7560	.01511	13.36	.02349
510.	2.3896	.01524	13.51	.02759	510.	2.6953	.01534	13.56	.02445
520.	2.3389	.01548	13.72	.02867	520.	2.6375	.01558	13.76	.02543
530.	2.2905	.01571	13.92	.02977	530.	2.5823	.01581	13.96	.02641
540.	2.2443	.01595	14.11	.03088	540.	2.5296	.01605	14.16	.02740

* Two Phase Boundary

Table 7. Transport Properties of Oxygen, Isobars, Engr. Units.

500. psia Isobar								600. psia Isobar							
Temp.	Density	Thermal Cond.	Viscosity micro- lb/ft.s	Thermal Diffusivity ft**2/h	Temp.	Density	Thermal Cond.	Viscosity micro- lb/ft.s	Thermal Diffusivity ft**2/h						
R	lb/ft**3	BTU/ft.h.R			R	lb/ft**3	BTU/ft.h.R								
* 98.558	81.6816	.11817	333.23	.00364	* 98.700	81.7091	.11827	334.65	.00365						
100.	81.4644	.11731	327.24	.00363	100.	81.5136	.11749	329.20	.00363						
105.	80.7110	.11446	306.36	.00357	105.	80.7617	.11465	308.16	.00357						
110.	79.9556	.11180	285.81	.00352	110.	80.0083	.11199	287.47	.00352						
115.	79.1969	.10927	266.04	.00347	115.	79.2519	.10947	267.57	.00348						
120.	78.4338	.10686	247.32	.00343	120.	78.4913	.10706	248.75	.00344						
125.	77.6654	.10453	229.80	.00339	125.	77.7258	.10474	231.13	.00340						
130.	76.8910	.10226	213.51	.00335	130.	76.9546	.10248	214.76	.00336						
135.	76.1099	.10005	198.46	.00331	135.	76.1768	.10028	199.63	.00332						
140.	75.3214	.09786	184.60	.00327	140.	75.3920	.09810	185.71	.00328						
145.	74.5247	.09570	171.85	.00323	145.	74.5993	.09595	172.91	.00324						
150.	73.7192	.09355	160.16	.00318	150.	73.7982	.09382	161.16	.00319						
155.	72.9041	.09141	149.42	.00314	155.	72.9877	.09169	150.38	.00315						
160.	72.0783	.08927	139.57	.00309	160.	72.1670	.08956	140.48	.00310						
165.	71.2408	.08712	130.51	.00304	165.	71.3351	.08742	131.39	.00306						
170.	70.3904	.08497	122.18	.00299	170.	70.4909	.08528	123.03	.00300						
175.	69.5256	.08280	114.51	.00294	175.	69.6328	.08312	115.33	.00295						
180.	68.6447	.08061	107.42	.00288	180.	68.7594	.08095	108.22	.00289						
185.	67.7458	.07841	100.86	.00282	185.	67.8688	.07877	101.65	.00283						
190.	66.8265	.07619	94.78	.00275	190.	66.9589	.07656	95.55	.00277						
195.	65.8841	.07394	89.12	.00268	195.	66.0271	.07434	89.88	.00270						
200.	64.9154	.07166	83.84	.00261	200.	65.076	.07209	84.60	.00263						
205.	63.9166	.06936	78.89	.00253	205.	64.0857	.06981	79.65	.00256						
210.	62.8831	.06703	74.25	.00245	210.	63.0685	.06750	75.01	.00248						
215.	61.8094	.06466	69.86	.00236	215.	62.0139	.06517	70.64	.00239						
220.	60.6885	.06225	65.71	.00227	220.	60.9158	.06279	66.50	.00230						
225.	59.5118	.05979	61.75	.00217	225.	59.7666	.06038	62.56	.00221						
230.	58.2680	.05728	57.95	.00206	230.	58.5569	.05792	58.79	.00210						
235.	56.9422	.05470	54.28	.00195	235.	57.2741	.05540	55.17	.00199						
240.	55.5138	.05205	50.70	.00182	240.	55.9016	.05283	51.65	.00188						
245.	53.9523	.04931	47.18	.00168	245.	54.4157	.05018	48.21	.00175						
250.	52.2097	.04445	43.64	.00152	250.	52.7814	.04745	44.79	.00160						
255.	50.2008	.04345	40.00	.00134	255.	50.9415	.04462	41.34	.00144						
260.	47.7433	.04027	36.06	.00111	260.	48.7905	.04169	37.74	.00125						
* 260.997	47.1654	.03960	35.20	.00105	265.	46.0857	.03865	33.76	.00101						
* 260.997	47.6481	.01171	8.92	.00165	* 269.110	42.8802	.03611	29.67	.00071						
265.	8.9281	.01154	8.87	.00218	* 269.110	12.8674	.01516	10.02	.00093						
270.	8.2842	.01151	8.88	.00278	270.	12.4497	.01491	9.93	.00110						
275.	7.7930	.01163	8.91	.00336	275.	10.9554	.01435	9.67	.00186						
280.	7.3951	.01161	8.97	.00386	280.	10.0494	.01386	9.59	.00244						
285.	7.0604	.01126	9.04	.00420	285.	9.3905	.01291	9.57	.00281						
290.	6.7718	.01109	9.12	.00456	290.	8.8712	.01238	9.59	.00316						
295.	6.5182	.01101	9.20	.00492	295.	8.4425	.01208	9.63	.00351						
300.	6.2922	.01099	9.29	.00529	300.	8.0777	.01190	9.68	.00385						
310.	5.9033	.01104	9.48	.00604	310.	7.4798	.01175	9.81	.00453						
320.	5.5771	.01117	9.67	.00678	320.	7.0014	.01176	9.97	.00519						
330.	5.2967	.01134	9.88	.00752	330.	6.6037	.01184	10.15	.00585						
340.	5.0516	.01153	10.08	.00827	340.	6.2644	.01197	10.33	.00650						
350.	4.8344	.01173	10.29	.00902	350.	5.9692	.01214	10.52	.00716						
360.	4.6337	.01195	10.50	.00977	360.	5.7087	.01232	10.72	.00781						
370.	4.4536	.01217	10.72	.01052	370.	5.4760	.01252	10.91	.00846						
380.	4.3033	.01240	10.93	.01129	380.	5.2662	.01272	11.11	.00912						
390.	4.1564	.01253	11.14	.01206	390.	5.0756	.01294	11.31	.00978						
400.	4.0210	.01286	11.35	.01283	400.	4.9012	.01315	11.52	.01045						
410.	3.8956	.01309	11.56	.01362	410.	4.7409	.01337	11.72	.01112						
420.	3.7792	.01333	11.77	.01441	420.	4.5926	.01360	11.92	.01180						
430.	3.6705	.01357	11.98	.01521	430.	4.4550	.01382	12.12	.01248						
440.	3.5688	.01390	12.19	.01602	440.	4.3268	.01405	12.32	.01317						
450.	3.4734	.01404	12.39	.01684	450.	4.2069	.01428	12.52	.01387						
460.	3.3835	.01427	12.60	.01767	460.	4.0944	.01451	12.73	.01457						
470.	3.2998	.01451	12.80	.01851	470.	3.9887	.01474	12.92	.01528						
480.	3.2187	.01474	13.01	.01935	480.	3.8890	.01497	13.12	.01600						
490.	3.1429	.01478	13.21	.02021	490.	3.7948	.01520	13.32	.01672						
500.	3.0709	.01521	13.41	.02107	500.	3.7057	.01543	13.52	.01746						
510.	3.0024	.01545	13.61	.02195	510.	3.6211	.01566	13.71	.01819						
520.	2.9373	.01568	13.81	.02283	520.	3.5407	.01589	13.91	.01894						
530.	2.8752	.01591	14.01	.02372	530.	3.4642	.01612	14.10	.01969						
540.	2.8159	.01614	14.20	.02462	540.	3.3913	.01634	14.30	.02045						

* Two Phase Boundary

Table 7. Transport Properties of Oxygen, Isobars, Engr. Units.

700. psia Isotherm								800. psia Isotherm							
Temp.	Density	Thermal Cond.	Viscosity	Thermal Diffusivity	Temp.	Density	Thermal Cond.	Viscosity	Thermal Diffusivity						
R	lb/ft ³	BTU/ft. ³ h.R	lb/ft.s	ft ² /h	R	lb/ft ³	BTU/ft. ³ h.R	lb/ft.s	ft ² /h						
*	98.841	81.7366	.11836	336.07	.00365	*	98.983	81.7640	.11846	337.48	.00365				
100.	81.5627	.11768	331.17	.00364	100.	81.6116	.11786	333.14	.00364						
105.	80.8123	.11484	309.96	.00358	105.	80.8627	.11502	311.77	.00358						
110.	80.0608	.11218	287.13	.00353	110.	80.1130	.11237	290.79	.00353						
115.	79.3066	.10966	269.11	.00348	115.	79.3610	.10986	270.65	.00349						
120.	78.5486	.10726	250.18	.00344	120.	78.6056	.10747	251.61	.00345						
125.	77.7959	.10495	232.46	.00340	125.	77.8456	.10516	233.80	.00341						
130.	77.0177	.10270	216.01	.00336	130.	77.0805	.10292	217.26	.00337						
135.	76.2423	.10050	200.81	.00332	135.	76.3094	.10073	201.98	.00333						
140.	75.4621	.09834	186.81	.00329	140.	75.5317	.09858	187.92	.00329						
145.	74.6734	.09620	173.96	.00325											
150.	73.8765	.09407	162.16	.00320	145.	74.7469	.09645	175.01	.00325						
155.	73.0706	.09196	151.33	.00316	150.	73.9541	.09433	163.15	.00321						
160.	72.2549	.08984	141.39	.00311	155.	73.1528	.09223	152.28	.00317						
165.	71.4225	.08772	132.27	.00307	160.	72.3420	.09012	142.31	.00313						
170.	70.5902	.08559	123.88	.00302	165.	71.5209	.08801	133.15	.00308						
175.	69.7387	.08345	116.15	.00297	170.	70.6884	.08589	124.72	.00303						
180.	68.8726	.08129	109.02	.00291	175.	69.8434	.08377	116.97	.00298						
185.	67.9901	.07912	102.43	.00285	180.	68.9843	.08163	109.82	.00292						
190.	67.0992	.07694	96.32	.00279	185.	68.1096	.07948	103.21	.00297						
195.	66.1676	.07473	90.64	.00272	190.	67.2175	.07731	97.08	.00281						
200.	65.2227	.07250	85.35	.00265	195.	66.3057	.07512	91.39	.00274						
205.	64.2511	.07025	80.41	.00258	200.	65.3719	.07291	85.10	.00267						
210.	63.2493	.06797	75.77	.00250	205.	64.4130	.07068	81.15	.00260						
215.	62.2126	.06566	71.49	.00242	210.	63.4258	.06843	76.51	.00253						
220.	61.1358	.06332	67.27	.00233	215.	62.4060	.06615	72.15	.00245						
225.	60.0121	.06095	63.35	.00224	220.	61.3491	.06384	68.03	.00236						
230.	58.8334	.05854	59.61	.00214	225.	60.2490	.06151	64.13	.00228						
235.	57.5392	.05608	56.03	.00204	230.	59.0988	.05914	60.41	.00218						
240.	56.2658	.05357	52.56	.00193	235.	57.8895	.05673	55.86	.00208						
245.	54.8446	.05100	49.19	.00181	240.	56.6097	.05428	53.44	.00198						
250.	53.2990	.04837	45.87	.00168	245.	55.2445	.05178	50.12	.00185						
255.	51.5987	.04567	42.55	.00153	250.	53.7733	.04924	46.88	.00174						
260.	49.6466	.04292	39.18	.00137	255.	52.1667	.04665	43.57	.00161						
265.	47.3439	.04014	35.62	.00118	260.	50.3789	.04403	40.45	.00147						
270.	44.3657	.03748	31.59	.00093	265.	48.3327	.04141	37.15	.00130						
275.	39.2588	.03552	25.84	.00049	270.	45.8756	.03895	33.64	.00112						
* 276.207	36.2669	.03538	23.01	.00023	275.	42.6214	.03706	29.58	.00088						
* 276.207	18.6292	.02519	12.20	.00025	280.	36.7353	.03573	23.59	.00044						
280.	14.5246	.01883	10.87	.00109	285.	19.7566	.02479	12.96	.00052						
285.	12.7045	.01587	10.46	.00165	290.	15.8101	.01837	11.62	.00112						
290.	11.6137	.01447	10.30	.00208	295.	14.0453	.01628	11.18	.00157						
295.	10.8277	.01368	10.23	.00245	300.	12.9002	.01514	10.97	.00195						
300.	10.2126	.01320	10.21	.00279	310.	11.3817	.01398	10.81	.00261						
310.	9.2795	.01270	10.24	.00344	320.	10.3546	.01346	10.80	.00321						
320.	8.5813	.01250	10.34	.00406	330.	9.5818	.01323	10.86	.00377						
330.	8.0254	.01246	10.47	.00466	340.	8.9649	.01315	10.97	.00432						
340.	7.5651	.01251	10.62	.00525	350.	8.4535	.01317	11.09	.00486						
350.	7.1734	.01261	10.79	.00584	360.	8.0181	.01324	11.24	.00539						
360.	6.8336	.01275	10.96	.00642	370.	7.6401	.01335	11.40	.00591						
370.	6.5341	.01291	11.14	.00700	380.	7.13071	.01349	11.56	.00644						
380.	6.2671	.01308	11.32	.00758	390.	7.0101	.01365	11.73	.00697						
390.	6.0266	.01327	11.51	.00817	400.	6.7427	.01382	11.91	.00749						
400.	5.8084	.01347	11.70	.00875	410.	6.5000	.01401	12.09	.00802						
410.	5.6090	.01368	11.89	.00934	420.	6.2783	.01420	12.27	.00855						
420.	5.4257	.01389	12.09	.00994	430.	6.0744	.01440	12.45	.00909						
430.	5.2564	.01410	12.28	.01054	440.	5.8862	.01460	12.64	.00963						
440.	5.0993	.01432	12.47	.01114	450.	5.7115	.01481	12.83	.01017						
450.	4.9530	.01454	12.67	.01175	460.	5.5488	.01502	13.01	.01072						
460.	4.8163	.01476	12.86	.01236	470.	5.3968	.01523	13.20	.01127						
470.	4.6881	.01498	13.06	.01298	480.	5.2542	.01545	13.39	.01183						
480.	4.5676	.01520	13.25	.01361	490.	5.1202	.01567	13.57	.01239						
490.	4.4541	.01543	13.44	.01424	500.	4.9939	.01588	13.76	.01295						
500.	4.3468	.01565	13.64	.01488	510.	4.8747	.01610	13.95	.01352						
510.	4.2453	.01588	13.83	.01552	520.	4.7617	.01632	14.13	.01410						
520.	4.1490	.01610	14.02	.01617	530.	4.6546	.01654	14.32	.01468						
530.	4.0575	.01632	14.21	.01682	540.	4.5528	.01676	14.51	.01526						
540.	3.9704	.01655	14.40	.01748	550.	3.4642	.01612	14.10	.01969						

* Two Phase Boundary

Table 7. Transport Properties of Oxygen, Isobars, Engr. Units.

900. psia Isobar						1000. psia Isobar					
Temp. R	Density lb/ft ³	Thermal Cond. BTU/ft.h.R	Viscosity micro- lb/ft.s	Thermal Diffusivity ft ² /h	Temp. R	Density lb/ft ³	Thermal Cond. BTU/ft.h.R	Viscosity micro- lb/ft.s	Thermal Diffusivity ft ² /h		
* 99.124	81.7913	.11856	338.89	.00366	* 99.265	81.8186	.11865	340.29	.00366		
100.	81.6603	.11804	335.12	.00364	100.	81.7089	.11822	337.10	.00365		
105.	80.9128	.11520	313.58	.00359	105.	80.9628	.11539	315.39	.00359		
110.	80.1650	.11256	292.45	.00354	110.	80.2168	.11274	294.12	.00355		
115.	79.4152	.11005	272.19	.00350	115.	79.4692	.11025	273.73	.00350		
120.	78.6622	.10767	253.04	.00346	120.	78.7186	.10787	254.47	.00346		
125.	77.9050	.10537	235.13	.00342	125.	77.9641	.10558	236.47	.00342		
130.	77.1429	.10314	218.51	.00338	130.	77.2049	.10336	219.76	.00339		
135.	76.3750	.10096	203.16	.00334	135.	76.4403	.10118	204.33	.00335		
140.	75.6009	.09881	189.03	.00330	140.	75.6696	.09905	190.14	.00331		
145.	74.8198	.09659	176.05	.00326	145.	74.8923	.09694	177.10	.00327		
150.	74.0312	.09459	164.15	.00322	150.	74.1077	.09484	165.14	.00323		
155.	73.2343	.09249	153.23	.00318	155.	73.3151	.09276	154.18	.00319		
160.	72.4283	.09040	143.21	.00314	160.	72.5139	.09068	144.12	.00315		
165.	71.6124	.08830	134.02	.00309	165.	71.7031	.08859	134.89	.00310		
170.	70.7856	.08620	125.57	.00304	170.	70.8818	.08650	126.41	.00306		
175.	69.9468	.08409	117.79	.00299	175.	70.0491	.08440	118.60	.00301		
180.	69.0946	.08196	110.61	.00294	180.	59.2035	.08229	111.40	.00295		
185.	68.2275	.07982	103.98	.00288	185.	58.3438	.08017	104.75	.00290		
190.	67.3438	.07767	97.84	.00282	190.	57.4683	.07903	98.59	.00284		
195.	66.4415	.07550	92.14	.00276	195.	56.5751	.07508	92.88	.00278		
200.	65.5184	.07331	86.83	.00270	200.	55.6622	.07371	87.57	.00271		
205.	64.5716	.07111	81.98	.00263	205.	54.7270	.07153	82.61	.00265		
210.	63.5982	.06888	77.24	.00255	210.	53.7568	.06932	77.97	.00258		
215.	62.5945	.06663	72.99	.00248	215.	52.7782	.06710	73.61	.00250		
220.	61.5561	.06435	68.78	.00239	220.	51.7574	.06485	69.51	.00242		
225.	60.4780	.06205	64.89	.00231	225.	50.6998	.06258	65.64	.00234		
230.	59.3540	.05972	61.20	.00222	230.	59.6001	.06028	51.96	.00225		
235.	58.1764	.05736	57.67	.00212	235.	58.4515	.05796	58.45	.00216		
240.	56.9358	.05496	54.28	.00202	240.	57.2462	.05561	55.10	.00206		
245.	55.6198	.05252	51.01	.00191	245.	55.9739	.05324	51.87	.00196		
250.	54.2123	.05006	47.83	.00180	250.	54.6216	.05083	48.74	.00186		
255.	52.6910	.04756	44.71	.00168	255.	53.1722	.04841	45.69	.00174		
260.	51.0234	.04504	41.62	.00155	260.	51.6018	.04598	42.69	.00162		
265.	49.1592	.04255	38.50	.00141	265.	49.8755	.04359	39.71	.00150		
270.	47.0117	.04020	35.29	.00125	270.	47.9392	.04133	36.59	.00136		
275.	44.4095	.03833	31.82	.00108	275.	45.7002	.03946	33.56	.00122		
280.	40.9258	.03677	27.82	.00085	280.	42.9802	.03780	30.20	.00106		
285.	34.9783	.03361	22.25	.00049	285.	39.3766	.03506	26.35	.00032		
290.	24.6816	.02799	19.47	.00047	290.	33.9561	.03206	21.60	.00058		
295.	19.1098	.02005	13.03	.00085	295.	26.9862	.02757	16.95	.00098		
300.	16.5567	.01818	12.20	.00125	300.	21.9062	.02290	14.43	.00080		
310.	13.9113	.01573	11.58	.00195	310.	17.0491	.01816	12.69	.00143		
320.	12.3714	.01466	11.38	.00254	320.	14.6948	.01625	12.13	.00201		
330.	11.2964	.01417	11.34	.00308	330.	13.1961	.01531	11.92	.00254		
340.	10.4760	.01391	11.37	.00360	340.	12.1109	.01482	11.85	.00303		
350.	9.8158	.01381	11.45	.00410	350.	11.2667	.01456	11.86	.00351		
360.	9.2658	.01380	11.56	.00459	360.	10.5796	.01444	11.92	.00397		
370.	8.7960	.01385	11.68	.00508	370.	10.0029	.01441	12.01	.00442		
380.	8.3872	.01394	11.82	.00556	380.	9.5077	.01444	12.12	.00487		
390.	8.0263	.01406	11.98	.00604	390.	9.0752	.01451	12.25	.00531		
400.	7.7041	.01420	12.14	.00652	400.	8.6923	.01462	12.38	.00576		
410.	7.4137	.01436	12.30	.00700	410.	8.3495	.01474	12.53	.00620		
420.	7.1499	.01453	12.47	.00749	420.	8.0401	.01489	12.69	.00664		
430.	6.9087	.01471	12.64	.00797	430.	7.7585	.01505	12.85	.00739		
440.	6.6868	.01490	12.82	.00846	440.	7.5007	.01522	13.01	.00753		
450.	6.4818	.01510	13.00	.00895	450.	7.2633	.01540	13.18	.00798		
460.	6.2915	.01530	13.17	.00945	460.	7.0437	.01558	13.35	.00844		
470.	6.1142	.01550	13.35	.00994	470.	6.8398	.01577	13.52	.00889		
480.	5.9484	.01570	13.53	.01045	480.	6.6496	.01597	13.69	.00935		
490.	5.7929	.01591	13.72	.01095	490.	6.4716	.01617	13.87	.00981		
500.	5.6467	.01612	13.90	.01146	500.	6.3046	.01637	14.04	.01027		
510.	5.5089	.01633	14.08	.01197	510.	6.1475	.01657	14.22	.01074		
520.	5.3786	.01654	14.26	.01249	520.	5.9994	.01678	14.39	.01121		
530.	5.2553	.01676	14.44	.01301	530.	5.8593	.01698	14.57	.01159		
540.	5.1383	.01697	14.62	.01354	540.	5.7266	.01719	14.74	.01216		

* Two Phase Boundary

Table 7. Transport Properties of Oxygen, Isobars, Engr. Units.

1100. psia Isobar							1200. psia Isobar						
Temp.	Density	Thermal Cond.	Viscosity micro	Thermal Diffusivity		Temp.	Density	Thermal Cond.	Viscosity micro	Thermal Diffusivity			
R	lb/ft ³	BTU/ft ² h.R	lb/ft.s	ft ² /h	R	lb/ft ³	BTU/ft ² h.R	lb/ft.s	ft ² /h				
* 99.406	81.8458	.11875	241.69	.00366		* 99.547	81.8729	.11885	343.09	.00366			
100.	81.7573	.11840	339.09	.00365		100.	81.8055	.11858	341.09	.00366			
105.	81.0126	.11557	317.21	.00360		105.	81.0622	.11575	319.03	.00360			
110.	80.2684	.11293	295.79	.00355		110.	80.3198	.11312	297.47	.00356			
115.	79.5229	.11044	275.27	.00351		115.	79.5763	.11064	276.82	.00351			
120.	78.7747	.10807	255.90	.00347		120.	78.8305	.10827	257.34	.00347			
125.	78.0229	.10579	237.80	.00343		125.	78.0814	.10599	239.14	.00344			
130.	77.2666	.10357	221.01	.00339		130.	77.3279	.10379	222.26	.00340			
135.	76.5051	.10141	205.51	.00336		135.	76.5696	.10163	206.68	.00336			
140.	75.7379	.09928	191.24	.00332		140.	75.8057	.09951	192.35	.00333			
145.	74.9642	.09718	178.15	.00328		145.	75.0357	.09742	179.19	.00329			
150.	74.1936	.09510	166.14	.00324		150.	74.2589	.09535	167.13	.00325			
155.	73.3953	.09302	155.13	.00320		155.	73.4748	.09329	156.07	.00321			
160.	72.5986	.09095	145.03	.00316		160.	72.6827	.09122	145.93	.00317			
165.	71.7928	.08888	135.76	.00311		165.	71.8818	.08916	136.62	.00313			
170.	70.9770	.08680	127.24	.00307		170.	71.0713	.08710	128.08	.00308			
175.	70.1502	.08471	119.41	.00302		175.	70.2502	.08503	120.21	.00303			
180.	69.3111	.08262	112.18	.00297		180.	69.4174	.08294	112.96	.00298			
185.	68.4585	.08051	105.51	.00291		185.	68.5718	.08085	105.27	.00293			
190.	67.5909	.07839	99.34	.00286		190.	67.7118	.07875	100.09	.00287			
195.	66.7066	.07626	93.62	.00280		195.	66.8360	.07663	94.35	.00281			
200.	65.8035	.07411	88.29	.00273		200.	65.9424	.07450	89.01	.00275			
205.	64.8794	.07194	83.33	.00267		205.	65.0289	.07235	84.04	.00269			
210.	63.9319	.06976	78.69	.00260		210.	64.0933	.07019	79.39	.00262			
215.	62.9575	.06756	74.33	.00253		215.	63.1327	.06801	75.04	.00255			
220.	61.9533	.06534	70.24	.00245		220.	62.1441	.06582	70.95	.00248			
225.	60.9149	.06310	66.37	.00237		225.	61.1238	.06360	67.09	.00240			
230.	59.8377	.06084	62.70	.00228		230.	60.0675	.06138	63.44	.00232			
235.	58.7159	.05855	59.22	.00220		235.	58.9704	.05913	59.97	.00223			
240.	57.5426	.05625	55.89	.00210		240.	57.8265	.05686	56.66	.00214			
245.	56.3094	.05392	52.70	.00201		245.	56.6286	.05458	53.50	.00205			
250.	55.0058	.05158	49.61	.00191		250.	55.3682	.05229	50.45	.00195			
255.	53.6181	.04922	46.62	.00180		255.	54.0341	.04999	47.51	.00185			
260.	52.1282	.04686	43.70	.00169		260.	52.6126	.04769	44.64	.00175			
265.	50.5113	.04455	40.81	.00157		265.	51.0851	.04544	41.84	.00164			
270.	48.7310	.04236	37.94	.00145		270.	49.4261	.04331	39.07	.00153			
275.	46.7313	.04050	35.02	.00133		275.	47.5994	.04146	36.31	.00143			
280.	44.4195	.03879	32.01	.00120		280.	45.5501	.03973	33.51	.00132			
285.	41.6287	.03623	28.79	.00102		285.	43.1929	.03731	30.63	.00117			
290.	38.0518	.03370	25.22	.00083		290.	40.3929	.03495	27.60	.00101			
295.	33.3314	.03094	21.29	.00069		295.	36.9726	.03260	24.38	.00087			
300.	28.1152	.02754	17.82	.00070		300.	32.9116	.03013	21.15	.00079			
310.	20.9261	.02131	14.30	.00108		310.	25.2151	.02462	16.46	.00094			
320.	17.3850	.01822	13.12	.00160		320.	20.4363	.02055	14.40	.00132			
330.	15.3058	.01670	12.63	.00211		330.	17.6349	.01834	13.51	.00177			
340.	13.8905	.01588	12.41	.00258		340.	15.7898	.01711	13.09	.00222			
350.	12.8108	.01542	12.33	.00303		350.	14.4500	.01639	12.88	.00265			
360.	11.9615	.01516	12.33	.00347		360.	13.4116	.01597	12.79	.00306			
370.	11.2614	.01503	12.37	.00389		370.	12.5708	.01572	12.77	.00346			
380.	10.6684	.01499	12.44	.00431		380.	11.8683	.01559	12.80	.00385			
390.	10.1560	.01501	12.54	.00472		390.	11.2677	.01554	12.87	.00424			
400.	9.7063	.01507	12.66	.00514		400.	10.7450	.01555	12.95	.00463			
410.	9.3056	.01516	12.78	.00555		410.	10.2837	.01560	13.06	.00502			
420.	8.9478	.01527	12.92	.00596		420.	9.8721	.01568	13.17	.00540			
430.	8.6230	.01541	13.07	.00637		430.	9.5013	.01579	13.30	.00578			
440.	8.3269	.01556	13.22	.00679		440.	9.1646	.01591	13.44	.00617			
450.	8.0553	.01572	13.37	.00720		450.	8.8569	.01605	13.58	.00655			
460.	7.8049	.01589	13.53	.00762		460.	8.5742	.01620	13.73	.00694			
470.	7.5729	.01606	13.69	.00804		470.	8.3129	.01636	13.88	.00733			
480.	7.3572	.01624	13.86	.00846		480.	8.0706	.01653	14.04	.00772			
490.	7.1558	.01643	14.02	.00888		490.	7.8449	.01670	14.19	.00811			
500.	6.9573	.01662	14.19	.00931		500.	7.6340	.01688	14.35	.00851			
510.	6.7902	.01682	14.36	.00974		510.	7.4363	.01707	14.52	.00891			
520.	6.6234	.01701	14.53	.01017		520.	7.2504	.01726	14.68	.00931			
530.	6.4660	.01721	14.70	.01061		530.	7.0752	.01745	14.84	.00971			
540.	6.3171	.01741	14.87	.01104		540.	6.9097	.01764	15.01	.01012			

* Two Phase Boundary

Table 7. Transport Properties of Oxygen, Isobars, Engr. Units.

1300. psia Isobar								1400. psia Isobar							
Temp. R	Density lb/ft ³	Thermal Cond. BTU/ft.h.R	Viscosity micro- lb/ft.s	Thermal Diffusivity ft ² /h	Temp. R	Density lb/ft ³	Thermal Cond. BTU/ft.h.R	Viscosity micro- lb/ft.s	Thermal Diffusivity ft ² /h						
* 99.688	81.9000	.11894	344.48	.00367	* 99.829	81.9269	.11904	345.86	.00367						
100.	81.8536	.11876	343.09	.00366	100.	81.9015	.11894	345.09	.00367						
105.	81.1116	.11594	320.05	.00361	105.	81.1609	.11612	322.68	.00361						
110.	80.3709	.11331	299.14	.00356	110.	80.4219	.11349	300.82	.00357						
115.	79.6296	.11083	278.37	.00352	115.	79.6825	.11102	279.92	.00352						
120.	78.8861	.10847	258.77	.00348	120.	78.9414	.10867	260.21	.00349						
125.	78.1395	.10620	240.48	.00344	125.	78.1973	.10640	241.81	.00345						
130.	77.3889	.10400	223.51	.00341	130.	77.4495	.10421	224.76	.00341						
135.	76.6336	.10185	207.85	.00337	135.	76.6973	.10208	209.03	.00338						
140.	75.8730	.09975	193.46	.00333	140.	75.9400	.09998	194.56	.00334						
145.	75.1066	.09766	180.24	.00330	145.	75.1770	.09790	181.28	.00331						
150.	74.3336	.09560	168.12	.00326	150.	74.4078	.09585	169.11	.00327						
155.	73.5536	.09355	157.01	.00322	155.	73.6319	.09381	157.96	.00323						
160.	72.7660	.09150	146.83	.00318	160.	72.8485	.09177	147.73	.00319						
165.	71.9699	.08945	137.49	.00314	165.	72.0571	.08973	138.35	.00315						
170.	71.1645	.08739	128.91	.00309	170.	71.2569	.08769	129.73	.00310						
175.	70.3491	.08533	121.01	.00305	175.	70.4470	.08564	121.81	.00306						
180.	69.5225	.08326	113.74	.00300	180.	69.6264	.08358	114.52	.00301						
185.	68.6836	.08119	107.03	.00294	185.	68.7940	.08152	107.78	.00296						
190.	67.8311	.07910	100.82	.00289	190.	67.9487	.07944	101.56	.00290						
195.	66.9534	.07699	95.07	.00283	195.	67.0890	.07736	95.79	.00285						
200.	66.0789	.07488	89.72	.00277	200.	66.2133	.07526	90.43	.00279						
205.	65.1757	.07275	84.75	.00271	205.	65.3199	.07315	85.45	.00273						
210.	64.2516	.07061	80.10	.00264	210.	64.4067	.07103	80.79	.00266						
215.	63.3040	.06845	75.74	.00257	215.	63.4716	.06889	76.43	.00260						
220.	62.3302	.06628	71.65	.00250	220.	62.5118	.06675	72.34	.00253						
225.	61.3268	.06410	67.80	.00243	225.	61.5245	.06459	68.49	.00245						
230.	60.2902	.06190	64.15	.00235	230.	60.5063	.06242	64.86	.00238						
235.	59.2140	.05969	60.70	.00226	235.	59.4534	.06023	61.42	.00230						
240.	58.0991	.05746	57.41	.00218	240.	58.3614	.05804	58.15	.00221						
245.	56.9333	.05522	54.27	.00209	245.	57.2250	.05584	55.03	.00213						
250.	55.7115	.05297	51.26	.00200	250.	56.0381	.05363	52.04	.00204						
255.	54.4248	.05072	48.36	.00190	255.	54.7935	.05143	49.17	.00195						
260.	53.0522	.04848	45.54	.00181	260.	53.4824	.04924	46.40	.00186						
265.	51.6096	.04629	42.81	.00171	265.	52.0938	.04710	43.72	.00177						
270.	50.0496	.04421	40.12	.00161	270.	50.6139	.04505	41.10	.00167						
275.	48.3547	.04237	37.47	.00151	275.	49.0251	.04323	38.54	.00158						
280.	46.4916	.04063	34.83	.00141	280.	47.3039	.04148	36.01	.00149						
285.	44.6414	.03831	32.16	.00128	285.	45.4192	.03925	33.49	.00138						
290.	42.0430	.03606	29.44	.00115	290.	43.3301	.03709	30.96	.00126						
295.	39.2971	.03388	26.63	.00103	295.	40.9870	.03501	28.42	.00115						
300.	36.1123	.03173	23.79	.00093	300.	38.3476	.03300	25.86	.00106						
310.	29.1534	.02723	18.84	.00093	310.	32.3731	.02907	21.09	.00098						
320.	23.6803	.02300	15.96	.00117	320.	26.8207	.02521	17.71	.00111						
330.	20.1511	.02018	14.57	.00154	330.	22.7589	.02209	15.80	.00139						
340.	17.8303	.01850	13.87	.00194	340.	19.9703	.02000	14.78	.00173						
350.	16.1803	.01749	13.50	.00234	350.	17.9885	.01869	14.22	.00209						
360.	14.9271	.01687	13.31	.00273	360.	16.5009	.01784	13.90	.00246						
370.	13.9287	.01648	13.22	.00311	370.	15.3304	.01730	13.72	.00282						
380.	13.1052	.01525	13.20	.00348	380.	14.3756	.01696	13.63	.00317						
390.	12.4082	.01612	13.22	.00385	390.	13.5750	.01674	13.61	.00352						
400.	11.8067	.01607	13.27	.00421	400.	12.8891	.01662	13.62	.00386						
410.	11.2794	.01607	13.35	.00457	410.	12.2918	.01657	13.67	.00420						
420.	10.8115	.01611	13.45	.00493	420.	11.7644	.01657	13.74	.00454						
430.	10.3920	.01619	13.55	.00529	430.	11.2937	.01661	13.82	.00488						
440.	10.0126	.01628	13.67	.00565	440.	10.8697	.01667	13.92	.00522						
450.	9.6672	.01640	13.80	.00601	450.	10.4849	.01676	14.04	.00556						
460.	9.3506	.01553	13.94	.00638	460.	10.1333	.01687	14.16	.00590						
470.	9.0590	.01667	14.08	.00674	470.	9.8102	.01700	14.29	.00624						
480.	8.7891	.01683	14.22	.00710	480.	9.5118	.01713	14.42	.00658						
490.	8.5382	.01699	14.37	.00747	490.	9.2351	.01728	14.56	.00693						
500.	8.3043	.01715	14.52	.00784	500.	8.9775	.01743	14.70	.00727						
510.	8.0853	.01733	14.68	.00821	510.	8.7367	.01759	14.85	.00762						
520.	7.8798	.01750	14.83	.00858	520.	8.5111	.01776	15.00	.00797						
530.	7.6864	.01769	14.99	.00896	530.	8.2990	.01793	15.15	.00832						
540.	7.5039	.01787	15.15	.00934	540.	8.0992	.01811	15.30	.00867						

* Two Phase Boundary

Table 7. Transport Properties of Oxygen Isobars, Engr. Units.

1500. psia Isobar							1600. psia Isobar						
Temp. R	Density lb/ft ³	Thermal Cond. BTU/ft.h.R	Viscosity micro- lb/ft.s	Thermal Diffusivity ft ² /h	Temp. R	Density lb/ft ³	Thermal Cond. BTU/ft.h.R	Viscosity micro- lb/ft.s	Thermal Diffusivity ft ² /h				
* 99.969	81.9538	.11913	347.24	.00367	* 100.109	81.9806	.11923	348.62	.00367				
100.	81.9493	.11912	347.10	.00367	105.	81.2548	.11648	325.36	.00362				
105.	81.2099	.11630	324.52	.00362	110.	80.5231	.11387	304.19	.00358				
110.	80.4726	.11368	302.51	.00357	115.	79.7877	.11140	283.03	.00354				
115.	79.7353	.11121	281.47	.00353	120.	79.0511	.10906	263.09	.00350				
120.	78.9964	.10896	261.65	.00349	125.	78.3121	.10681	244.49	.00346				
125.	78.2549	.10661	243.15	.00346	130.	77.5698	.10464	227.26	.00343				
130.	77.5098	.10443	226.01	.00342	135.	76.8235	.10252	211.38	.00339				
135.	76.7606	.10230	210.20	.00339	140.	75.0725	.10043	196.77	.00336				
140.	76.0065	.10021	195.67	.00335	145.	75.3164	.09838	183.37	.00332				
145.	75.2469	.09814	182.33	.00331									
150.	74.4815	.09610	170.10	.00328	150.	74.5546	.09635	171.09	.00329				
155.	73.7095	.09407	158.90	.00324	155.	73.7865	.09432	159.84	.00325				
160.	72.9304	.09204	148.63	.00320	160.	73.0116	.09230	149.52	.00321				
165.	72.1436	.09001	139.21	.00316	165.	72.2293	.09029	140.07	.00317				
170.	71.3483	.08798	130.56	.00312	170.	71.4389	.08827	131.38	.00313				
175.	70.5438	.08594	122.61	.00307	175.	70.6396	.08624	123.40	.00308				
180.	69.7290	.08390	115.29	.00302	180.	69.8306	.08421	116.06	.00304				
185.	68.9031	.08195	108.53	.00297	185.	69.0108	.08217	109.28	.00299				
190.	68.0647	.07979	102.29	.00292	190.	69.1793	.08013	103.02	.00294				
195.	67.2127	.07772	96.51	.00287	195.	67.3347	.07807	97.22	.00288				
200.	66.3455	.07563	91.14	.00281	200.	65.4757	.07600	91.83	.00282				
205.	65.4616	.07354	86.14	.00275	205.	65.6009	.07393	86.83	.00277				
210.	64.5590	.07144	81.48	.00268	210.	64.7084	.07184	82.16	.00270				
215.	63.6356	.06932	77.12	.00262	215.	63.7964	.06975	77.79	.00264				
220.	62.6482	.06720	73.03	.00255	220.	62.8627	.06765	73.70	.00257				
225.	61.7171	.06506	69.18	.00248	225.	61.9049	.06553	69.86	.00250				
230.	60.7162	.06292	65.55	.00240	230.	60.9204	.06341	66.23	.00243				
235.	59.6833	.06077	62.12	.00233	235.	59.9061	.06129	62.81	.00236				
240.	58.6143	.05860	58.86	.00225	240.	58.8586	.05916	59.56	.00228				
245.	57.5048	.05644	55.76	.00217	245.	57.7740	.05702	56.48	.00220				
250.	56.3497	.05427	52.80	.00208	250.	56.6480	.05489	53.53	.00212				
255.	55.1430	.05211	49.96	.00200	255.	55.4754	.05276	50.72	.00204				
260.	53.8773	.04996	47.23	.00191	260.	54.2503	.05066	48.02	.00195				
265.	52.5442	.04786	44.59	.00182	265.	52.9660	.04860	45.42	.00187				
270.	51.1331	.04586	42.03	.00173	270.	51.6141	.04662	42.90	.00179				
275.	49.6310	.04405	39.53	.00165	275.	50.1850	.04483	40.46	.00171				
280.	48.0216	.04231	37.08	.00156	280.	48.6668	.04309	38.08	.00163				
285.	46.2842	.04014	34.67	.00146	285.	47.0452	.04099	35.76	.00153				
290.	44.3932	.03805	32.29	.00136	290.	45.3035	.03896	33.47	.00144				
295.	42.3189	.03604	29.92	.00126	295.	43.4229	.03701	31.23	.00135				
300.	40.0347	.03412	27.56	.00117	300.	41.3863	.03514	29.02	.00127				
310.	34.8761	.03047	23.07	.00106	310.	36.8457	.03166	24.78	.00115				
320.	29.6303	.02701	19.48	.00111	320.	32.0332	.02846	21.17	.00115				
330.	25.3207	.02390	17.16	.00131	330.	27.7163	.02551	18.57	.00128				
340.	22.1526	.02156	15.80	.00159	340.	24.3046	.02307	16.91	.00150				
350.	19.8495	.01996	15.01	.00191	350.	21.7272	.02126	15.88	.00177				
360.	18.1201	.01889	14.54	.00224	360.	19.7659	.01999	15.25	.00208				
370.	16.7684	.01819	14.26	.00258	370.	18.2318	.01912	14.86	.00239				
380.	15.6746	.01772	14.10	.00291	380.	16.9950	.01852	14.61	.00270				
390.	14.7641	.01741	14.02	.00324	390.	15.9709	.01811	14.47	.00301				
400.	13.9894	.01721	13.99	.00357	400.	15.1039	.01783	14.39	.00332				
410.	13.3184	.01710	14.01	.00389	410.	14.3565	.01766	14.36	.00362				
420.	12.7289	.01705	14.05	.00421	420.	13.7026	.01756	14.37	.00393				
430.	12.2048	.01705	14.11	.00453	430.	13.1235	.01751	14.41	.00423				
440.	11.7345	.01708	14.19	.00485	440.	12.6054	.01751	14.47	.00453				
450.	11.3089	.01714	14.28	.00517	450.	12.1379	.01754	14.54	.00484				
460.	10.9211	.01723	14.39	.00549	460.	11.7130	.01760	14.63	.00514				
470.	10.5656	.01733	14.50	.00581	470.	11.3243	.01768	14.73	.00544				
480.	10.2381	.01745	14.63	.00613	480.	10.9668	.01778	14.84	.00575				
490.	9.9348	.01758	14.75	.00646	490.	10.6365	.01789	14.96	.00605				
500.	9.6529	.01772	14.89	.00678	500.	10.3299	.01801	15.08	.00636				
510.	9.3899	.01787	15.03	.00711	510.	10.0443	.01815	15.21	.00667				
520.	9.1438	.01802	15.17	.00744	520.	9.7774	.01829	15.34	.00698				
530.	8.9128	.01818	15.31	.00777	530.	9.5271	.01844	15.48	.00729				
540.	8.6953	.01835	15.46	.00810	540.	9.2918	.01859	15.62	.00760				

* Two Phase Boundary

Table 7. Transport Properties of Oxygen, Isobars, Engr. Units.

1700. psia Isobar

1800. psia Isobar

Temp. R	Density lb/ft ³	Thermal Cond. BTU/ft.h.R	Viscosity micro- lb/ft.s	Thermal Diffusivity ft ² /h	Temp. R	Density lb/ft ³	Thermal Cond. BTU/ft.h.R	Viscosity micro- lb/ft.s	Thermal Diffusivity ft ² /h
* 100.250	82.0074	.11933	349.99	.00368	* 100.390	82.0341	.11942	351.36	.00368
105.	81.3074	.11666	328.20	.00363	105.	81.3559	.11684	330.04	.00363
110.	80.5734	.11405	305.88	.00358	110.	80.6235	.11423	307.57	.00359
115.	79.8400	.11159	284.58	.00354	115.	79.8920	.11178	286.14	.00355
120.	79.1056	.10926	264.53	.00350	120.	79.1598	.10945	265.97	.00351
125.	78.3690	.10702	245.83	.00347	125.	78.4257	.10722	247.18	.00348
130.	77.6294	.10485	228.52	.00343	130.	77.6887	.10506	229.77	.00344
135.	76.8860	.10274	212.55	.00340	135.	76.9481	.10295	213.72	.00341
140.	76.1382	.10066	197.87	.00337	140.	76.2034	.10089	198.98	.00337
145.	75.3854	.09862	184.41	.00333	145.	75.4539	.09885	185.45	.00334
150.	74.6272	.09659	172.08	.00330	150.	74.6992	.09684	173.06	.00330
155.	73.8629	.09458	160.77	.00326	155.	73.9388	.09483	161.71	.00327
160.	73.0922	.09257	150.42	.00322	160.	73.1720	.09283	151.31	.00323
165.	72.3143	.09056	140.92	.00318	165.	72.3985	.09084	141.78	.00319
170.	71.5286	.08855	132.21	.00314	170.	71.6175	.08884	133.03	.00315
175.	70.7345	.08654	124.20	.00309	175.	70.8284	.08684	124.98	.00311
180.	69.9310	.08452	116.82	.00305	180.	70.0303	.08483	117.58	.00306
185.	69.1173	.08250	110.02	.00300	185.	69.2225	.08282	110.76	.00301
190.	68.2923	.08046	103.74	.00295	190.	68.4039	.08080	104.46	.00296
195.	67.4550	.07842	97.92	.00290	195.	67.5736	.07877	98.62	.00291
200.	66.6040	.07637	92.53	.00284	200.	66.7303	.07673	93.21	.00286
205.	65.7379	.07431	87.51	.00278	205.	65.8726	.07469	88.18	.00280
210.	64.8551	.07224	82.83	.00272	210.	64.9992	.07264	83.50	.00274
215.	63.9539	.07017	78.46	.00266	215.	64.1085	.07058	79.12	.00268
220.	63.0324	.06808	74.37	.00260	220.	63.1985	.06852	75.03	.00262
225.	62.0882	.06599	70.52	.00253	225.	62.2674	.06645	71.18	.00255
230.	61.1192	.06390	66.90	.00246	230.	61.3129	.06437	67.56	.00248
235.	60.1224	.06180	63.49	.00239	235.	60.3327	.06230	64.15	.00241
240.	59.0950	.05969	60.25	.00231	240.	59.3240	.06022	60.92	.00234
245.	58.0335	.05759	57.18	.00224	245.	58.2840	.05814	57.86	.00227
250.	56.9341	.05549	54.25	.00216	250.	57.2093	.05607	54.95	.00219
255.	55.7927	.05340	51.46	.00208	255.	56.0963	.05401	52.18	.00212
260.	54.6041	.05133	48.78	.00200	260.	54.9409	.05198	49.52	.00204
265.	53.3630	.04931	46.21	.00192	265.	53.7385	.04999	46.98	.00196
270.	52.0629	.04736	43.74	.00184	270.	52.4841	.04807	44.54	.00189
275.	50.6962	.04558	41.34	.00176	275.	51.1717	.04630	42.18	.00181
280.	49.2543	.04385	39.02	.00169	280.	49.7948	.04458	39.90	.00174
285.	47.7270	.04180	36.76	.00160	285.	48.3460	.04258	37.70	.00166
290.	46.1028	.03983	34.56	.00151	290.	46.8173	.04065	35.56	.00158
295.	44.3694	.03793	32.40	.00143	295.	45.2003	.03879	33.47	.00150
300.	42.5156	.03610	30.30	.00135	300.	43.4876	.03701	31.45	.00143
310.	38.4395	.03272	26.28	.00123	310.	39.7679	.03370	27.60	.00131
320.	34.0543	.02967	22.72	.00120	320.	35.7569	.03074	24.14	.00126
330.	29.8796	.02690	19.96	.00128	330.	31.7947	.02810	21.31	.00130
340.	26.3604	.02448	18.06	.00145	340.	28.2751	.02575	19.22	.00143
350.	23.5799	.02255	16.81	.00148	350.	25.3690	.02377	17.78	.00162
360.	21.4146	.02111	16.01	.00195	360.	23.0407	.02222	16.82	.00165
370.	19.7067	.02008	15.49	.00223	370.	21.1769	.02106	16.17	.00211
380.	18.3283	.01935	15.16	.00252	380.	19.6640	.02021	15.74	.00238
390.	17.1894	.01884	14.94	.00281	390.	18.4127	.01959	15.45	.00265
400.	16.2284	.01848	14.81	.00310	400.	17.3580	.01915	15.26	.00233
410.	15.4029	.01824	14.75	.00339	410.	16.4540	.01884	15.15	.00320
420.	14.6832	.01808	14.72	.00368	420.	15.6677	.01862	15.08	.00348
430.	14.0477	.01799	14.73	.00397	430.	14.9752	.01849	15.06	.00375
440.	13.4808	.01795	14.76	.00426	440.	14.3587	.01840	15.07	.00402
450.	12.9705	.01795	14.82	.00455	450.	13.8050	.01837	15.10	.00430
460.	12.5077	.01798	14.89	.00484	460.	13.3039	.01837	15.15	.00457
470.	12.0852	.01803	14.97	.00512	470.	12.8472	.01840	15.22	.00484
480.	11.6973	.01811	15.07	.00541	480.	12.4285	.01846	15.30	.00512
490.	11.3395	.01821	15.17	.00570	490.	12.0428	.01853	15.39	.00539
500.	11.0078	.01831	15.28	.00599	500.	11.6859	.01862	15.49	.00567
510.	10.6993	.01843	15.40	.00629	510.	11.3542	.01872	15.60	.00595
520.	10.4112	.01856	15.53	.00658	520.	11.0448	.01884	15.72	.00623
530.	10.1414	.01870	15.65	.00687	530.	10.7554	.01896	15.83	.00651
540.	9.8881	.01884	15.79	.00717	540.	10.4838	.01909	15.96	.00679

* Two Phase Boundary

Table 7. Transport Properties of Oxygen, Isobars, Engr. Units.

1900. psia Isobar							2000. psia Isobar						
Temp. R	Density lb/ft ³	Thermal Cond. BTU/ft.h.R	Viscosity lb/ft.s	Thermal Diffusivity ft ² /h	Temp. R	Density lb/ft ³	Thermal Cond. BTU/ft.h.R	Viscosity lb/ft.s	Thermal Diffusivity ft ² /h				
* 100.529	82.0607	.11952	352.72	.00368	* 100.669	82.0872	.11962	354.08	.00368				
105.	81.4042	.11702	331.89	.00364	105.	81.4524	.11720	333.74	.00364				
110.	80.6734	.11442	309.26	.00359	110.	80.7231	.11460	310.96	.00360				
115.	79.9438	.11197	287.70	.00355	115.	79.9953	.11216	289.26	.00356				
120.	79.2137	.10945	267.62	.00352	120.	79.2674	.10984	268.86	.00352				
125.	78.4820	.10742	248.52	.00348	125.	78.5360	.10762	249.86	.00349				
130.	77.7476	.10527	231.02	.00345	130.	77.8063	.10548	232.27	.00345				
135.	77.0099	.10317	214.90	.00341	135.	77.0713	.10339	216.07	.00342				
140.	76.2682	.10111	200.08	.00338	140.	76.3326	.10134	201.18	.00339				
145.	75.5220	.09909	186.49	.00335	145.	75.5896	.09932	187.53	.00336				
150.	74.7708	.09708	174.05	.00331	150.	74.8418	.09732	175.03	.00332				
155.	74.0140	.09508	162.65	.00328	155.	74.0887	.09534	163.58	.00329				
160.	73.2513	.09310	152.20	.00324	160.	73.3299	.09336	153.09	.00325				
165.	72.4820	.09111	142.63	.00320	165.	72.5647	.09138	143.48	.00321				
170.	71.7055	.08912	133.84	.00316	170.	71.7928	.08941	134.66	.00317				
175.	70.9213	.08713	125.77	.00312	175.	71.0134	.08743	126.55	.00313				
180.	70.1286	.08514	118.34	.00307	180.	70.2258	.08544	119.10	.00309				
185.	69.3265	.08314	111.50	.00303	185.	69.4293	.08345	112.23	.00304				
190.	68.5142	.08113	105.17	.00298	190.	68.6231	.08146	105.88	.00299				
195.	67.6906	.07911	99.32	.00293	195.	67.8062	.07946	100.02	.00294				
200.	66.8548	.07709	93.90	.00288	200.	66.9775	.07745	94.58	.00289				
205.	66.0053	.07506	88.86	.00282	205.	66.1359	.07543	89.52	.00284				
210.	65.1409	.07303	84.16	.00276	210.	65.2802	.07341	84.82	.00278				
215.	64.2601	.07099	79.78	.00270	215.	64.4090	.07139	80.43	.00272				
220.	63.3612	.06894	75.68	.00264	220.	63.5208	.06936	76.32	.00266				
225.	62.4425	.06689	71.83	.00258	225.	62.6138	.06733	72.48	.00260				
230.	61.5019	.06484	68.22	.00251	230.	61.6864	.06530	68.86	.00253				
235.	60.5373	.06279	64.81	.00244	235.	60.7366	.06327	65.45	.00247				
240.	59.5463	.06073	61.59	.00237	240.	59.7622	.06124	62.24	.00240				
245.	58.5263	.05868	58.53	.00230	245.	58.7610	.05921	59.19	.00233				
250.	57.4745	.05664	55.64	.00223	250.	57.7304	.05719	56.30	.00226				
255.	56.3876	.05461	52.88	.00215	255.	56.6678	.05519	53.56	.00219				
260.	55.2624	.05261	50.24	.00208	260.	55.5703	.05322	50.94	.00212				
265.	54.0950	.05064	47.72	.00200	265.	54.4346	.05128	48.44	.00204				
270.	52.8813	.04875	45.30	.00193	270.	53.2575	.04941	46.05	.00197				
275.	51.6166	.04700	42.98	.00186	275.	52.0353	.04767	43.75	.00191				
280.	50.2960	.04529	40.74	.00179	280.	50.7641	.04598	41.54	.00184				
285.	48.9140	.04333	38.58	.00172	285.	49.4397	.04405	39.42	.00177				
290.	47.4648	.04144	36.49	.00164	290.	48.0581	.04220	37.37	.00170				
295.	45.9427	.03962	34.47	.00157	295.	46.6151	.04041	35.39	.00163				
300.	44.3427	.03787	32.51	.00150	300.	45.1074	.03870	33.48	.00156				
310.	40.9037	.03462	28.79	.00139	310.	41.8951	.03549	29.88	.00145				
320.	37.2070	.03172	25.43	.00132	320.	38.4600	.03264	26.60	.00138				
330.	33.4765	.02916	22.58	.00134	330.	34.9531	.03012	23.77	.00138				
340.	30.0281	.02688	20.37	.00143	340.	31.6170	.02790	21.48	.00145				
350.	27.0657	.02491	18.77	.00159	350.	28.6529	.02596	19.76	.00157				
360.	24.6204	.02330	17.65	.00179	360.	26.1349	.02432	18.50	.00175				
370.	22.6260	.02203	16.88	.00202	370.	24.0387	.02299	17.61	.00195				
380.	20.9911	.02108	16.35	.00226	380.	22.2983	.02194	16.98	.00217				
390.	19.6331	.02037	15.98	.00252	390.	20.8427	.02115	16.54	.00241				
400.	18.4873	.01984	15.73	.00278	400.	19.6106	.02054	16.22	.00265				
410.	17.5058	.01946	15.57	.00304	410.	18.5541	.02009	16.01	.00290				
420.	16.6532	.01919	15.47	.00330	420.	17.6364	.01976	15.86	.00314				
430.	15.9035	.01900	15.41	.00356	430.	16.8303	.01952	15.77	.00339				
440.	15.2374	.01887	15.39	.00382	440.	16.1147	.01936	15.72	.00364				
450.	14.6401	.01880	15.40	.00408	450.	15.4739	.01925	15.71	.00389				
460.	14.1003	.01877	15.43	.00434	460.	14.8955	.01919	15.72	.00413				
470.	13.6091	.01878	15.48	.00460	470.	14.3699	.01916	15.75	.00438				
480.	13.1595	.01881	15.55	.00486	480.	13.8893	.01917	15.80	.00463				
490.	12.7458	.01886	15.62	.00512	490.	13.4475	.01920	15.86	.00488				
500.	12.3633	.01894	15.71	.00539	500.	13.0395	.01926	15.93	.00513				
510.	12.0083	.01902	15.81	.00565	510.	12.6611	.01933	16.02	.00539				
520.	11.6776	.01912	15.91	.00592	520.	12.3089	.01941	16.11	.00564				
530.	11.3684	.01923	16.02	.00618	530.	11.9799	.01951	16.21	.00589				
540.	11.0784	.01935	16.14	.00645	540.	11.6716	.01961	16.32	.00615				

* Two Phase Boundary

Table 7. Transport Properties of Oxygen, Isobars, Engr. Units.

2200. psia Isobar						2400. psia Isobar					
Temp. R	Density lb/ft ³	Thermal Cond. 8TU/ft.h.R	Viscosity micro- lb/ft.s	Thermal Diffusivity ft ² /h		Temp. R	Density lb/ft ³	Thermal Cond. 8TU/ft.h.R	Viscosity micro- lb/ft.s	Thermal Diffusivity ft ² /h	
* 100.948	82.1400	.11981	356.77	.00369	*	101.226	82.1925	.12000	359.45	.00369	
105.	81.5481	.11756	337.46	.00365		105.	81.6431	.11791	341.20	.00366	
110.	80.8219	.11497	314.36	.00361		110.	80.9198	.11533	317.78	.00362	
115.	80.0978	.11253	292.39	.00357		115.	80.1993	.11291	295.53	.00358	
120.	79.3740	.11023	271.76	.00353		120.	79.4796	.11061	274.66	.00354	
125.	78.6493	.10802	252.55	.00350		125.	78.7594	.10842	255.24	.00351	
130.	77.9226	.10589	234.78	.00347		130.	78.0376	.10630	237.29	.00348	
135.	77.1931	.10382	218.42	.00344		135.	77.3135	.10424	220.76	.00345	
140.	76.4602	.10178	203.39	.00340		140.	76.5863	.10223	205.59	.00342	
145.	75.7235	.09978	189.61	.00337		145.	75.8557	.10024	191.68	.00339	
150.	74.9824	.09780	176.99	.00334	150.	75.1210	.09828	178.95	.00336		
155.	74.2364	.09584	165.44	.00330	155.	74.3820	.09633	167.30	.00332		
160.	73.4852	.09388	154.86	.00327	160.	73.6381	.09439	156.63	.00329		
165.	72.7282	.09192	145.17	.00323	165.	72.8890	.09245	146.86	.00325		
170.	71.9649	.08996	136.28	.00319	170.	72.1340	.09052	137.89	.00321		
175.	71.1948	.08801	128.11	.00315	175.	71.3729	.08858	129.66	.00318		
180.	70.4173	.08605	120.60	.00311	180.	70.6049	.08664	122.10	.00313		
185.	69.6316	.08408	113.68	.00307	185.	69.8296	.08469	115.13	.00309		
190.	68.8371	.08211	107.30	.00302	190.	69.0461	.08275	108.70	.00305		
195.	68.0328	.08013	101.39	.00297	195.	68.2538	.08079	102.76	.00300		
200.	67.2179	.07815	95.92	.00292	200.	67.4519	.07884	97.25	.00295		
205.	66.3914	.07616	90.84	.00287	205.	66.6396	.07688	92.14	.00290		
210.	65.5522	.07417	86.12	.00282	210.	65.8157	.07491	87.40	.00285		
215.	64.6991	.07218	81.71	.00276	215.	64.9795	.07295	82.97	.00280		
220.	63.8308	.07018	77.59	.00270	220.	64.1297	.07099	78.84	.00274		
225.	62.9460	.06819	73.74	.00264	225.	63.2651	.06902	74.97	.00268		
230.	62.0431	.06619	70.12	.00258	230.	62.3846	.06706	71.35	.00262		
235.	61.1206	.06420	66.71	.00252	235.	61.4868	.06511	67.94	.00256		
240.	60.1767	.06221	63.50	.00245	240.	60.5704	.06316	64.74	.00250		
245.	59.2097	.06023	60.47	.00239	245.	59.6338	.06122	61.71	.00244		
250.	58.2176	.05827	57.60	.00232	250.	58.6756	.05929	58.85	.00238		
255.	57.1983	.05631	54.87	.00225	255.	57.6943	.05738	56.14	.00231		
260.	56.1499	.05439	52.28	.00219	260.	56.6881	.05550	53.56	.00225		
265.	55.0700	.05250	49.81	.00212	265.	55.6557	.05366	51.12	.00219		
270.	53.9563	.05068	47.46	.00205	270.	54.5952	.05187	48.79	.00213		
275.	52.8065	.04896	45.20	.00199	275.	53.5052	.05018	46.57	.00207		
280.	51.6181	.04729	43.05	.00193	280.	52.3841	.04853	44.45	.00201		
285.	50.3889	.04543	40.98	.00186	285.	51.2306	.04673	42.42	.00195		
290.	49.1164	.04364	38.99	.00180	290.	50.0435	.04499	40.48	.00189		
295.	47.7989	.04191	37.09	.00174	295.	48.8217	.04331	38.62	.00183		
300.	46.4347	.04025	35.26	.00168	300.	47.5649	.04169	36.85	.00178		
310.	43.5667	.03713	31.82	.00157	310.	44.9476	.03864	33.52	.00168		
320.	40.5343	.03433	28.68	.00150	320.	42.2074	.03589	30.50	.00161		
330.	37.4130	.03187	25.91	.00147	330.	39.3892	.03345	27.79	.00157		
340.	34.3443	.02971	23.56	.00150	340.	36.5754	.03131	25.44	.00157		
350.	31.4797	.02782	21.67	.00158	350.	33.8715	.02945	23.47	.00162		
360.	28.9239	.02618	20.21	.00171	360.	31.3709	.02782	21.87	.00171		
370.	26.7086	.02478	19.11	.00187	370.	29.1275	.02640	20.62	.00183		
380.	24.8145	.02363	18.30	.00205	380.	27.1531	.02520	19.65	.00198		
390.	23.1995	.02269	17.70	.00225	390.	25.4317	.02418	18.90	.00215		
400.	21.8164	.02196	17.26	.00246	400.	23.9341	.02335	18.34	.00233		
410.	20.6228	.02138	16.93	.00267	410.	22.6276	.02267	17.91	.00252		
420.	19.5830	.02094	16.70	.00290	420.	21.4818	.02213	17.58	.00272		
430.	18.6587	.02060	16.53	.00312	430.	20.4700	.02170	17.34	.00292		
440.	17.8573	.02035	16.42	.00334	440.	19.5701	.02137	17.16	.00312		
450.	17.1314	.02017	16.35	.00357	450.	18.7642	.02111	17.04	.00333		
460.	16.4771	.02004	16.32	.00380	460.	18.0375	.02092	16.95	.00353		
470.	15.8833	.01996	16.31	.00402	470.	17.3781	.02078	16.90	.00374		
480.	15.3412	.01992	16.32	.00425	480.	16.7765	.02069	16.88	.00395		
490.	14.8437	.01990	16.36	.00448	490.	16.2248	.02063	16.88	.00416		
500.	14.3840	.01992	16.40	.00471	500.	15.7164	.02060	16.90	.00437		
510.	13.9601	.01995	16.46	.00494	510.	15.2460	.02059	16.93	.00458		
520.	13.5651	.02000	16.53	.00517	520.	14.8090	.02061	16.98	.00480		
530.	13.1966	.02007	16.61	.00540	530.	14.4017	.02065	17.04	.00501		
540.	12.8518	.02015	16.70	.00564	540.	14.0208	.02070	17.11	.00522		

* Two Phase Boundary

Table 7. Transport Properties of Oxygen, Isohars, Engr. Units.

2600. psia Isobar								2800. psia Isobar									
Temp. R	Density lb/ft ³	Thermal Cond. BTU/ft.h.R			Viscosity lb/ft.s	Thermal Diffusivity ft ² /h			Temp. R	Density lb/ft ³	Thermal Cond. BTU/ft.h.R			Viscosity lb/ft.s	Thermal Diffusivity ft ² /h		
		101.504	82.2447	.12019		362.11	.00370	* 101.731	82.2965		.12039	354.75	.00370	101.8311	.11862	348.71	.00367
105.	81.7374	.11827	344.95	.00367		105.	81.8311	.11862	348.71	.00367		110.	81.1134	.11605	324.63	.00363	
110.	81.0170	.11569	321.20	.00362		110.	80.3997	.11365	301.83	.00360		115.	80.45878	.11138	280.47	.00357	
115.	80.2999	.11328	298.68	.00359		115.	79.4878	.11021	260.63	.00354		120.	79.4878	.10921	242.31	.00351	
120.	79.5842	.11190	277.56	.00356		120.	78.2640	.10712	225.45	.00348		125.	78.4848	.10671	209.99	.00345	
125.	78.8484	.10881	257.94	.00352		125.	77.5501	.10509	194.99	.00342		130.	78.1514	.10457	209.99	.00345	
130.	78.1514	.10671	239.80	.00349		130.	77.8340	.10310	194.99	.00342		135.	77.4325	.10457	209.99	.00345	
135.	76.7109	.10267	207.79	.00343		135.	76.1150	.10115	195.83	.00342		140.	76.8962	.10070	195.83	.00342	
145.	75.5255	.09682	180.16	.00334		145.	75.3928	.09922	182.86	.00339		150.	75.2578	.09875	182.86	.00339	
150.	74.5255	.09682	169.16	.00334		150.	74.6669	.09730	171.00	.00336		155.	73.7887	.09490	158.39	.00331	
155.	73.7887	.09490	158.39	.00331		155.	73.9371	.09540	160.15	.00332		160.	73.0471	.09298	148.54	.00327	
160.	72.3003	.09106	139.40	.00324		160.	73.2028	.09350	150.21	.00329		165.	72.0003	.08914	131.21	.00320	
165.	71.5477	.08914	131.21	.00320		165.	72.4637	.09160	141.10	.00326		170.	71.5477	.08722	123.58	.00314	
170.	70.7889	.08722	123.58	.00314		170.	71.7194	.08970	132.74	.00322		175.	70.0234	.08530	116.56	.00312	
175.	69.2505	.08337	110.09	.00307		175.	70.9695	.08780	125.06	.00318		180.	68.4696	.08144	104.10	.00303	
180.	67.6800	.07951	98.57	.00298		180.	70.2133	.08590	117.98	.00314		185.	66.8809	.07758	93.43	.00293	
185.	66.0716	.07564	88.66	.00288		185.	69.4505	.08399	111.46	.00310		190.	65.2510	.07370	84.21	.00283	
190.	64.4183	.07177	80.06	.00278		190.	68.6805	.08208	105.44	.00306		195.	63.5725	.06983	76.19	.00272	
195.	62.7125	.06790	72.55	.00267		195.	67.9025	.08017	99.87	.00301		200.	61.8373	.06598	69.14	.00261	
200.	60.9456	.06407	65.93	.00255		200.	66.3201	.07826	94.70	.00296		205.	60.0364	.06216	62.91	.00249	
205.	59.1085	.06028	60.06	.00243		205.	65.5143	.07635	89.90	.00292		210.	58.1405	.05841	57.35	.00237	
210.	57.1914	.05657	54.79	.00231		210.	65.7091	.07444	85.43	.00287		215.	56.1999	.05476	52.36	.00225	
215.	55.1850	.05301	50.06	.00219		215.	65.7336	.05409	51.27	.00226		220.	54.1555	.05134	47.86	.00214	
220.	53.0805	.04971	45.76	.00208		220.	54.7376	.05245	49.08	.00220		225.	51.9892	.04796	43.77	.00203	
225.	50.8710	.04626	41.86	.00197		225.	53.7203	.05083	47.01	.00215		230.	49.7255	.04462	40.04	.00191	
230.	48.5527	.04304	38.30	.00186		230.	50.5373	.04587	41.36	.00199		235.	47.1277	.04006	35.05	.00177	
235.	46.0260	.03924	29.46	.00166		235.	49.4325	.04432	39.65	.00194		240.	45.0260	.03734	32.11	.00170	
240.	43.6088	.03642	29.46	.00166		240.	44.8157	.03871	33.57	.00179		245.	42.3075	.03278	27.13	.00165	
245.	41.2304	.03231	25.13	.00167		245.	42.4196	.03630	30.98	.00174		250.	40.4318	.03092	25.13	.00167	
250.	39.4963	.02929	23.45	.00173		250.	40.0083	.03416	28.67	.00172		255.	38.4975	.02787	22.08	.00183	
255.	37.2835	.02664	20.99	.00195		255.	37.6313	.03229	26.65	.00173		260.	36.2864	.02558	20.12	.00209	
260.	35.0507	.024137	17.42	.00390		260.	35.3435	.03065	24.92	.00177		265.	33.5075	.02126	17.52	.00488	
265.	32.3104	.02231	18.50	.00258		265.	33.1932	.02922	23.48	.00184		270.	31.2125	.02147	17.46	.00371	
270.	30.2158	.02240	17.94	.00295		270.	31.2125	.02797	22.29	.00194		275.	29.2864	.02147	17.42	.00390	
275.	28.2380	.02182	17.62	.00333		275.	29.4144	.02688	21.32	.00206		280.	27.9331	.02129	17.41	.00410	
280.	26.5663	.02125	17.42	.00429		280.	27.7969	.02594	20.55	.00219		285.	25.5477	.02125	17.42	.00429	
285.	25.1640	.02125	17.44	.00449		285.	26.3484	.02514	19.93	.00234		290.	24.0363	.02123	17.44	.00449	
290.	23.5913	.02124	17.48	.00469		290.	25.0525	.02446	19.43	.00249		295.	22.1730	.02126	17.52	.00488	
295.	21.5174	.02126	17.52	.00488		295.	23.8915	.02389	19.04	.00265		300.	20.0283	.02126	17.52	.00488	

* Two Phase Boundary

Table 7. Transport Properties of Oxygen, Isobars, Engr. Units.

3000. psia Isobar					3200. psia Isobar				
Temp.	Density	Thermal Cond.	Viscosity micro- lb/ft.s	Thermal Diffusivity ft**2/h	Temp.	Density	Thermal Cond.	Viscosity micro- lb/ft.s	Thermal Diffusivity ft**2/h
R	lb/ft**3	8TU/ft.h.R	lb/ft.s	ft**2/h	R	lb/ft**3	8TU/ft.h.R	lb/ft.s	ft**2/h
* 102.058	82.3481	.12058	367.36	.00371	* 102.334	82.3994	.12077	369.96	.00371
105.	81.9240	.11897	352.49	.00368	105.	82.0163	.11932	355.29	.00369
110.	81.2090	.11641	328.08	.00364	110.	81.3039	.11676	331.54	.00365
115.	80.4986	.11401	304.99	.00361	115.	80.5966	.11438	308.16	.00362
120.	79.7905	.11175	283.39	.00358	120.	79.8923	.11213	285.31	.00359
125.	79.0832	.10960	263.33	.00355	125.	79.1890	.10998	266.04	.00356
130.	78.3755	.10752	244.82	.00352	130.	78.4858	.10792	247.33	.00353
135.	77.6665	.10550	227.80	.00349	135.	77.7816	.10592	230.14	.00350
140.	76.9556	.10353	212.19	.00346	140.	77.0759	.10396	214.38	.00347
145.	76.2423	.10159	197.89	.00343	145.	76.3680	.10204	199.96	.00345
150.	75.5260	.09968	184.81	.00340	150.	75.6575	.10014	186.76	.00342
155.	74.8065	.09778	172.85	.00337	155.	74.9441	.09826	174.69	.00339
160.	74.0833	.09589	161.90	.00334	160.	74.2274	.09639	163.65	.00336
165.	73.3561	.09401	151.88	.00331	165.	73.5070	.09452	153.54	.00333
170.	72.6245	.09213	142.70	.00328	170.	72.7827	.09266	144.28	.00329
175.	71.8881	.09025	134.27	.00324	175.	72.0540	.09080	135.79	.00326
180.	71.1466	.08837	126.52	.00320	180.	71.3207	.08893	127.98	.00322
185.	70.3995	.08649	119.40	.00316	185.	70.5822	.08707	120.80	.00319
190.	69.6464	.08460	112.83	.00312	190.	69.8382	.08520	114.19	.00315
195.	68.8866	.08272	106.77	.00308	195.	69.0883	.08334	108.06	.00311
200.	68.1197	.08083	101.16	.00304	200.	68.3319	.08147	102.43	.00307
205.	67.3450	.07894	95.96	.00299	205.	67.5685	.07960	97.20	.00302
210.	66.5520	.07705	91.13	.00295	210.	66.7975	.07773	92.34	.00298
215.	65.7699	.07516	86.64	.00290	215.	66.0184	.07587	87.83	.00293
220.	64.9681	.07328	82.45	.00285	220.	65.2306	.07401	83.62	.00288
225.	64.1558	.07140	78.55	.00280	225.	64.4334	.07215	79.70	.00283
230.	63.3322	.06952	74.89	.00275	230.	63.6261	.07031	76.02	.00278
235.	62.4967	.06766	71.46	.00269	235.	62.8082	.06847	72.59	.00273
240.	61.6484	.06581	68.24	.00264	240.	61.9789	.06664	69.36	.00268
245.	60.7864	.06397	65.21	.00259	245.	61.1376	.06483	66.32	.00263
250.	59.9102	.06215	62.36	.00253	250.	60.2837	.06304	63.47	.00258
255.	59.0188	.06034	59.67	.00248	255.	59.4166	.06126	60.77	.00252
260.	58.1116	.05857	57.12	.00242	260.	58.5357	.05951	58.23	.00247
265.	57.1880	.05683	54.71	.00237	265.	57.6405	.05780	55.82	.00242
270.	56.2473	.05513	52.43	.00231	270.	56.7307	.05613	53.54	.00237
275.	55.2890	.05351	50.26	.00226	275.	55.8058	.05453	51.38	.00232
280.	54.3129	.05191	48.20	.00221	280.	54.8657	.05295	49.33	.00227
285.	53.3186	.05024	46.24	.00216	285.	53.9103	.05131	47.39	.00222
290.	52.3062	.04862	44.37	.00211	290.	52.9397	.04972	45.53	.00217
295.	51.2757	.04705	42.60	.00206	295.	51.9541	.04818	43.77	.00213
300.	50.2276	.04553	40.91	.00202	300.	50.9540	.04669	42.10	.00209
310.	48.0814	.04265	37.77	.00194	310.	48.9132	.04385	38.99	.00201
320.	45.8772	.04000	34.92	.00187	320.	46.8260	.04123	36.18	.00194
330.	43.6323	.03760	32.36	.00182	330.	44.7063	.03885	33.64	.00186
340.	41.3731	.03547	30.07	.00179	340.	42.5745	.03671	31.37	.00184
350.	39.1350	.03358	28.05	.00179	350.	40.4572	.03481	29.35	.00185
360.	36.9593	.03193	26.30	.00182	360.	38.3858	.03314	27.59	.00187
370.	34.8856	.03048	24.80	.00187	370.	36.3921	.03167	25.05	.00181
380.	32.9447	.02921	23.54	.00195	380.	34.5033	.03038	24.74	.00177
390.	31.1545	.02810	22.50	.00205	390.	32.7384	.02925	23.54	.00205
400.	29.5203	.02713	21.64	.00216	400.	31.1070	.02826	22.71	.00215
410.	28.0381	.02629	20.94	.00229	410.	29.6101	.02739	21.94	.00225
420.	26.6980	.02557	20.37	.00243	420.	28.2429	.02663	21.30	.00234
430.	25.4470	.02495	19.91	.00257	430.	26.9957	.02597	20.78	.00252
440.	24.3913	.02442	19.54	.00272	440.	25.8612	.02540	20.35	.00255
450.	23.3976	.02398	19.24	.00288	450.	24.8254	.02492	20.00	.00279
460.	22.4935	.02362	19.01	.00304	460.	23.8787	.02451	19.72	.00294
470.	21.6681	.02332	18.82	.00320	470.	23.0111	.02417	19.49	.00309
480.	20.9117	.02307	18.68	.00336	480.	22.2138	.02388	19.31	.00324
490.	20.2160	.02288	18.57	.00353	490.	21.4788	.02354	19.16	.00339
500.	19.5738	.02272	18.49	.00369	500.	20.7991	.02345	19.05	.00354
510.	18.9790	.02260	18.44	.0036	510.	20.1687	.02329	18.97	.00370
520.	18.4262	.02252	18.41	.00403	520.	19.5822	.02317	18.91	.00386
530.	17.9109	.02245	18.40	.00420	530.	19.0350	.02307	18.88	.00401
540.	17.4291	.02242	18.40	.00437	540.	18.5231	.02301	18.86	.00417

* Two Phase Boundary

Table 7. Transport Properties of Oxygen, Isobars, Engr. Units.

3400. psia Isobar						3600. psia Isobar					
Temp.	Density	Thermal Cond.	Viscosity	Thermal Diffusivity		Temp.	Density	Thermal Cond.	Viscosity	Thermal Diffusivity	
R	lb/ft ³	BTU/ft.h.R	lb/ft.s	ft ² /h		R	lb/ft ³	BTU/ft.h.R	lb/ft.s	ft ² /h	
* 102.610	82.4503	.12096	372.53	.00372		* 102.884	82.5010	.12115	375.08	.00372	
105.	82.1079	.11967	360.10	.00370		105.	82.1988	.12001	363.93	.00370	
110.	81.3980	.11712	335.01	.00366		110.	81.4914	.11747	338.48	.00367	
115.	80.6939	.11474	311.34	.00363		115.	80.7903	.11510	314.52	.00364	
120.	79.9931	.11250	289.23	.00360		120.	80.0930	.11287	292.16	.00361	
125.	79.2938	.11037	268.74	.00357		125.	79.3977	.11075	271.45	.00358	
130.	78.5950	.10831	249.85	.00354		130.	78.7030	.10871	252.37	.00355	
135.	77.8955	.10633	232.49	.00352		135.	78.0081	.10673	234.83	.00353	
140.	77.1947	.10438	216.58	.00349		140.	77.3123	.10480	218.77	.00350	
145.	76.4922	.10248	202.02	.00346		145.	76.6149	.10291	204.08	.00348	
150.	75.7873	.10054	188.70	.00343		150.	75.9155	.10104	190.64	.00345	
155.	75.0799	.09873	176.53	.00341		155.	75.2139	.09919	178.36	.00342	
160.	74.3694	.09687	165.39	.00338		160.	74.5095	.09736	167.13	.00339	
165.	73.6557	.09502	155.20	.00335		165.	73.8022	.09552	156.85	.00336	
170.	72.9384	.09318	145.86	.00331		170.	73.0917	.09369	147.44	.00333	
175.	72.2171	.09133	137.30	.00328		175.	72.3776	.09187	138.80	.00330	
180.	71.4916	.08949	129.43	.00325		180.	71.6596	.09004	130.88	.00327	
185.	70.7615	.08764	122.20	.00321		185.	70.9375	.08821	123.59	.00323	
190.	70.0263	.08580	115.53	.00317		190.	70.2108	.08638	116.87	.00319	
195.	69.2858	.08395	109.38	.00313		195.	69.4793	.08455	110.67	.00316	
200.	68.5394	.08210	103.70	.00309		200.	68.7424	.08272	104.95	.00312	
205.	67.7867	.08025	98.43	.00305		205.	67.9999	.08089	99.65	.00308	
210.	67.0272	.07841	93.54	.00301		210.	67.2512	.07907	94.73	.00303	
215.	66.2603	.07656	89.00	.00296		215.	66.4960	.07725	90.16	.00299	
220.	65.4856	.07472	84.77	.00291		220.	55.7336	.07543	85.91	.00295	
225.	64.7025	.07289	80.83	.00287		225.	64.9638	.07362	81.94	.00290	
230.	63.9104	.07107	77.14	.00282		230.	64.1859	.07182	78.24	.00285	
235.	63.1088	.06926	73.69	.00277		235.	63.3996	.07002	74.77	.00281	
240.	62.2972	.06745	70.45	.00272		240.	62.6043	.06825	71.52	.00276	
245.	61.4749	.06567	67.41	.00267		245.	61.7996	.06648	68.47	.00271	
250.	60.6415	.06390	64.55	.00262		250.	60.9850	.06474	65.60	.00266	
255.	59.7965	.06215	61.85	.00257		255.	60.1602	.06302	62.90	.00261	
260.	58.9394	.06043	59.31	.00252		260.	59.3249	.06132	60.35	.00256	
265.	58.0699	.05874	56.90	.00247		265.	58.4787	.05965	57.95	.00252	
270.	57.1877	.05710	54.63	.00242		270.	57.6214	.05803	55.67	.00247	
275.	56.2925	.05551	52.47	.00237		275.	56.7530	.05646	53.52	.00242	
280.	55.3844	.05395	50.43	.00233		280.	55.8733	.05492	51.48	.00238	
285.	54.4632	.05234	48.49	.00228		285.	54.9825	.05334	49.54	.00233	
290.	53.5291	.05078	46.64	.00223		290.	54.0808	.05180	47.71	.00229	
295.	52.5825	.04926	44.89	.00219		295.	53.1684	.05031	45.96	.00225	
300.	51.6238	.04779	43.23	.00215		300.	52.2460	.04886	44.31	.00221	
310.	49.6731	.04500	40.14	.00207		310.	50.3734	.04610	41.24	.00214	
320.	47.6848	.04241	37.35	.00201		320.	48.4701	.04353	38.47	.00207	
330.	45.6706	.04004	34.84	.00196		330.	46.5646	.04118	35.97	.00202	
340.	43.6469	.03790	32.58	.00193		340.	44.6155	.03904	33.72	.00199	
350.	41.6344	.03599	30.57	.00192		350.	42.6942	.03713	31.71	.00197	
360.	39.6575	.03430	28.79	.00192		360.	40.8019	.03542	29.92	.00198	
370.	37.7416	.03281	27.23	.00195		370.	38.9591	.03391	28.35	.00200	
380.	35.9100	.03150	25.88	.00200		380.	37.1856	.03258	26.97	.00204	
390.	34.1809	.03035	24.73	.00207		390.	35.4976	.03140	25.78	.00209	
400.	32.5654	.02933	23.75	.00215		400.	33.9067	.03036	24.75	.00216	
410.	31.0681	.02844	22.92	.00225		410.	32.4191	.02944	23.87	.00225	
420.	29.6877	.02765	22.23	.00236		420.	31.0364	.02863	23.13	.00235	
430.	28.4193	.02696	21.65	.00248		430.	29.7561	.02791	22.50	.00245	
440.	27.2553	.02636	21.16	.00260		440.	28.5734	.02728	21.97	.00256	
450.	26.1872	.02584	20.76	.00273		450.	27.4817	.02673	21.52	.00268	
460.	25.2061	.02539	20.43	.00286		460.	26.4739	.02625	21.15	.00280	
470.	24.3034	.02500	20.16	.00300		470.	25.5427	.02583	20.84	.00293	
480.	23.4710	.02468	19.94	.00314		480.	24.6810	.02547	20.58	.00306	
490.	22.7016	.02440	19.76	.00328		490.	23.8821	.02515	20.37	.00319	
500.	21.9886	.02417	19.62	.00342		500.	23.1399	.02489	20.20	.00332	
510.	21.3260	.02398	19.51	.00357		510.	22.4489	.02467	20.06	.00346	
520.	20.7088	.02382	19.43	.00371		520.	21.8040	.02448	19.95	.00359	
530.	20.1322	.02370	19.37	.00386		530.	21.2008	.02432	19.86	.00373	
540.	19.5924	.02360	19.33	.00401		540.	20.6353	.02420	19.80	.00387	

* Two Phase Boundary

Table 7. Transport Properties of Oxygen, Isobars, Engr. Units.

3800. psia Isobar

4000. psia Isobar

Temp. R	Density lb/ft ^{**3}	Thermal Cond. BTU/ft.h.R	Viscosity micro- lb/ft.s	Thermal Olfusivity ft ^{**2} /h	Temp. R	Density lb/ft ^{**3}	Thermal Cond. BTU/ft.h.R	Viscosity micro- lb/ft.s	Thermal Olfusivity ft ^{**2} /h
* 103.159	82.5513	.12135	377.61	.00373	* 103.433	82.6013	.12154	380.12	.00373
105.	82.2892	.12036	367.77	.00371	105.	82.3788	.12070	371.63	.00372
110.	81.5841	.11782	341.97	.00368	110.	81.6760	.11816	345.47	.00368
115.	80.8859	.11546	317.71	.00364	115.	80.9807	.11581	320.91	.00365
120.	80.1920	.11324	295.10	.00362	120.	80.2902	.11360	298.04	.00363
125.	79.5005	.11113	274.17	.00359	125.	79.6024	.11150	276.88	.00360
130.	78.8100	.10910	254.88	.00356	130.	78.9159	.10949	257.40	.00358
135.	78.1196	.10714	237.18	.00354	135.	78.2299	.10754	239.53	.00355
140.	77.4285	.10522	220.97	.00351	140.	77.5435	.10564	223.16	.00353
145.	76.7362	.10334	206.14	.00349	145.	76.8561	.10377	208.19	.00350
150.	76.0422	.10149	192.58	.00346	150.	76.1673	.10193	194.51	.00348
155.	75.3461	.09966	180.19	.00344	155.	75.4767	.10011	182.01	.00345
160.	74.6477	.09783	168.86	.00341	160.	74.7841	.09831	170.59	.00343
165.	73.9467	.09602	158.50	.00338	165.	74.0891	.09651	160.14	.00340
170.	73.2427	.09420	149.00	.00335	170.	73.3915	.09471	150.57	.00337
175.	72.5355	.09239	140.30	.00332	175.	72.6910	.09291	141.79	.00334
180.	71.8248	.09058	132.31	.00329	180.	71.9874	.09112	133.74	.00331
185.	71.1104	.08877	124.96	.00325	185.	71.2804	.08933	126.34	.00327
190.	70.3919	.08696	118.20	.00322	190.	70.5697	.08753	119.52	.00324
195.	69.6690	.08515	111.96	.00318	195.	69.8550	.08574	113.23	.00320
200.	68.9413	.08334	106.19	.00314	200.	69.1360	.08394	107.43	.00317
205.	68.2084	.08153	100.85	.00310	205.	68.4125	.08215	102.05	.00313
210.	67.4700	.07972	95.91	.00306	210.	67.6839	.08036	97.07	.00309
215.	66.7258	.07792	91.31	.00302	215.	66.9501	.07858	92.44	.00305
220.	65.9752	.07612	87.03	.00298	220.	66.2105	.07680	88.14	.00301
225.	65.2178	.07433	83.04	.00293	225.	65.4650	.07503	84.13	.00296
230.	64.4533	.07255	79.32	.00289	230.	64.7130	.07326	80.39	.00292
235.	63.6812	.07078	75.84	.00284	235.	63.9543	.07151	76.89	.00288
240.	62.9011	.06902	72.58	.00279	240.	63.1885	.06978	73.61	.00283
245.	62.1127	.06728	69.51	.00275	245.	62.4153	.06806	70.54	.00278
250.	61.3156	.06556	66.64	.00270	250.	61.6343	.06636	67.65	.00274
255.	60.5095	.06386	63.93	.00265	255.	60.8454	.06468	64.93	.00269
260.	59.6940	.06218	61.38	.00261	260.	60.0483	.06302	62.38	.00265
265.	58.8691	.06054	58.97	.00256	265.	59.2429	.06140	59.96	.00260
270.	58.0345	.05893	56.69	.00252	270.	58.4291	.05981	57.68	.00256
275.	57.1902	.05738	54.54	.00247	275.	57.6068	.05827	55.53	.00252
280.	56.3362	.05586	52.50	.00243	280.	56.7760	.05676	53.49	.00248
285.	55.4726	.05430	50.57	.00239	285.	55.9371	.05523	51.56	.00244
290.	54.5997	.05278	48.73	.00234	290.	55.0901	.05373	49.72	.00239
295.	53.7178	.05131	46.99	.00230	295.	54.2354	.05228	47.99	.00236
300.	52.8274	.04988	45.34	.00226	300.	53.3736	.05087	46.34	.00232
310.	51.0234	.04715	42.28	.00219	310.	51.6305	.04817	43.29	.00225
320.	49.1944	.04462	39.52	.00213	320.	49.8669	.04566	40.53	.00219
330.	47.3491	.04228	37.04	.00209	330.	48.0905	.04333	38.05	.00214
340.	45.4988	.04015	34.79	.00205	340.	46.3112	.04121	35.82	.00211
350.	43.6575	.03822	32.79	.00203	350.	44.5404	.03928	33.81	.00209
360.	41.8408	.03650	30.99	.00203	360.	42.7913	.03755	32.01	.00208
370.	40.0656	.03497	29.40	.00204	370.	41.0780	.03600	30.41	.00209
380.	38.3484	.03362	28.00	.00207	380.	39.4143	.03462	28.99	.00211
390.	36.7036	.03242	26.78	.00212	390.	37.8128	.03340	27.74	.00215
400.	35.1423	.03135	25.71	.00218	400.	36.2838	.03232	26.64	.00220
410.	33.6716	.03041	24.80	.00226	410.	34.8345	.03135	25.69	.00227
420.	32.2946	.02958	24.01	.00234	420.	33.4688	.03049	24.86	.00234
430.	31.0107	.02883	23.33	.00244	430.	32.1879	.02973	24.15	.00243
440.	29.8173	.02818	22.76	.00254	440.	30.9902	.02905	23.54	.00252
450.	28.7096	.02760	22.27	.00265	450.	29.8728	.02844	23.01	.00262
460.	27.6820	.02709	21.86	.00276	460.	28.8313	.02791	22.57	.00272
470.	26.7284	.02664	21.51	.00287	470.	27.8608	.02743	22.18	.00283
480.	25.8428	.02624	21.22	.00299	480.	26.9562	.02701	21.86	.00294
490.	25.0191	.02590	20.98	.00312	490.	26.1121	.02664	21.58	.00306
500.	24.2519	.02561	20.77	.00324	500.	25.3238	.02632	21.35	.00317
510.	23.5359	.02535	20.61	.00337	510.	24.5863	.02604	21.16	.00329
520.	22.8664	.02514	20.47	.00349	520.	23.8954	.02579	21.00	.00341
530.	22.2393	.02495	20.36	.00362	530.	23.2470	.02558	20.87	.00353
540.	21.6506	.02480	20.28	.00375	540.	22.6374	.02540	20.76	.00365

* Two Phase Boundary

Table 7. Transport Properties of Oxygen, Isobars, Engr. Units.

4500. psia Isobar

5000. psia Isobar

Temp. R	Density lb/ft ³	Thermal Cond. BTU/ft.h.R			Viscosity lb/ft.s	Thermal Cond. BTU/ft.h.R			Viscosity lb/ft.s	Thermal Cond. BTU/ft.h.R		
		micro-	Diffusivity ft ² /h	lb/ft.s		micro-	Diffusivity ft ² /h	lb/ft.s		micro-	Diffusivity ft ² /h	lb/ft.s
* 104.115	82.7251	.12202	286.30	.00374	* 104.793	82.4470	.12249	392.34	.00375	392.34	.00375	
105.	82.6003	.12155	381.34	.00373	105.	82.4181	.12239	391.14	.00375	391.14	.00375	
110.	81.9029	.11903	354.27	.00370	110.	82.1256	.11988	363.14	.00372	363.14	.00372	
115.	81.2144	.11669	228.94	.00367	115.	81.4435	.11756	337.02	.00369	337.02	.00369	
120.	80.5318	.11451	305.41	.00365	120.	80.7684	.11540	312.81	.00367	312.81	.00367	
125.	79.8530	.11243	283.68	.00363	125.	80.0979	.11335	299.50	.00365	299.50	.00365	
130.	79.1763	.11045	263.70	.00360	130.	79.4305	.11139	270.02	.00363	270.02	.00363	
135.	78.5007	.10853	245.39	.00358	135.	78.7548	.10950	251.25	.00361	251.25	.00361	
140.	77.8255	.10656	228.63	.00356	140.	78.1001	.10766	234.10	.00359	234.10	.00359	
145.	77.1499	.10483	213.32	.00354	145.	77.4357	.10587	218.44	.00357	218.44	.00357	
150.	76.4736	.10303	199.34	.00351	150.	76.7711	.10410	204.14	.00355	204.14	.00355	
155.	75.7961	.10124	186.56	.00349	155.	76.1059	.10235	191.09	.00352	191.09	.00352	
160.	75.1177	.09947	174.89	.00346	160.	75.4399	.10061	179.17	.00350	179.17	.00350	
165.	74.4366	.09771	164.22	.00344	165.	74.7728	.09888	168.27	.00348	168.27	.00348	
170.	73.7441	.09595	154.45	.00341	170.	74.1043	.09716	158.30	.00345	158.30	.00345	
175.	73.0695	.09419	145.50	.00338	175.	73.4344	.09544	149.16	.00343	149.16	.00343	
180.	72.3825	.09244	137.28	.00335	180.	72.7627	.09372	140.79	.00340	140.79	.00340	
185.	71.6929	.09068	129.73	.00332	185.	72.0892	.09200	133.09	.00337	133.09	.00337	
190.	71.0006	.08893	122.79	.00329	190.	71.4137	.09028	126.01	.00334	126.01	.00334	
195.	70.3052	.08717	116.38	.00326	195.	70.7359	.08857	119.48	.00331	119.48	.00331	
200.	69.6066	.08542	110.47	.00322	200.	70.0558	.08685	-113.46	.00328	-113.46	.00328	
205.	68.9045	.08367	105.00	.00319	205.	69.3730	.08514	107.89	.00325	107.89	.00325	
210.	68.1986	.08192	99.93	.00315	210.	68.6875	.08343	102.74	.00321	102.74	.00321	
215.	67.4887	.08018	95.23	.00311	215.	67.9989	.08173	97.95	.00318	97.95	.00318	
220.	66.7745	.07844	90.86	.00308	220.	67.3073	.08003	93.51	.00314	93.51	.00314	
225.	66.0558	.07672	86.79	.00304	225.	66.6122	.07834	89.38	.00310	89.38	.00310	
230.	65.3323	.07500	82.99	.00300	230.	65.9136	.07666	85.52	.00307	85.52	.00307	
235.	64.6037	.07330	79.45	.00295	235.	65.2112	.07500	81.93	.00303	81.93	.00303	
240.	63.8698	.07160	75.13	.00291	240.	64.5050	.07335	78.56	.00299	78.56	.00299	
245.	63.1304	.06993	73.02	.00287	245.	63.7947	.07171	75.41	.00295	75.41	.00295	
250.	62.3854	.06828	70.10	.00283	250.	63.0803	.07010	72.45	.00291	72.45	.00291	
255.	61.6345	.06664	67.36	.00279	255.	62.3617	.06850	69.68	.00287	69.68	.00287	
260.	60.8775	.06503	64.78	.00275	260.	61.5387	.06693	67.08	.00283	67.08	.00283	
265.	60.1148	.06345	62.35	.00270	265.	60.9114	.06539	64.62	.00280	64.62	.00280	
270.	59.3458	.06191	60.06	.00266	270.	60.1798	.06388	62.31	.00276	62.31	.00276	
275.	58.5709	.06040	57.89	.00263	275.	59.4460	.06241	60.12	.00272	60.12	.00272	
280.	57.7901	.05893	55.84	.00259	280.	58.7040	.06096	58.06	.00269	58.06	.00269	
285.	57.0035	.05744	53.91	.00255	285.	57.9601	.05951	56.11	.00265	56.11	.00265	
290.	56.2115	.05599	52.07	.00251	290.	57.2124	.05810	54.27	.00262	54.27	.00262	
295.	55.4147	.05458	50.33	.00247	295.	56.4613	.05672	52.52	.00258	52.52	.00258	
300.	54.6122	.05320	48.58	.00244	300.	55.7070	.05538	50.86	.00255	50.86	.00255	
310.	52.9958	.05058	45.64	.00238	310.	54.1909	.05281	47.80	.00249	47.80	.00249	
320.	51.3670	.04811	42.89	.00232	320.	52.6577	.05039	45.04	.00244	45.04	.00244	
330.	49.7318	.04582	40.41	.00227	330.	51.1423	.04813	42.56	.00239	42.56	.00239	
340.	48.0973	.04371	38.17	.00224	340.	49.6200	.04604	40.31	.00236	40.31	.00236	
350.	46.4715	.04178	36.16	.00221	350.	48.1069	.04411	38.28	.00233	38.28	.00233	
360.	44.8634	.04003	34.35	.00220	360.	46.6095	.04234	36.46	.00231	36.46	.00231	
370.	43.2822	.03844	32.72	.00220	370.	45.1345	.04073	34.81	.00231	34.81	.00231	
380.	41.7375	.03702	31.26	.00221	380.	43.6986	.03928	33.32	.00231	33.32	.00231	
390.	40.2381	.03575	29.97	.00224	390.	42.2784	.03796	31.99	.00232	31.99	.00232	
400.	38.7919	.03461	28.81	.00227	400.	40.9098	.03678	30.80	.00235	30.80	.00235	
410.	37.4053	.03359	27.79	.00232	410.	39.5877	.03571	29.73	.00238	29.73	.00238	
420.	36.0827	.03248	26.90	.00238	420.	38.3164	.03475	28.77	.00243	28.77	.00243	
430.	34.8269	.03186	26.11	.00244	430.	37.0987	.03388	27.93	.00248	27.93	.00248	
440.	33.6386	.03113	25.41	.00252	440.	35.9362	.03310	27.17	.00254	27.17	.00254	
450.	32.5173	.03047	24.81	.00259	450.	34.8296	.03240	26.51	.00260	26.51	.00260	
460.	31.4613	.02988	24.28	.00268	460.	33.7784	.03176	25.92	.00267	25.92	.00267	
470.	30.4678	.02935	23.82	.00277	470.	32.7816	.03118	25.40	.00274	25.40	.00274	
480.	29.5336	.02887	23.43	.00286	480.	31.8372	.03065	24.94	.00282	24.94	.00282	
490.	28.6553	.02844	23.08	.00296	490.	30.9430	.03018	24.54	.00290	24.54	.00290	
500.	27.8293	.02806	22.78	.00306	500.	30.0967	.02974	24.18	.00299	24.18	.00299	
510.	27.0518	.02772	22.53	.00316	510.	29.2956	.02935	23.87	.00307	23.87	.00307	
520.	26.3195	.02741	22.31	.00326	520.	28.5369	.02899	23.60	.00316	23.60	.00316	
530.	25.6290	.02714	22.12	.00336	530.	27.8182	.02867	23.37	.00325	23.37	.00325	
540.	24.9771	.02690	21.97	.00346	540.	27.1367	.02838	23.17	.00334	23.17	.00334	

* Two Phase Boundary

Table 7. Transport Properties of Oxygen, Isobars, Enor. Units.

5000. psia Isobar								7000. psia Isobar							
Temp.	Density	Thermal Cond.	Viscosity micro-	Thermal Diffusivity		Temp.	Density	Thermal Cond.	Viscosity micro-	Thermal Diffusivity					
R	lb/ft ³	BTU/ft.h.R	lb/ft.s	ft ² /h		R	lb/ft ³	BTU/ft.h.R	lb/ft.s	ft ² /h					
* 106.140	83.0854	.12345	404.01	.00377		* 107.474	83.3167	.12439	415.12	.00379					
110.	82.5889	.12155	381.06	.00375		110.	82.9774	.12318	399.26	.00378					
115.	81.8884	.11926	353.30	.00373		115.	82.3168	.12092	369.78	.00376					
120.	81.2270	.11714	327.71	.00371		120.	81.6676	.11883	342.72	.00375					
125.	80.5720	.11514	304.20	.00370		125.	81.0265	.11687	317.97	.00374					
130.	79.9215	.11323	282.67	.00368		130.	80.3913	.11502	295.36	.00372					
135.	79.7741	.11140	262.99	.00366		135.	79.7604	.11323	274.73	.00371					
140.	78.6289	.10962	245.03	.00365		140.	79.1326	.11151	255.94	.00370					
145.	77.9850	.10788	228.65	.00363		145.	78.5072	.10983	238.83	.00368					
150.	77.3419	.10618	213.72	.00361		150.	77.8834	.10818	223.24	.00367					
155.	76.6993	.10449	200.09	.00359		155.	77.2610	.10655	209.03	.00365					
160.	76.0567	.10282	187.66	.00357		160.	76.6394	.10494	196.07	.00364					
165.	75.4141	.10116	176.30	.00355		165.	76.0145	.10334	184.24	.00362					
170.	74.7711	.09950	165.92	.00353		170.	75.3980	.10175	173.44	.00360					
175.	74.1276	.09785	156.41	.00351		175.	74.7778	.10015	163.54	.00358					
180.	73.4835	.09620	147.69	.00349		180.	74.1578	.09856	154.48	.00356					
185.	72.8387	.09454	139.69	.00346		185.	73.5379	.09697	146.17	.00354					
190.	72.1929	.09289	132.33	.00344		190.	72.9179	.09538	138.52	.00352					
195.	71.5462	.09124	125.56	.00341		195.	72.2979	.09379	131.49	.00350					
200.	70.8984	.08960	119.31	.00338		200.	71.6777	.09220	125.00	.00347					
205.	70.2494	.08795	113.53	.00335		205.	71.0572	.09061	119.01	.00345					
210.	69.5990	.08631	108.19	.00332		210.	70.4364	.08903	113.48	.00342					
215.	68.9472	.08467	103.24	.00329		215.	69.8153	.08745	108.35	.00340					
220.	68.2939	.08304	98.64	.00326		220.	69.1937	.08588	103.59	.00337					
225.	67.6389	.08142	94.37	.00323		225.	68.5716	.08431	99.16	.00334					
230.	66.9821	.07981	90.39	.00320		230.	67.9490	.08275	95.05	.00331					
235.	66.3235	.07821	86.68	.00316		235.	67.3258	.08121	91.21	.00328					
240.	65.6631	.07663	83.21	.00313		240.	66.7020	.07968	87.63	.00325					
245.	65.0006	.07506	79.97	.00309		245.	66.0775	.07816	84.29	.00322					
250.	64.3361	.07351	76.93	.00306		250.	65.4523	.07667	81.15	.00319					
255.	63.6696	.07198	74.08	.00303		255.	64.8265	.07519	78.22	.00316					
260.	63.0009	.07047	71.41	.00299		260.	64.2001	.07373	75.46	.00313					
265.	62.3303	.06899	68.89	.00296		265.	63.5730	.07229	72.87	.00310					
270.	61.6576	.06753	66.52	.00293		270.	62.9453	.07088	70.44	.00307					
275.	60.9831	.06611	64.29	.00289		275.	62.3171	.06950	68.15	.00304					
280.	60.3067	.06471	62.18	.00286		280.	61.6886	.06814	65.98	.00301					
285.	59.6286	.06333	60.19	.00283		285.	61.0597	.06680	63.94	.00298					
290.	58.9491	.06197	58.31	.00280		290.	60.4306	.06549	62.01	.00295					
295.	58.2682	.06064	56.53	.00277		295.	59.8015	.06420	60.19	.00293					
300.	57.5864	.05935	54.85	.00274		300.	59.1725	.06295	58.46	.00290					
310.	56.2206	.05687	51.73	.00269		310.	57.9159	.06053	55.28	.00285					
320.	54.8544	.05452	48.93	.00264		320.	56.6625	.05824	52.42	.00281					
330.	53.4908	.05232	46.41	.00260		330.	55.4144	.05607	49.83	.00277					
340.	52.1334	.05026	44.12	.00256		340.	54.1741	.05404	47.49	.00273					
350.	50.7858	.04834	42.06	.00253		350.	52.9440	.05214	45.38	.00271					
360.	49.4520	.04656	40.19	.00251		360.	51.7268	.05036	43.46	.00268					
370.	48.1361	.04493	38.49	.00250		370.	50.5251	.04871	41.71	.00267					
380.	46.8420	.04343	36.96	.00249		380.	49.3416	.04719	40.13	.00266					
390.	45.5735	.04205	35.57	.00250		390.	48.1788	.04577	38.69	.00265					
400.	44.3342	.04080	34.31	.00251		400.	47.0390	.04447	37.37	.00266					
410.	43.1273	.03965	33.17	.00253		410.	45.9245	.04327	36.18	.00267					
420.	41.9556	.03861	32.14	.00255		420.	44.8370	.04216	35.09	.00268					
430.	40.8213	.03766	31.21	.00258		430.	43.7783	.04115	34.10	.00270					
440.	39.7262	.03679	30.37	.00262		440.	42.7496	.04021	33.20	.00273					
450.	38.6713	.03600	29.62	.00266		450.	41.7519	.03935	32.38	.00275					
460.	37.6574	.03528	28.93	.00271		460.	40.7861	.03856	31.64	.00279					
470.	36.6845	.03462	28.32	.00276		470.	39.8523	.03783	30.96	.00243					
480.	35.7522	.03401	27.77	.00282		480.	38.9508	.03715	30.34	.00247					
490.	34.8599	.03346	27.28	.00288		490.	38.0114	.03652	29.78	.00291					
500.	34.0064	.03294	26.84	.00294		500.	37.2437	.03594	29.28	.00296					
510.	33.1906	.03247	26.44	.00301		510.	36.4372	.03540	28.81	.00301					
520.	32.4109	.03203	26.09	.00307		520.	35.6610	.03490	28.40	.00306					
530.	31.6659	.03163	25.77	.00314		530.	34.9143	.03443	28.02	.00311					
540.	30.9539	.03126	25.49	.00321		540.	34.1962	.03399	27.67	.00317					

* Two Phase Boundary

Table 7. Transport Properties of Oxygen, Isobars, Engr. Units.

8000. psia Isobar						9000. psia Isobar					
Temp.	Density	Thermal Cond.	Viscosity	Thermal Diffusivity		Temp.	Density	Thermal Cond.	Viscosity	Thermal Diffusivity	
R	lb/ft ³	BTU/ft.h.R	lb/ft.s	ft ² /h		R	lb/ft ³	BTU/ft.h.R	lb/ft.s	ft ² /h	
* 108.796	83.5415	.12534	425.69	.00380		* 110.105	83.7601	.12628	435.73	.00382	
110.	83.3820	.12477	417.72	.00380		115.	83.1295	.12412	403.28	.00382	
115.	82.7302	.12254	386.43	.00379		120.	82.5007	.12209	373.14	.00382	
120.	82.0917	.12048	357.87	.00378		125.	81.8833	.12021	345.75	.00381	
125.	81.4531	.11856	331.82	.00378		130.	81.2743	.11843	320.87	.00381	
130.	80.8416	.11675	308.09	.00377		135.	80.6718	.11674	298.27	.00380	
135.	80.2256	.11501	286.49	.00376		140.	80.0743	.11512	277.75	.00379	
140.	79.6137	.11334	266.85	.00375		145.	79.4808	.11354	259.11	.00379	
145.	79.0050	.11171	248.98	.00374							
150.	78.3987	.11012	232.72	.00373		150.	78.8905	.11200	242.17	.00378	
155.	77.7945	.10855	217.91	.00371		155.	78.3027	.11047	226.75	.00377	
160.	77.1918	.10699	204.42	.00370		160.	77.7171	.10897	212.71	.00376	
165.	76.5903	.10545	192.11	.00369		165.	77.1333	.10748	199.91	.00375	
170.	75.9900	.10391	180.87	.00367		170.	76.5512	.10599	188.23	.00373	
175.	75.3906	.10237	170.59	.00366		175.	75.9704	.10450	177.55	.00372	
180.	74.7920	.10083	161.17	.00364		180.	75.3910	.10302	167.77	.00371	
185.	74.1940	.99930	152.53	.00362		185.	74.8127	.10153	158.81	.00369	
190.	73.5967	.99776	144.60	.00360		190.	74.2355	.10005	150.58	.00368	
195.	73.0000	.99622	137.30	.00358		195.	73.6594	.09856	143.01	.00366	
200.	72.4037	.99469	130.57	.00356		200.	73.0843	.09707	136.03	.00364	
205.	71.8080	.99315	124.36	.00354		205.	72.5102	.09558	129.60	.00362	
210.	71.2126	.99162	118.62	.00351		210.	71.9371	.09409	123.65	.00360	
215.	70.6176	.99009	113.31	.00349		215.	71.3648	.09261	118.14	.00358	
220.	70.0230	.98856	108.38	.00347		220.	70.7935	.09113	113.04	.00356	
225.	69.4286	.98705	103.80	.00344		225.	70.2231	.08965	108.30	.00353	
230.	68.8346	.98554	99.54	.00341		230.	69.6535	.08819	103.90	.00351	
235.	68.2409	.98404	95.57	.00339		235.	69.0849	.08673	99.80	.00349	
240.	67.6474	.98255	91.87	.00336		240.	68.5170	.08528	95.97	.00346	
245.	67.0541	.98108	88.42	.00333		245.	67.9501	.08385	92.40	.00344	
250.	66.4611	.97963	85.18	.00331		250.	67.3841	.08243	89.06	.00341	
255.	65.8683	.97819	82.15	.00328		255.	66.8189	.08103	85.93	.00339	
260.	65.2759	.97677	79.31	.00325		260.	66.2547	.07964	83.00	.00336	
265.	64.6837	.97537	76.64	.00323		265.	65.6914	.07828	80.24	.00334	
270.	64.0919	.97400	74.13	.00320		270.	65.1290	.07693	77.65	.00331	
275.	63.5005	.97265	71.77	.00317		275.	64.5677	.07561	75.22	.00329	
280.	62.9095	.97133	69.55	.00315		280.	64.0075	.07431	72.93	.00327	
285.	62.3192	.97002	67.45	.00312		285.	63.4485	.07303	70.76	.00324	
290.	61.7295	.96874	65.46	.00309		290.	62.8906	.07178	68.72	.00322	
295.	61.1405	.96748	63.59	.00307		295.	62.3341	.07055	66.79	.00320	
300.	60.5525	.96626	61.82	.00305		300.	61.7789	.06934	64.97	.00317	
310.	59.3797	.96389	58.55	.00300		310.	60.6732	.06702	61.60	.00313	
320.	58.2124	.96164	55.61	.00296		320.	59.5745	.06480	58.58	.00309	
330.	57.0522	.95951	52.95	.00292		330.	58.4838	.06270	55.85	.00306	
340.	55.9005	.95750	50.55	.00289		340.	57.4024	.06071	53.38	.00302	
350.	54.7593	.95561	48.38	.00286		350.	56.3315	.05883	51.14	.00300	
360.	53.6304	.95384	46.40	.00284		360.	55.2725	.05706	49.11	.00297	
370.	52.5157	.95218	44.61	.00282		370.	54.2266	.05540	47.26	.00295	
380.	51.4169	.95064	42.97	.00281		380.	53.1954	.05384	45.57	.00294	
390.	50.3359	.94920	41.48	.00280		390.	52.1799	.05238	44.03	.00293	
400.	49.2744	.94786	40.12	.00280		400.	51.1815	.05101	42.62	.00292	
410.	48.2338	.94661	38.88	.00280		410.	50.2013	.04974	41.33	.00292	
420.	47.2155	.94546	37.74	.00281		420.	49.2403	.04855	40.15	.00293	
430.	46.2207	.94439	36.70	.00282		430.	48.2994	.04743	39.06	.00293	
440.	45.2505	.94340	35.75	.00284		440.	47.3794	.04640	38.07	.00294	
450.	44.3055	.94248	34.88	.00286		450.	46.4807	.04543	37.15	.00296	
460.	43.3864	.94163	34.08	.00288		460.	45.6041	.04452	36.31	.00297	
470.	42.4937	.94084	33.35	.00291		470.	44.7497	.04368	35.54	.00299	
480.	41.6274	.94010	32.68	.00294		480.	43.9178	.04288	34.83	.00301	
490.	40.7877	.93941	32.07	.00297		490.	43.1085	.04214	34.17	.00304	
500.	39.9744	.93877	31.51	.00301		500.	42.3218	.04144	33.57	.00307	
510.	39.1873	.93817	31.00	.00304		510.	41.5576	.04078	33.02	.00309	
520.	38.4259	.93760	30.53	.00308		520.	40.8155	.04016	32.51	.00313	
530.	37.6898	.93707	30.10	.00312		530.	40.0954	.03958	32.04	.00316	
540.	36.9783	.93658	29.71	.00317		540.	39.3967	.03903	31.61	.00319	

* Two Phase Boundary

Table 7. Transport Properties of Oxygen, Isobars, Engr. Units.

10000. psia Isobar						11000. psia Isobar					
Temp.	Density	Thermal Cond.	Viscosity	Thermal micro-	Diffusivity	Temp.	Density	Thermal Cond.	Viscosity	Thermal micro-	Diffusivity
R	lb/ft ^{**3}	BTU/ft.h.R	lb/ft.s	ft ^{**2} /h		R	lb/ft ^{**3}	BTU/ft.h.R	lb/ft.s	ft ^{**2} /h	
* 111.403	83.9729	.12722	445.26	.00384		* 112.688	84.1803	.12815	454.28	.00385	
115.	83.5161	.12566	420.32	.00384		115.	83.8907	.12718	437.57	.00386	
120.	82.8957	.12366	388.54	.00384		120.	83.2779	.12520	404.08	.00387	
125.	82.2884	.12181	359.76	.00384		125.	82.6796	.12338	373.87	.00387	
130.	81.6907	.12008	333.70	.00384		130.	82.0923	.12168	346.58	.00387	
135.	81.1006	.11843	310.08	.00384		135.	81.5134	.12007	321.91	.00388	
140.	80.5163	.11685	288.66	.00384		140.	80.9412	.11853	299.57	.00388	
145.	79.9367	.11531	269.23	.00383		145.	80.3743	.11704	279.33	.00387	
150.	79.3608	.11382	251.58	.00383		150.	79.8118	.11558	260.98	.00387	
155.	78.7882	.11234	235.55	.00382		155.	79.2530	.11416	244.31	.00387	
160.	78.2182	.11089	220.95	.00381		160.	78.6973	.11275	229.15	.00386	
165.	77.6505	.10944	207.66	.00380		165.	78.1444	.11135	215.35	.00386	
170.	77.0848	.10800	195.53	.00379		170.	77.5938	.10996	202.77	.00385	
175.	76.5210	.10657	184.44	.00378		175.	77.0455	.10857	191.28	.00384	
180.	75.9589	.10513	174.30	.00377		180.	76.4992	.10717	180.76	.00383	
185.	75.3983	.10369	165.01	.00376		185.	75.9547	.10578	171.13	.00382	
190.	74.8393	.10225	156.47	.00374		190.	75.4121	.10438	162.29	.00381	
195.	74.2817	.10081	148.63	.00373		195.	74.8712	.10298	154.17	.00380	
200.	73.7255	.09936	141.40	.00371		200.	74.3321	.10158	146.69	.00378	
205.	73.1707	.09792	134.73	.00370		205.	73.7946	.10017	139.79	.00377	
210.	72.6172	.09647	128.58	.00368		210.	73.2587	.09877	133.42	.00375	
215.	72.0650	.09503	122.88	.00366		215.	72.7245	.09736	127.52	.00374	
220.	71.5142	.09359	117.60	.00364		220.	72.1919	.09595	122.06	.00372	
225.	70.9647	.09215	112.70	.00362		225.	71.6609	.09455	116.99	.00370	
230.	70.4164	.09072	108.14	.00360		230.	71.1316	.09315	112.28	.00368	
235.	69.8695	.08930	103.90	.00358		235.	70.6038	.09176	107.90	.00366	
240.	69.3239	.08789	99.94	.00356		240.	70.0777	.09038	103.81	.00364	
245.	68.7797	.08649	96.25	.00353		245.	69.5532	.08901	100.00	.00362	
250.	68.2367	.08510	92.80	.00351		250.	69.0304	.08765	96.44	.00360	
255.	67.6951	.08372	89.57	.00349		255.	68.5092	.08631	93.10	.00358	
260.	67.1548	.08237	86.54	.00347		260.	67.9898	.08497	89.98	.00356	
265.	66.6160	.08103	83.70	.00344		265.	67.4720	.08366	87.04	.00354	
270.	66.0785	.07971	81.03	.00342		270.	66.9559	.08236	84.29	.00352	
275.	65.5425	.07842	78.52	.00340		275.	66.4416	.08109	81.70	.00350	
280.	65.0080	.07714	76.15	.00337		280.	65.9291	.07983	79.26	.00348	
285.	64.4751	.07588	73.93	.00335		285.	65.4184	.07859	76.96	.00345	
290.	63.9437	.07465	71.82	.00333		290.	64.9095	.07738	74.79	.00343	
295.	63.4140	.07344	69.83	.00331		295.	64.4026	.07618	72.75	.00341	
300.	62.8861	.07225	67.95	.00329		300.	63.8977	.07501	70.81	.00339	
310.	61.8357	.06996	64.49	.00325		310.	62.8939	.07275	67.24	.00336	
320.	60.7932	.06777	61.37	.00321		320.	61.8988	.07058	64.03	.00332	
330.	59.7595	.06569	58.57	.00318		330.	60.9129	.06851	61.14	.00329	
340.	58.7355	.06371	56.03	.00315		340.	59.9368	.06655	58.53	.00326	
350.	57.7219	.06184	53.72	.00312		350.	58.9713	.06468	56.16	.00323	
360.	56.7200	.06007	51.63	.00310		360.	58.0170	.06291	54.00	.00321	
370.	55.7305	.05840	49.72	.00308		370.	57.0748	.06124	52.04	.00319	
380.	54.7546	.05683	47.98	.00306		380.	56.1452	.05966	50.24	.00317	
390.	53.7931	.05536	46.39	.00305		390.	55.2292	.05817	48.60	.00316	
400.	52.8470	.05397	44.94	.00304		400.	54.3273	.05677	47.10	.00315	
410.	51.9172	.05267	43.60	.00304		410.	53.4402	.05544	45.72	.00314	
420.	51.0043	.05145	42.37	.00304		420.	52.5684	.05419	44.45	.00314	
430.	50.1091	.05030	41.25	.00304		430.	51.7126	.05301	43.28	.00314	
440.	49.2322	.04922	40.21	.00304		440.	50.8731	.05190	42.20	.00314	
450.	48.3741	.04821	39.25	.00305		450.	50.0503	.05085	41.21	.00314	
460.	47.5350	.04726	38.37	.00306		460.	49.2446	.04986	40.29	.00315	
470.	46.7154	.04636	37.56	.00308		470.	48.4561	.04892	39.45	.00316	
480.	45.9154	.04552	36.81	.00309		480.	47.6851	.04803	38.66	.00317	
490.	45.1350	.04473	36.12	.00311		490.	46.9315	.04719	37.94	.00318	
500.	44.3744	.04398	35.48	.00313		500.	46.1955	.04639	37.26	.00320	
510.	43.6335	.04327	34.89	.00315		510.	45.4770	.04563	36.64	.00321	
520.	42.9120	.04260	34.35	.00318		520.	44.7758	.04491	36.06	.00323	
530.	42.2098	.04196	33.84	.00320		530.	44.0919	.04423	35.53	.00325	
540.	41.5267	.04136	33.37	.00323		540.	43.4251	.04357	35.03	.00327	

* Two Phase Boundary

Table 7. Transport Properties of Oxygen, Isobars, Enor. Units.

12000. psia Isobar						13000. psia Isobar					
Temp.	Density	Thermal Cond.	Viscosity	Thermal Diffusivity		Temp.	Density	Thermal Cond.	Viscosity	Thermal Diffusivity	
R	lb/ft ³	BTU/ft.h.R	lb/ft.s	ft ² /h		R	lb/ft ³	BTU/ft.h.R	lb/ft.s	ft ² /h	
* 113.963	84.3827	.12909	462.83	.00387		* 115.227	84.5803	.13002	470.91	.00388	
115.	84.2544	.12866	455.02	.00387		120.	84.0076	.12817	435.59	.00390	
120.	83.6482	.12670	419.76	.00389		125.	83.4248	.12641	402.37	.00392	
125.	83.0581	.12491	388.07	.00390		130.	82.8553	.12477	372.53	.00393	
130.	82.4801	.12324	359.53	.00390		135.	82.2962	.12323	345.67	.00394	
135.	81.9115	.12167	333.77	.00391		140.	81.7453	.12176	321.43	.00395	
140.	81.3504	.12016	310.49	.00391		145.	81.2010	.12035	299.53	.00395	
145.	80.7953	.11872	289.43	.00392							
150.	80.2451	.11731	270.35	.00392		150.	80.6522	.11898	279.72	.00396	
155.	79.6991	.11592	253.04	.00392		155.	80.1280	.11764	261.75	.00396	
160.	79.1566	.11456	237.32	.00391		160.	79.5977	.11632	245.45	.00396	
165.	78.6172	.11320	223.00	.00391		165.	79.0708	.11500	230.61	.00396	
170.	78.0806	.11185	209.96	.00390		170.	78.5470	.11369	217.10	.00396	
175.	77.5646	.11050	198.05	.00390		175.	78.0260	.11239	204.78	.00395	
180.	77.0146	.10915	187.16	.00389		180.	77.5075	.11108	193.51	.00395	
185.	76.4849	.10780	177.19	.00388		185.	76.9914	.10977	183.20	.00394	
190.	75.9573	.10645	168.04	.00387		190.	76.4776	.10845	173.74	.00393	
195.	75.4317	.10508	159.64	.00386		195.	75.9660	.10712	165.05	.00392	
200.	74.9080	.10372	151.90	.00385		200.	75.4565	.10580	157.05	.00391	
205.	74.3862	.10235	144.77	.00384		205.	74.9491	.10446	149.68	.00390	
210.	73.8663	.10098	138.18	.00382		210.	74.4438	.10313	142.87	.00389	
215.	73.3483	.09961	132.09	.00381		215.	73.9405	.10179	136.58	.00388	
220.	72.8321	.09824	126.44	.00379		220.	73.4392	.10045	130.75	.00386	
225.	72.3177	.09687	121.21	.00378		225.	72.9399	.09911	125.35	.00385	
230.	71.8052	.09550	116.34	.00376		230.	72.4426	.09777	120.32	.00383	
235.	71.2946	.09414	111.81	.00374		235.	71.9474	.09643	115.65	.00382	
240.	70.7858	.09279	107.60	.00372		240.	71.4542	.09511	111.30	.00380	
245.	70.2789	.09144	103.66	.00371		245.	70.9630	.09379	107.24	.00378	
250.	69.7739	.09011	99.98	.00369		250.	70.4739	.09247	103.44	.00377	
255.	69.2707	.08878	96.54	.00367		255.	69.9868	.09117	99.89	.00375	
260.	68.7695	.08748	93.31	.00365		260.	69.5018	.08989	96.57	.00373	
265.	68.2702	.08618	90.29	.00363		265.	69.0189	.08861	93.45	.00371	
270.	67.7728	.08491	87.45	.00361		270.	68.5380	.08735	90.52	.00369	
275.	67.2774	.08365	84.78	.00359		275.	68.0593	.08611	87.77	.00368	
280.	66.7839	.08241	82.26	.00357		280.	67.5827	.08489	85.18	.00366	
285.	66.2926	.08119	79.89	.00355		285.	67.1083	.08368	82.74	.00364	
290.	65.8032	.07999	77.66	.00353		290.	66.6361	.08249	80.43	.00362	
295.	65.3160	.07881	75.55	.00351		295.	66.1661	.08133	78.26	.00360	
300.	64.8308	.07765	73.55	.00349		300.	65.6983	.08018	76.20	.00358	
310.	63.8672	.07541	69.88	.00346		310.	64.7696	.07795	72.42	.00355	
320.	62.9126	.07326	66.58	.00342		320.	63.8502	.07582	69.02	.00352	
330.	61.9675	.07120	63.60	.00339		330.	62.9406	.07377	65.96	.00349	
340.	61.0324	.06924	60.91	.00336		340.	62.0410	.07182	63.19	.00346	
350.	60.1078	.06738	58.47	.00334		350.	61.1518	.06996	60.67	.00343	
360.	59.1942	.06561	56.25	.00331		360.	60.2735	.06819	58.39	.00341	
370.	58.2922	.06394	54.22	.00329		370.	59.4064	.06651	56.31	.00339	
380.	57.4023	.06235	52.38	.00328		380.	58.5509	.06491	54.41	.00337	
390.	56.5252	.06084	50.69	.00326		390.	57.7075	.06340	52.66	.00336	
400.	55.6612	.05942	49.13	.00325		400.	56.8765	.06196	51.07	.00335	
410.	54.8109	.05807	47.71	.00324		410.	56.0584	.06059	49.60	.00334	
420.	53.9747	.05680	46.40	.00324		420.	55.2534	.05929	48.24	.00333	
430.	53.1531	.05559	45.19	.00323		430.	54.4618	.05806	47.00	.00332	
440.	52.3463	.05445	44.08	.00323		440.	53.6840	.05688	45.85	.00332	
450.	51.5548	.05336	43.05	.00323		450.	52.9201	.05577	44.78	.00332	
460.	50.7786	.05233	42.10	.00324		460.	52.1704	.05470	43.80	.00332	
470.	50.0181	.05135	41.21	.00324		470.	51.4349	.05369	42.88	.00332	
480.	49.2732	.05042	40.40	.00325		480.	50.7139	.05272	42.04	.00332	
490.	48.5442	.04954	39.64	.00326		490.	50.0072	.05179	41.25	.00333	
500.	47.8310	.04870	38.94	.00327		500.	49.3150	.05091	40.52	.00333	
510.	47.1336	.04789	38.29	.00328		510.	48.6372	.05006	39.84	.00334	
520.	46.4519	.04713	37.68	.00329		520.	47.9738	.04925	39.21	.00335	
530.	45.7857	.04639	37.12	.00330		530.	47.3246	.04847	38.62	.00335	
540.	45.1351	.04569	36.59	.00332		540.	46.6896	.04772	38.07	.00336	

* Two Phase Boundary

Table 7. Transport Properties of Oxygen, Isobars, Engr. Units.

14000. psia Isobar						15000. psia Isobar					
Temp. R	Density lb/ft ³	Thermal Cond. BTU/ft.h.R	Viscosity micro- lb/ft.s	Thermal Diffusivity ft ² /h		Temp. R	Density lb/ft ³	Thermal Cond. BTU/ft.h.R	Viscosity micro- lb/ft.s	Thermal Diffusivity ft ² /h	
* 116.480	84.7737	.13095	478.56	.00390	*	117.723	84.9630	.13188	485.78	.00392	
120.	84.3568	.12962	451.58	.00392		120.	84.6967	.13104	467.73	.00393	
125.	83.7806	.12797	416.78	.00394		125.	84.1263	.12931	431.30	.00396	
130.	83.2188	.12626	385.61	.00396		130.	83.5716	.12773	398.76	.00398	
135.	82.6684	.12476	357.61	.00397		135.	83.0291	.12625	369.60	.00400	
140.	82.1269	.12333	332.39	.00398		140.	82.4963	.12485	343.38	.00401	
145.	81.5927	.12195	309.64	.00399		145.	81.9714	.12351	319.75	.00402	
150.	81.0644	.12062	289.07	.00400		150.	81.4529	.12222	298.42	.00403	
155.	80.5412	.11932	270.45	.00400		155.	80.9398	.12095	279.12	.00404	
160.	80.0222	.11803	253.55	.00400		160.	80.4314	.11971	261.63	.00404	
165.	79.5070	.11676	238.19	.00400		165.	79.9270	.11847	245.74	.00405	
170.	78.9951	.11549	224.21	.00400		170.	79.4262	.11724	231.28	.00405	
175.	78.4862	.11422	211.46	.00400		175.	78.9287	.11601	218.10	.00405	
180.	77.9801	.11295	199.81	.00400		180.	78.4341	.11477	206.07	.00405	
185.	77.4766	.11167	189.15	.00399		185.	77.9423	.11353	195.06	.00405	
190.	76.9755	.11039	179.38	.00399		190.	77.4531	.11229	184.97	.00404	
195.	76.4768	.10911	170.40	.00398		195.	76.9663	.11104	175.70	.00404	
200.	75.9804	.10781	162.14	.00397		200.	76.4820	.10977	167.18	.00403	
205.	75.4863	.10651	154.53	.00396		205.	76.0001	.10851	159.33	.00402	
210.	74.9943	.10521	147.51	.00395		210.	75.5205	.10723	152.08	.00401	
215.	74.5045	.10390	141.01	.00394		215.	75.0431	.10595	145.39	.00400	
220.	74.0168	.10259	135.00	.00393		220.	74.5680	.10467	139.18	.00399	
225.	73.5313	.10128	129.42	.00392		225.	74.0951	.10339	133.43	.00398	
230.	73.0479	.09997	124.24	.00390		230.	73.6245	.10210	128.10	.00397	
235.	72.5667	.09866	119.42	.00389		235.	73.1561	.10082	123.13	.00396	
240.	72.0876	.09735	114.93	.00387		240.	72.6899	.09953	118.50	.00394	
245.	71.6107	.09606	110.74	.00386		245.	72.2260	.09826	114.19	.00393	
250.	71.1359	.09477	106.83	.00384		250.	71.7643	.09699	110.16	.00391	
255.	70.6633	.09349	103.17	.00382		255.	71.3049	.09573	106.39	.00390	
260.	70.1929	.09222	99.75	.00381		260.	70.8477	.09447	102.86	.00388	
265.	69.7247	.09096	96.53	.00379		265.	70.3928	.09323	99.55	.00387	
270.	69.2586	.08972	93.52	.00377		270.	69.9401	.09201	96.45	.00385	
275.	68.7948	.08849	90.68	.00376		275.	69.4898	.09079	93.53	.00383	
280.	68.3333	.08728	88.01	.00374		280.	69.0418	.08959	90.78	.00382	
285.	67.8740	.08608	85.50	.00372		285.	68.5960	.08841	88.19	.00380	
290.	67.4169	.08491	83.13	.00370		290.	68.1527	.08725	85.75	.00378	
295.	66.9622	.08375	80.89	.00369		295.	67.7116	.08610	83.45	.00377	
300.	66.5098	.08262	78.77	.00367		300.	67.2729	.08497	81.27	.00375	
310.	65.6119	.08041	74.88	.00364		310.	66.4027	.08277	77.27	.00372	
320.	64.7237	.07828	71.38	.00361		320.	65.5422	.08066	73.67	.00369	
330.	63.8452	.07625	68.23	.00358		330.	64.6915	.07863	70.43	.00366	
340.	62.9768	.07430	65.38	.00355		340.	63.8508	.07669	67.50	.00364	
350.	62.1188	.07244	62.79	.00353		350.	63.0203	.07483	64.84	.00361	
360.	61.2714	.07067	60.44	.00350		360.	62.2003	.07305	62.42	.00359	
370.	60.4349	.06898	58.30	.00348		370.	61.3910	.07136	60.22	.00357	
380.	59.6096	.06737	56.35	.00346		380.	60.5925	.06974	58.21	.00355	
390.	58.7959	.06584	54.55	.00345		390.	59.8051	.06820	56.36	.00353	
400.	57.9939	.06439	52.91	.00343		400.	59.0290	.06673	54.67	.00352	
410.	57.2041	.06300	51.40	.00342		410.	58.2645	.06532	53.12	.00351	
420.	56.4267	.06168	50.00	.00341		420.	57.5116	.06398	51.68	.00350	
430.	55.6618	.06042	48.72	.00341		430.	56.7707	.06270	50.36	.00349	
440.	54.9098	.05922	47.53	.00340		440.	56.0417	.06147	49.14	.00348	
450.	54.1707	.05807	46.43	.00340		450.	55.3249	.06030	48.00	.00347	
460.	53.4447	.05698	45.41	.00339		460.	54.6204	.05917	46.95	.00347	
470.	52.7319	.05593	44.47	.00339		470.	53.9281	.05809	45.98	.00346	
480.	52.0324	.05492	43.59	.00339		480.	53.2483	.05705	45.07	.00346	
490.	51.3462	.05396	42.78	.00339		490.	52.5808	.05604	44.23	.00346	
500.	50.6733	.05303	42.02	.00340		500.	51.9257	.05508	43.45	.00346	
510.	50.0137	.05214	41.31	.00340		510.	51.2830	.05415	42.71	.00346	
520.	49.3674	.05129	40.65	.00340		520.	50.6526	.05325	42.03	.00346	
530.	48.7342	.05046	40.04	.00341		530.	50.0344	.05239	41.40	.00346	
540.	48.1140	.04967	39.47	.00341		540.	49.4283	.05155	40.80	.00346	

* Two Phase Boundary

Appendix A. Program Listings for Viscosity

The listings are extracted from reference [7].

Note 1. A call to the coefficient subroutine, i.e. CALL DATA D2, must precede the use of these routines.
 Note 2. Entry variables to FUNCTION VISCD(T) are density in mol/L and temperature in K.

```

FUNCTION VISCD(D,T)
C      RETURNS VISCOSITY IN (G/CM-S)*E+6,
C      T IN K, D IN MOLE/L
C      COMMON/CPT/EM
C      D=DD*FM/1000.
C      VISCD=DILV(T)+FDCV(D,T)+EXCESV(D,T)
C      RETURN
C      END

FUNCTION DILV(T)
C      GIVES DILUTE GAS VISCOSITY AND THERMAL
C      CONDUCTIVITY FOR AN INPUT TEMP. IN
C      KELVIN.  OUTPUT UNITS ARE SAME AS
C      THOSE IN VISCD AND THERM
C      COMMON/ISP/N,NW,NWW
C      COMMON/DATA1/GV,GT,FV,FT,EV,ET
C      DIMENSION GV(9),GT(9),FV(4),FT(4),EV(8),ET(8)
C      SUM=0
C      TF=T**(.1./3.)
C      TFF=T**(-4./3.)
C      DO 10 I=1,9
C      TFF=TFF*TF
C      10 SUM=SUM+GV(I)*TFF
C      IF(NWW.EQ.7) GO TO 9
C      DILV=SUM*1000.
C      GO TO 11
C      9 DILV=SUM
C      11 RETURN
C      ENTRY DILT
C      TF=T**(.1./3.)
C      TFF=T**(-4./3.)
C      SUM=0
C      DO 20 I=1,9
C      TFF=TFF*TF
C      20 SUM=SUM+GT(I)*TFF
C      DILV=SUM
C      RETURN
C      END

FUNCTION FDCV(D,T)
C      FIRST DENSITY CORRECTION
C      FOR VISCOSITY AND THERMAL CONDUCTIVITY
C      COMMON/DATA1/GV,GT,FV,FT,EV,ET
C      DIMENSION GV(9),GT(9),FV(4),FT(4),EV(8),ET(8)
C      FDCV=(FV(1)+FV(2)*(FV(3)-ALOG(T/FV(4))**2)*D
C      RETURN
C      ENTRY FDCT
C      FDCV=(FT(1)+FT(2)*(ET(3)-ALOG(T/FT(4))**2)*D
C      RETURN
C      END

FUNCTION EXCESV(D,T)
C      CALCULATES EXCESS VISCOSITY
C      COMMON/DATA1/GV,GT,FV,FT,EV,ET
C      COMMON/ISP/N,NW
C      DIMENSION GV(9),GT(9),FV(4),FT(4),EV(8),ET(8)
C      R2=D**(.5)*(D-FV(8))/EV(8)
C      R=D**(.1)
C      X=EV(1)+EV(2)*R2+EV(3)*R+EV(4)*R2/(T*T)+EV(5)*R/T**(.5)+EV(6)/T
C      1+FV(7)*R2/T
C      X1=FV(1)+EV(6)/T
C      EXCESV=EXP (X)-EXP (X1)
C      RETURN
C      ENTRY EXCFST
C      CALCULATES EXCESS THERMAL CONDUCTIVITY
C      IF(NW.EQ.0) GO TO 3
C      R=D**(.1)
C      X=ET(1)+ET(2)*R+ET(3)*R/T**(.5)+ET(4)/T
C      X1=ET(1)+ET(4)/T
C      EXCFSV=(EXP (X)-EXP (X1))/10.
C      RETURN
C      3 P2=D**(.5)*((D-FT(8))/ET(8))
C      P=D**(.1)
C      X=ET(1)+ET(2)*P2+ET(3)*P+ET(4)*P2/(T*T)+ET(5)*P/T**(.5)+ET(6)/T
C      1+ET(7)*P2/T
C      X1=ET(1)+ET(6)/T
C      EXCESV=EXP (X)-EXP (X1)
C      RETURN
C      END

```

Appendix B. Program Listings for Thermal Conductivity

The listings are extracted from references [7] and [8].

Note 1. A call to the coefficient subroutine, i.e. CALL OATA 02, must precede the use of these routines.
 Note 2. Entry variables to FUNCTION THERM(00,T) are density in mol/L and temperature in K.
 Note 3. The dilute gas thermal conductivity, ENTRY OILT in FUNCTION OILV(T), is listed in Appendix A.

```

FUNCTION THERM(00,T)
C      RETURNS TC IN MW/M-K, T IN K, D IN MOL/L
COMMON/HAN/CR,TCI
COMMON/ISP/N,NW
COMMON/CRIT/EM
→ IF(EM.EQ.31.9988) GO TO 4
0=00*EM/1000.
IF(NW.EQ.0 ) GO TO 3
CR=0.0
THER=OILT(T)+FOCT(0,T)*100.+EXCEST(0,T)+CR
TCI=THER-CR
THERM=THER
RETURN
3 CR=0.0
THERM=OILT(T)+FOCT(0,T)+EXCEST(0,T)+CR
TCI=THERM-CR
RETURN
→ 4 CR=CRITCR(00,T)*1000.
→ TCI=THERRR(00,T)*1000.
→ THERM=TCI+CR
→ RETURN
ENO

FUNCTION THERRR(RHO,TEMP)
C 4TH SURFACE, COEF. FROM TCD21 AND MINIMS, 3 MAR 82
DIMENSION B(10)
DATA B/.298644E-5
1,.59842E+00,.11362E-01,-.19520E-04
2,.47624E+00,-.64769E-03,.83223E-06
3,-.278141E-4,.153705E-6,.147176E+1/
T=TEMP
OEN=RHO
TCZERO=OILT(T)/1000.
AL=B(1)*T
BE=B(2)+B(3)*T+B(4)*T**2
GA=B(5)+B(6)*T+B(7)*T**2
OE=B(8)+B(9)*T+B(10)/T**2
THERRR=TCZERO+AL*OEN+OE*(EXP(8E*OEN**GA)-1.0)
RETURN
ENO

FUNCTION CRITCR(RHO,TEMP)
C 4TH SURFACE, COEF. FROM TCD21 AND MINIMS, 3 MAR 82
DIMENSION C(7)
DATA C/.219200E+0,-145.55,.734512E-02,-.282950E-04
1,-.71599E-3,.13804E+0,.12980E-5/
DATA (TC=154.581),(RHOC=13.63)
T=TEMP
OEN=RHO
OELO=ABS(OEN-RHOC)/RHOC
IF(T.LT.TC) T=TC+(TC-T)
IF(T.LT.307.443) GO TO 4
CRITCR=0.
RETURN
4 CONTINUE
AMPL=C(1)/(T+C(2))+C(3)+C(4)*T
OELT=T-TC
RHOCENT=RHOC+C(5)*OELT**1.5
OELRHO=OEN-RHOCENT
X1=C(6)*OELRHO
IF(OELRHO.LT.0.) X1=X1+C(7)*OELRHO**5
CRITCR=AMPL*EXP(-X1**2)
IF(T.GT.162.9805) RETURN
IF(OEN.LT.7.5.DR.OEN.GT.18.) RETURN
TEST1=SENG81(OEN,T)
IF(TEST1.GT.CRITCR) CRITCR=TEST1
RETURN
ENO

```

```

FUNCTION SENG81(RHO,TEMP)
C SCALED EQUATION ONLY, VERSION OF 12 FEB 82
C CRITICAL ENHANCEMENT AS IN SENGERS ET AL 1981 U MARYL. REPORT
C UNITS, IN MOLE/K, INTERNAL ALSO ATM, OUT W/M-K, ETA G/CM-S, 8K J/K
C 1.02 REPLACED BY 1.04, PARAMETER VARIATION FOR WE8ER DATA
C DATA (TC=154.581),(DC=13.63),(8K=1.38054E-23),(PC=49.77054)
1 , (ZZ=5.9783E-10)
DATA (E=0.287),(G=1.190),(B=0.355),(DD=2.36),(XZ=0.183),(DE=4.352)
DFN=RHO
T=TEMP
DELD=A8S(DEN-DC)/DC
DELT=ABS(T-TC)
DFACT=EXP(-(39.8*DELT**2+5.45*DELD**4))
RSTAR=DEN/DC
VIS=VISC(DEN,T)*(1.0E-06)
CALL DPDT(DPT,DEN,T)
C IF(DELD.LE.0.25.AND.DELT.LT.0.03) GO TO 8
C CALL DPDD(DPD,DEN,T)
C CHISTAR=PC*DEN/(DC**2*DPD)
C GO TO 12
8 IF(DELD.EQ.0.) GO TO 3
X=DELT/DELD**2*(1.0/B)
Y=(X+XZ)/XZ
TOP=DELD**(-G/B)*((1.+E)/(1.+E*Y**2))**((G-1.)/(2.*8))
DIV=DD*(DE+(Y-1.)*(DE-1./B+E*Y**2))**((1.+E*Y**2)/(2.*8))
CHISTAR=TOP/DIV
12 CHI=CHISTAR*D.468D67
UPPER=1.04*8K/PC*(T*DPT/RSTAR)**2*CHI*DFACT*1.D1325E+6
SENG81=UPPER/(ZZ*6.*3.14159*VIS)
RETURN
3 BGAM=XZ**G/DD*((1.+E)/E)**((G-1.)/(2.*8))
CHISTAR=BGAM*(DELT)**(-G)
GO TO 12
END

```

Appendix C. Conversion Factors, Oxygen

Temperature	$1.8 \text{ R} = 1 \text{ K}$
Pressure	$14.695949 \text{ psia} = 1 \text{ atm} = 1.01325 \times 10^5 \text{ N/m}^2$ $(1 \text{ N/m}^2 = 1 \text{ Pa})$
Specific Volume	$0.0005005957 \text{ ft}^3/\text{lb}_m = 1 \text{ cm}^3/\text{g mol}$
Internal Energy, Enthalpy	$0.0134446 \text{ BTU/lb}_m = 1 \text{ J/g mol}$
Entropy, Specific Heat	$0.0074692 \text{ BTU/lb}_m\text{R} = 1 \text{ J/g mol-K}$
Thermal Conductivity	$0.0578176 \text{ BTU/ft-hr-R} = 1 \text{ mW/cm-K}$
Viscosity	$0.067196897 \text{ lb}_m/\text{ft-s} = 1 \text{ g/cm-s} = 1 \text{ N s/m}^2$ $= 1 \text{ Pa s}$
Speed of Sound	$3.2808 \text{ ft/s} = 1 \text{ m/s}$
Molecular Weight	31.9988
Surface Tension	$0.5710147 \times 10^{-5} \text{ lb}_f/\text{in} = 1 \text{ dyn/cm}$ $(1 \text{ dyn} = 10^{-5} \text{ N})$

1. Report No. NASA RP-1102	2. Government Accession No.	3. Recipient's Catalog No.	
4. Title and Subtitle TRANSPORT PROPERTIES OF OXYGEN		5. Report Date April 1983	
7. Author(s) H. M. Roder		6. Performing Organization Code	
9. Performing Organization Name and Address National Bureau of Standards Department of Commerce Washington, D. C. 20234		8. Performing Organization Report No. NBSIR 82-1672	
12. Sponsoring Agency Name and Address National Aeronautics and Space Administration Lewis Research Center Cleveland, Ohio 44135		10. Work Unit No.	
		11. Contract or Grant No. C-32369-C	
		13. Type of Report and Period Covered Reference Publication	
		14. Sponsoring Agency Code	
15. Supplementary Notes			
16. Abstract This report presents tables of viscosity, thermal conductivity, and thermal diffusivity of oxygen as a function of temperature and pressure from the triple point to 320 K and at pressures to 100 MPa. Auxiliary tables in engineering units are also given. Viscosity and thermal conductivity are calculated from previously published correlations. Density and specific heat at constant pressure, required to calculate thermal diffusivity, are obtained from an equation of state. The Prandtl number can be obtained quite easily from the values tabulated.			
17. Key Words (Suggested by Author(s)) Density; Oxygen; Pressure; Tables; Temperature; Thermal conductivity; Thermal diffusivity; Viscosity		18. Distribution Statement STAR Category 34 Unclassified - unlimited	
19. Security Classif. (of this report) Unclassified	20. Security Classif. (of this page) Unclassified	21. No. of Pages 87	22. Price* A05

* For sale by the National Technical Information Service, Springfield, Virginia 22161

National Aeronautics and
Space Administration

Washington, D.C.
20546

Official Business
Penalty for Private Use, \$300

THIRD-CLASS BULK RATE

Postage and Fees Paid
National Aeronautics and
Space Administration
NASA-451



NASA

POSTMASTER: If Undeliverable (Section 158
Postal Manual) Do Not Return
